



Package sha1 implements the SHA-1 hash algorithm as defined in RFC 3174.

SHA-1 is cryptographically broken and should not be used for secure applications.

Index

Constants

Overview

func New() hash.Hash

func Sum(data []byte) [Size]byte

Examples

New

New (File)

Sum

Constants

View Source
const BlockSize = 64

The blocksize of SHA-1 in bytes.

```
const Size = 20
```

The size of a SHA-1 checksum in bytes.

Variables

This section is empty.

Functions

func New

```
func New() hash.Hash
```

New returns a new hash. Hash computing the SHA1 checksum. The Hash also implements encoding. Binary Marshaler and encoding. Binary Unmarshaler to marshal and unmarshal the internal state of the hash.

- ▶ Example
- ► Example (File)

func Sum added in go1.2

```
func Sum(data []byte) [Size]byte
```

Sum returns the SHA-1 checksum of the data.

▶ Example

Types

This section is empty.

Source Files

View all <a>□

boring.go sha1.go sha1block.go sha1block_amd64.go Why Go Get Started Packages About **Use Cases** Playground Standard Library Download **Case Studies** Tour About Go Packages Blog Stack Overflow Issue Tracker Help Release Notes **Brand Guidelines** Code of Conduct Connect Twitter GitHub Slack r/golang Meetup Golang Weekly

Copyright

Terms of Service

Privacy Policy

Report an Issue







