Fiscal Year 2016-2017

" * " indicates a corrected bid amount.

Bid order may change after application of Local Business Preference bid amount reduction to certified Local Business Enterprises (see Part II of bid package).

Board of Public Works Meeting: Bid Opening - 08/24/16

STREET LIGHTING POLE PAINTING PROJECT UNIT VI

W.O. No. L1599174 Plan No. SL-7852

BSL Estimate: \$304,350.00

* * * ALL BIDS WERE REJECTED – PROJECT WAS RE-BID * * *

 Low Bidder: Color New Co.
 \$619,720.00 (103.62% High)

 2nd low:
 CTG Construction Inc.
 \$791,500.00 (160.06% High)

(Bid Tabulation available at the end of this document.)

Board of Public Works Meeting: Bid Opening - 11/16/16

STREET LIGHTING POLE PAINTING PROJECT UNIT VI (RE-BID)

W.O. No. L1599174 Plan No. SL-7852

BSL Estimate: \$304,350.00

Low Bidder: CTG dba CT Georgiou Painting Co.. \$452,660.00 (48.73% High) – AWARD 3/13/17

2nd low: Street Light Restoration Specialist Inc. \$489,802.00 (60.93% High)

(Bid Tabulation available at the end of this document.)

Fiscal Year 2016-2017

" * " indicates a corrected bid amount.

Bid order may change after application of Local Business Preference bid amount reduction to certified Local Business Enterprises (see Part II of bid package).

Board of Public Works Meeting: Bid Opening – 1/11/17

BEL AIR - BEVERLY CREST UNIT 1 STM HIGH VOLTAGE CONVERSION FY 2016-17

W.O. No. L1649433 Plan No. M-2433

BSL Estimate: \$2,969,000

(Bid Tabulation available at the end of this document.)

Board of Public Works Meeting: Bid Opening – 1/11/17

BEL AIR - BEVERLY CREST UNIT 2 STM HIGH VOLTAGE CONVERSION FY 2016-17

W.O. No. L1649434 Plan No. M-2434

BSL Estimate: \$2,685,000

* * * ALL BIDS WERE REJECTED * * *

| Low Bidder: | Comet Electric Inc | \$2,178,497.00 (18.86% low) |
|----------------------|----------------------------|-------------------------------|
| 1 st Low: | Elecnor Belco Electric Inc | \$2,795,256.00* (4.11% high) |
| 2 nd Low: | Select Electric Inc | \$3,230,957.00 (20.33% high) |
| 3 rd Low: | KDC Inc. dba Dynalectric | \$3,287,541.00 (22.44% high) |
| 4 th Low: | Henkels & McCoy Inc | \$4,116,793.10* (53.33% high) |

(Bid Tabulation available at the end of this document.)

Fiscal Year 2016-2017

" * " indicates a corrected bid amount.

Bid order may change after application of Local Business Preference bid amount reduction to certified Local Business Enterprises (see Part II of bid package).

Board of Public Works Meeting: Bid Opening - 1/18/17

WESTSIDE UNIT 1 STM HIGH VOLTAGE CONVERSION FY 2016-17

W.O. No. L1649430 Plan No. M-2430

BSL Estimate: \$2,697,500.00

2nd Low: Select Electric\$2,973,748.00 (10.24% High)

(Bid Tabulation available at the end of this document.)

Board of Public Works Meeting: Bid Opening – 1/18/17

WESTSIDE UNIT 3 STM HIGH VOLTAGE CONVERSION FY 2016-17

W.O. No. L1649432 Plan No. M-2432

BSL Estimate: \$2,812,500.00

(Bid Tabulation available at the end of this document.)

Board of Public Works Meeting: Bid Opening – 1/25/17

WESTSIDE UNIT 2 STM HIGH VOLTAGE CONVERSION FY 2016-17

W.O. No. L1649431 Plan No. M-2431

BSL Estimate: \$2,072,500.00

(Bid Tabulation available at the end of this document.)

Fiscal Year 2016-2017

" * " indicates a corrected bid amount.

Bid order may change after application of Local Business Preference bid amount reduction to certified Local Business Enterprises (see Part II of bid package).

Board of Public Works Meeting: Bid Opening – 1/25/17

WEST LOS ANGELES – PLAYA DEL REY STM HIGH VOLTAGE CONVERSION FY 2016-17

W.O. No. L1649435 Plan No. M-2435

BSL Estimate: \$2,063,500.00

(Bid Tabulation available at the end of this document.)

The following BID TABULATION pages indicate Total Bid Amounts as shown in the bid package submitted by the contractor.

Subsequent corrections of mathematical or other errors on the bid amounts during the review period are not reflected, unless otherwise indicated on the Bid Tabulation.

STREET LIGHTING POLE PAINTING PORJECT UNIT VI L1599174

Bid Date: 8/24/16 Estimate: \$304,350.00

| | | | | 1 | st Low Bidder | 2 | 2nd Low Bidder | |
|---|---|----------|------|------------|----------------|---|----------------|--|
| | | | | COLOR | NEW CO. | CTG CONSTRUCTION, IN dba C.T. GEORGIOU PAINTING CO. | | |
| | | Quantity | Unit | Unit Price | Write-In Total | Unit Price | Write-In Total | |
| 1 | Paint existing short ornamental pole and luminaire per specifications. Permastand 886A. Requires rust removal, stripping out existing paint, washing glass. | 39 | EA | 830 | 32370 | 500 | 19500 | |
| 2 | Paint existing short ornamental pole and luminaire per specifications. | 798 | EA | 250 | 199500 | 500 | 399000 | |
| | Paint existing tall modern pole per specifications. Without painting the exisiting LED Luminaires. | 310 | EA | 520 | 161200 | 500 | 155000 | |
| 4 | Paint existing tall ornamental pole and luminaire per specifications. | 436 | EA | 520 | 226720 | 500 | 218000 | |
| | | | | | \$619,720.00 | | \$791,500.00 | |

STREET LIGHTING POLE PAINTING PROJECT UNIT VI (RE-BID) L1649421

Bid Date: 11/16/16 Estimate: \$304,350.00

| | | | | 1st Low Bidder | | 2nd Low Bidder | | 3 | rd Low Bidder |
|---|---|----------|------|----------------|--|----------------|----------------|------------|----------------|
| | | | | | TG CONSTRUCTION INC. STREETLIGHT RESTORATION Co. SPECIALISTS, INC. | | RATION | COLOR | NEW CO. |
| | | Quantity | Unit | Unit Price | Write-In Total | Unit Price | Write-In Total | Unit Price | Write-In Total |
| 1 | Paint existing short ornamental pole and luminaire per specifications. Permastand 886A. Requires rust removal, stripping out existing paint, washing glass. | 39 | EA | 800 | 31200 | 890 | 34710 | 520 | 20280 |
| 2 | Paint existing short ornamental pole and luminaire per specifications. | 798 | EA | 250 | 199500 | 183 | 146034 | 160 | 127680 |
| 3 | Paint existing tall modern pole per specifications. Without painting the exisiting LED Luminaires. | 310 | EA | 280 | 86800 | 395 | 122450 | 470 | 145700 |
| 4 | Paint existing tall ornamental pole and luminaire per specifications. | 436 | EA | 310 | 135160 | 428 | 186608 | 470 | 204920 |
| | | | | | \$452,660.00 | | \$489,802.00 | | \$498,580.00 |

BEL AIR - BEVERLY CREST UNIT 1 STM

L1649433

Bid Date: 1/11/17 Estimate: \$2,969,000.00

(Amounts have been verified) 1st Low Bidder 2nd Low Bidder 2nd Low Bidder

| | unts have been verified) | | | | 1st Low Bidder | 2nd Low Bidder | | |
|----|--|----------|------|------------|----------------|----------------|--------------|--|
| | | | | COMET ELE | CTRIC, INC. | SERVITEK SOL | UTIONS, INC. | |
| | | Quantity | Unit | Unit Price | Total | Unit Price | Total | |
| 1 | Remove series service equipment | 8 | EA | 2972.78 | 23782.24 | 4171.29 | 33370.32 | |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 10834.43 | 10834.43 | 33370.33 | 33370.3 | |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 22 | EA | 398.46 | 8766.12 | 1796.38 | 39520.3 | |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP (if necessary, stand off bracket to be included) | 4 | EA | 2247.68 | 8990.72 | 14667.27 | 58669.08 | |
| 5 | Service junction connecting device | 6 | EA | 1894.31 | 11365.86 | 9149.85 | 54899. | |
| 6 | U.G. service includes stub-out extension and coordination with D.W.P. | 1 | EA | 1583.57 | 1583.57 | 27143.76 | 27143.76 | |
| 7 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 29310 | LF | 23.85 | 699043.5 | 28.71 | 841490. | |
| 8 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (In Street) | 36145 | LF | 24.33 | 879407.85 | 24.3 | 878323.5 | |
| 9 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 930 | LF | 54.22 | 50424.6 | 64.81 | 60273.3 | |
| 10 | #10 THWN AWG solid wire | 1 | LS | 6570.5 | 6570.5 | 132862.56 | 132862.5 | |
| 11 | #8 AWG stranded wire (600v) | 1 | LS | 208667 | 208667 | 139012.56 | 139012.5 | |
| 12 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj. surface | 40 | EA | 1587.58 | 63503.2 | 874.65 | 3498 | |
| 13 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 506 | EA | 898.12 | 454448.72 | 473.04 | 239358.2 | |
| 14 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 5 | EA | 2827.89 | 14139.45 | 6136.19 | 30680.9 | |
| 15 | 10 amp fuse kit (includes cartridge fuse) | 410 | EA | 108.63 | 44538.3 | 134.65 | 55206. | |
| 16 | 30 amp fuse kit (includes cartridge fuse) | 26 | EA | 131.19 | 3410.94 | 916.77 | 23836.0 | |
| 17 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 2 | EA | 586 | 1172 | 12532.98 | 25065.96 | |
| 18 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 404 | EA | 600 | 242400 | 325.47 | 131489.8 | |
| 19 | Philips City Touch Lum Controller | 2 | EA | 155 | 310 | 155 | 310 | |
| 20 | SSRE relay per plan | 7 | EA | 1570 | 10990 | 3273.94 | 22917.5 | |
| 21 | PE Cell Pole Cap (for CD 851) | 1 | EA | 60 | 60 | 60 | 6 | |
| 22 | PE Cell Pole Cap (for CD 953) | 4 | EA | 60 | 240 | 60 | 24 | |
| 23 | P.E. collar per plan | 2 | EA | 223.76 | 447.52 | 120 | 24 | |

Bid Date: 1/11/17 Estimate: \$2,969,000.00

(Amounts have been verified) 3rd Low Bidder 4th Low Bidder

| (Amour | nts have been verified) | | | | 3rd Low Bidder | | 4th Low Bidder |
|--------|--|----------|------|-------------|----------------|-----------------|----------------|
| | | | | ELECNOR BEL | | KDC, INC. dba | OVNALECTRIC |
| | | | | IIV | С. | KDC, INC. uba L | TIVALLETRIC |
| | | Quantity | Unit | Unit Price | Total | Unit Price | Total |
| 1 | Remove series service equipment | 8 | EA | 1500 | 12000 | 605 | 4840 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 35000 | 35000 | 28299 | 28299 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 22 | EA | 400 | 8800 | 381 | 8382 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP (if necessary, stand off bracket to be included) | 4 | EA | 3500 | 14000 | 2846 | 11384 |
| 5 | Service junction connecting device | 6 | EA | 900 | 5400 | 822 | 4932 |
| 6 | U.G. service includes stub-out extension and coordination with D.W.P. | 1 | EA | 15000 | 15000 | 5645 | 5645 |
| 7 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 29310 | LF | 28 | 820680 | 24 | 703440 |
| 8 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (In Street) | 36145 | LF | 32 | 1156640 | 50.5 | 1825322.5 |
| 9 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 930 | LF | 50 | 46500 | 47 | 43710 |
| 10 | #10 THWN AWG solid wire | 1 | LS | 28000 | 28000 | 58229.5 | 58229.5 |
| 11 | #8 AWG stranded wire (600v) | 1 | LS | 240000 | 240000 | 159575 | 159575 |
| 12 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends,excv & restore to match adj. surface | 40 | EA | 600 | 24000 | 1281 | 51240 |
| 13 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 506 | EA | 800 | 404800 | 678 | 343068 |
| 14 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 5 | EA | 900 | 4500 | 1872 | 9360 |
| 15 | 10 amp fuse kit (includes cartridge fuse) | 410 | EA | 92 | 37720 | 77 | 31570 |
| 16 | 30 amp fuse kit (includes cartridge fuse) | 26 | EA | 120 | 3120 | 215 | 5590 |
| 17 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 2 | EA | 800 | 1600 | 2356 | 4712 |
| 18 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 404 | EA | 400 | 161600 | 387 | 156348 |
| 19 | Philips City Touch Lum Controller | 2 | EA | 155 | 310 | 155 | 310 |
| 20 | SSRE relay per plan | 7 | EA | 1500 | 10500 | 2337 | 16359 |
| 21 | PE Cell Pole Cap (for CD 851) | 1 | EA | 60 | 60 | 60 | 60 |
| 22 | PE Cell Pole Cap (for CD 953) | 4 | EA | 60 | 240 | 60 | 240 |
| 23 | P.E. collar per plan | 2 | EA | 1200 | 2400 | 3685 | 7370 |
| | | | | 2.15% | \$3,032,870.00 | 17.21% | \$3,479,986.00 |

5th Low Bidder

Bid Date: 1/11/17 Estimate: \$2,969,000.00

(Amounts have been verified)

| | | | | SELECT ELE | CTRIC, INC. |
|----|--|----------|------|------------|----------------|
| | 1 | Quantity | Unit | Unit Price | Total |
| 1 | Remove series service equipment | 8 | EA | 181 | 1448 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 49930 | 49930 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 22 | EA | 114 | 2508 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP (if necessary, stand off bracket to be included) | 4 | EA | 1005 | 4020 |
| 5 | Service junction connecting device | 6 | EA | 510 | 3060 |
| 6 | U.G. service includes stub-out extension and coordination with D.W.P. | 1 | EA | 670 | 670 |
| 7 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 29310 | LF | 21 | 615510 |
| 8 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (In Street) | 36145 | LF | 45 | 1626525 |
| 9 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 930 | LF | 95 | 88350 |
| 10 | #10 THWN AWG solid wire | 1 | LS | 27405 | 27405 |
| 11 | #8 AWG stranded wire (600v) | 1 | LS | 277379 | 277379 |
| 12 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj. surface | 40 | EA | 656 | 26240 |
| 13 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 506 | EA | 1089 | 551034 |
| 14 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 5 | EA | 907 | 4535 |
| 15 | 10 amp fuse kit (includes cartridge fuse) | 410 | EA | 84 | 34440 |
| 16 | 30 amp fuse kit (includes cartridge fuse) | 26 | EA | 98 | 2548 |
| 17 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 2 | EA | 474 | 948 |
| 18 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 404 | EA | 781 | 315524 |
| 19 | Philips City Touch Lum Controller | 2 | EA | 155 | 310 |
| 20 | SSRE relay per plan | 7 | EA | 2399 | 16793 |
| 21 | PE Cell Pole Cap (for CD 851) | 1 | EA | 60 | 60 |
| 22 | PE Cell Pole Cap (for CD 953) | 4 | EA | 60 | 240 |
| 23 | P.E. collar per plan | 2 | EA | 1472 | 2944 |
| | | | | 23.02% | \$3,652,421.00 |

BEL AIR - BEVERLY CREST UNIT 2 STM

L1649434

Bid Date: 1/11/17 Estimate: \$2,685,000.00

(Amounts have been verified) 1st Low Bidder 2nd Low Bidder

| (Amoui | nts have been verified) | | | | 1st Low Bidder | | 2nd Low Bidder |
|--------|---|----------|------|------------|----------------|--------------|----------------|
| | | | | COMET ELE | CTRIC, INC. | ELECNOR BELO | , |
| | 1 | Quantity | Unit | Unit Price | Total | Unit Price | Total |
| 1 | Remove series service equipment | 8 | EA | 2465.1 | 19720.8 | 2000 | 16000 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 49416.14 | 49416.14 | 30000 | 30000 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 17 | EA | 61.85 | 1051.45 | 400 | 6800 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP (if necessary, stand off brackets to be included) | 7 | EA | 2012.11 | 14084.77 | 3500 | 24500 |
| 5 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface (for Coldwater Canyon) | 681 | LF | 28.84 | 19640.04 | 40 | 27240 |
| 6 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (In Street) | 46493 | LF | 23.2 | 1078637.6 | 41 | 1906213 |
| 7 | #10 THWN AWG solid wire | 1 | LS | 28392.08 | 28392.08 | 32000 | 32000 |
| 8 | #8 AWG stranded wire (600v) | 1 | LS | 194823.15 | 194823.15 | 190000 | 19000 |
| 9 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj surface | 70 | EA | 1188.52 | 83196.4 | 600 | 42000 |
| 10 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 368 | EA | 920.19 | 338629.92 | 800 | 29440 |
| 11 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 7 | EA | 1826.59 | 12786.13 | 900 | 6300 |
| 12 | 10 amp fuse kit (includes cartridge fuse) | 359 | EA | 102.02 | 36625.18 | 92 | 3302 |
| 13 | 30 amp fuse kit (includes cartridge fuse) | 24 | EA | 123.26 | 2958.24 | 120 | 288 |
| 14 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 4 | EA | 1522.49 | 6089.96 | 750 | 3000 |
| 15 | LED luminaire (200W HPS Replacement) per plan and includes removal of existing equipment | 4 | EA | 1522.49 | 6089.96 | 800 | 3200 |
| 16 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 344 | EA | 420 | 144480 | 400 | 137600 |
| 17 | Philips City Touch Lum Controller | 8 | EA | 155 | 1240 | 155 | 124 |
| 18 | SSRE relay per plan | 5 | EA | 1556 | 7780 | 2100 | 1050 |
| 19 | PE Cell Pole Cap (for CD 807) | 1 | EA | 55 | 55 | 55 | 5 |
| 20 | PE Cell Pole Cap (for CD 851) | 3 | EA | 60 | 180 | 60 | 18 |
| 21 | PE Cell Pole Cap (for CD 953) | 2 | EA | 60 | 120 | 60 | 120 |
| 22 | Field Office requirements per special specifications (and ability to hold 2 inspectors) | 1 | LS | 132500.18 | 132500.18 | 28000 | 2800 |
| | | | | -18.86% | \$2,178,497.00 | 4.11% | \$2,795,256.0 |

BEL AIR - BEVERLY CREST UNIT 2 STM

L1649434

Bid Date: 1/11/17 Estimate: \$2,685,000.00

(Amounts have been verified) 3rd Low Bidder 4th Low Bidder 4th Low Bidder

| moui | ts have been verified) | | | 3rd Low Bidder | | 4th Low Bidder | | |
|------|---|----------|------|----------------|----------------|-----------------|-------------|--|
| | | | | SELECT ELE | CTRIC, INC. | KDC, INC. dba [| OYNALECTRIC | |
| | | Quantity | Unit | Unit Price | Total | Unit Price | Total | |
| 1 | Remove series service equipment | 8 | EA | 182 | 1456 | 135 | 108 | |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 31502 | 31502 | 16251 | 1625 | |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 17 | EA | 128 | 2176 | 213 | 362 | |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP (if necessary, stand off brackets to be included) | 7 | EA | 674 | 4718 | 1928 | 134 | |
| 5 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface (for Coldwater Canyon) | 681 | LF | 26 | 17706 | 24 | 163 | |
| 6 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (In Street) | 46493 | LF | 46 | 2138678 | 51.5 | 2394389 | |
| 7 | #10 THWN AWG solid wire | 1 | LS | 28415 | 28415 | 38721 | 387 | |
| 8 | #8 AWG stranded wire (600v) | 1 | LS | 214363 | 214363 | 160257 | 1602 | |
| 9 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj surface | 70 | EA | 660 | 46200 | 972 | 680 | |
| 10 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 368 | EA | 1097 | 403696 | 812 | 2988 | |
| 11 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 7 | EA | 889 | 6223 | 1086 | 76 | |
| 12 | 10 amp fuse kit (includes cartridge fuse) | 359 | EA | 84 | 30156 | 69 | 247 | |
| 13 | 30 amp fuse kit (includes cartridge fuse) | 24 | EA | 99 | 2376 | 71 | 17 | |
| 14 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 4 | EA | 477 | 1908 | 475 | 19 | |
| 15 | LED luminaire (200W HPS Replacement) per plan and includes removal of existing equipment | 4 | EA | 470 | 1880 | 475 | 19 | |
| 16 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 344 | EA | 786 | 270384 | 382 | 1314 | |
| 17 | Philips City Touch Lum Controller | 8 | EA | 155 | 1240 | 155 | 12 | |
| 18 | SSRE relay per plan | 5 | EA | 3028 | 15140 | 1803 | 90 | |
| 19 | PE Cell Pole Cap (for CD 807) | 1 | EA | 55 | 55 | 55 | | |
| 20 | PE Cell Pole Cap (for CD 851) | 3 | EA | 60 | 180 | 60 | | |
| 21 | PE Cell Pole Cap (for CD 953) | 2 | EA | 60 | 120 | 60 | | |
| 22 | Field Office requirements per special specifications (and ability to hold 2 inspectors) | 1 | LS | 12385 | 12385 | 96630.5 | 9663 | |
| | | | | 20.33% | \$3,230,957.00 | 22.44% | \$3,287,541 | |

BEL AIR - BEVERLY CREST UNIT 2 STM

L1649434

Bid Date: 1/11/17 Estimate: \$2,685,000.00

(Amounts have been verified)

5th Low Bidder

| | · | | | HENKELS & N | ACCOV INC |
|----|---|----------|-------|-------------|----------------|
| | | Quantity | Unit | Unit Price | Total |
| | | Quantity | Offic | OTHET TICE | rotai |
| 1 | Remove series service equipment | 8 | EA | 408.93 | 3271.44 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 84906.73 | 84906.73 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 17 | EA | 263.16 | 4473.72 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP (if necessary, stand off brackets to be included) | 7 | EA | 1990.3 | 13932.1 |
| 5 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface (for Coldwater Canyon) | 681 | LF | 40.13 | 27328.53 |
| 6 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (In Street) | 46493 | LF | 58.83 | 2735183.19 |
| 7 | #10 THWN AWG solid wire | 1 | LS | 18413.16 | 18413.16 |
| 8 | #8 AWG stranded wire (600v) | 1 | LS | 295092.46 | 295092.46 |
| 9 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj surface | 70 | EA | 295.6 | 20692 |
| 10 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 368 | EA | 621.54 | 228726.72 |
| 11 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 7 | EA | 832.25 | 5825.75 |
| 12 | 10 amp fuse kit (includes cartridge fuse) | 359 | EA | 71.49 | 25664.91 |
| 13 | 30 amp fuse kit (includes cartridge fuse) | 24 | EA | 71.49 | 1715.76 |
| 14 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 4 | EA | 1721.5 | 6886 |
| 15 | LED luminaire (200W HPS Replacement) per plan and includes removal of existing equipment | 4 | EA | 1715.5 | 6862 |
| 16 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 344 | EA | 1098.1 | 377746.4 |
| 17 | Philips City Touch Lum Controller | 8 | EA | 155 | 1240 |
| 18 | SSRE relay per plan | 5 | EA | 3272.85 | 16364.25 |
| 19 | PE Cell Pole Cap (for CD 807) | 1 | EA | 55 | 55 |
| 20 | PE Cell Pole Cap (for CD 851) | 3 | EA | 60 | 180 |
| 21 | PE Cell Pole Cap (for CD 953) | 2 | EA | 60 | 120 |
| 22 | Field Office requirements per special specifications (and ability to hold 2 inspectors) | 1 | LS | 242112.98 | 242112.98 |
| | | | | 53.33% | \$4,116,793.10 |

WESTSIDE UNIT 1 STM HV CONV FY 2016-17

L1649430

Bid Date: 1/18/17 Estimate: \$2,697,500.00

(Amounts have been verified) 1st Low Bidder 2nd Low Bidder 2nd Low Bidder

| (Amour | ounts have been verified) | | 1 | | 1st Low Bidder | 2nd Low Bidder | | |
|--------|--|----------|------|--------------|----------------|----------------|----------------|--|
| | | | | SERVITEK SOI | LUTIONS, INC. | SELECT ELE | CTRIC, INC. | |
| | 1 | Quantity | Unit | Unit Price | Total | Unit Price | Total | |
| 1 | Remove series service equipment | 5 | EA | 3523.37 | 17616.85 | 1654 | 8270 | |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 20522.98 | 20522.98 | 44844 | 44844 | |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 24 | EA | 1112.62 | 26702.88 | 108 | 2592 | |
| 4 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 68310 | LF | 14.68 | 1002790.8 | 20 | 1366200 | |
| 5 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10404 | LF | 19.7 | 204958.8 | 40 | 416160 | |
| 6 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 722 | LF | 81 | 58482 | 57 | 41154 | |
| 7 | #10 THWN AWG solid wire | 1 | LS | 134903.5 | 134903.5 | 20984 | 20984 | |
| 8 | #8 AWG stranded wire (600v) | 1 | LS | 134903.5 | 134903.5 | 275231 | 275231 | |
| 9 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 651 | EA | 279.82 | 182162.82 | 625 | 406875 | |
| 10 | 10 amp fuse kit (includes cartridge fuse) | 469 | EA | 139.61 | 65477.09 | 82 | 38458 | |
| 11 | LED luminaire (100W HPS replacement) per plan and includes removal of exisiting equipment | 18 | EA | 3988.49 | 71792.82 | 463 | 8334 | |
| 12 | LED luminaire (150W HPS replacement) per plan and includes removal of exisiting equipment | 1 | EA | 4166.14 | 4166.14 | 489 | 489 | |
| 13 | LED luminaire (200W HPS Replacement) per plan and includes removal of exisiting equipment | 17 | EA | 3969.87 | 67487.79 | 456 | 7752 | |
| 14 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of exisiting equipment | 433 | EA | 793.71 | 343676.43 | 683 | 295739 | |
| 15 | Philips City Touch Lum Controller | 36 | EA | 155 | 5580 | 155 | 5580 | |
| 16 | SSRE relay per plan | 13 | EA | 2548.52 | 33130.76 | 2627 | 34151 | |
| 17 | PE Cell Pole Cap (for CD 951) | 2 | EA | 50 | 100 | 50 | 100 | |
| 18 | PE Cell Pole Cap (for CD 953) | 6 | EA | 60 | 360 | 60 | 360 | |
| 19 | PE Cell Pole Cap (for CD 855) | 1 | EA | 60 | 60 | 60 | 60 | |
| 20 | PE Cell Pole Cap (for CD 851) | 6 | EA | 60 | 360 | 60 | 360 | |
| 21 | PE Cell Pole Cap (for CD 856) | 1 | EA | 55 | 55 | 55 | 55 | |
| | | | | -11.94% | \$2,375,290.16 | 10.24% | \$2,973,748.00 | |

WESTSIDE UNIT 1 STM HV CONV FY 2016-17

L1649430

Bid Date: 1/18/17 Estimate: \$2,697,500.00

| (Amoun | ts have been verified) | 3rd Low B ELECNOR BELCO ELEC | | | | |
|--------|--|---------------------------------|------|------------|---------|--|
| | | | | INC | | |
| | 1 | Quantity | Unit | Unit Price | Total | |
| 1 | Remove series service equipment | 5 | EA | 2000 | 10000 | |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 28000 | 28000 | |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 24 | EA | 250 | 6000 | |
| 4 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 68310 | LF | 23 | 1571130 | |
| 5 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10404 | LF | 29 | 301716 | |
| 6 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 722 | LF | 53 | 38266 | |
| 7 | #10 THWN AWG solid wire | 1 | LS | 33000 | 33000 | |
| 8 | #8 AWG stranded wire (600v) | 1 | LS | 255000 | 255000 | |
| 9 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 651 | EA | 652 | 424452 | |
| 10 | 10 amp fuse kit (includes cartridge fuse) | 469 | EA | 100 | 46900 | |
| 11 | LED luminaire (100W HPS replacement) per plan and includes removal of exisiting equipment | 18 | EA | 640 | 11520 | |
| 12 | LED luminaire (150W HPS replacement) per plan and includes removal of exisiting equipment | 1 | EA | 660 | 660 | |
| 13 | LED luminaire (200W HPS Replacement) per plan and includes removal of exisiting equipment | 17 | EA | 635 | 10795 | |
| 14 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of exisiting equipment | 433 | EA | 658 | 284914 | |
| 15 | Philips City Touch Lum Controller | 36 | EA | 155 | 5580 | |
| 16 | SSRE relay per plan | 13 | EA | 1450 | 18850 | |
| 17 | PE Cell Pole Cap (for CD 951) | 2 | EA | 50 | 100 | |
| 18 | PE Cell Pole Cap (for CD 953) | 6 | EA | 60 | 360 | |
| 19 | PE Cell Pole Cap (for CD 855) | 1 | EA | 60 | 60 | |
| 20 | PE Cell Pole Cap (for CD 851) | 6 | EA | 60 | 360 | |
| 21 | PE Cell Pole Cap (for CD 856) | 1 | EA | 55 | 55 | |

12.98%

\$3,047,718.00

Bid Date: 1/18/17 Estimate: \$2,812,500.00

(Amounts have been verified) 1st Low Bidder 2nd Low Bidder

| Ailloui | its have been verified) | | | | 1st Low Bidder | · | 2nd Low Bidder |
|---------|--|----------|------|--------------|----------------|------------|----------------|
| | | | | SERVITEK SOL | UTIONS, INC. | SELECT ELE | CTRIC, INC. |
| | 1 | Quantity | Unit | Unit Price | Total | Unit Price | Total |
| 1 | Remove series service equipment | 8 | EA | 2569.12 | 20552.96 | 882 | 7056 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 20552.98 | 20552.98 | 52062 | 52062 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 27 | EA | 989 | 26703 | 105 | 2835 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 5 | EA | 2079.23 | 10396.15 | 1220 | 6100 |
| 5 | Service junction connecting device | 3 | EA | 7260.99 | 21782.97 | 1007 | 3021 |
| 6 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 58155 | LF | 15.43 | 897331.65 | 20 | 1163100 |
| 7 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 11711 | LF | 18.88 | 221103.68 | 41 | 480151 |
| 8 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (in street along flowline) | 5420 | LF | 22.18 | 120215.6 | 43 | 233060 |
| 9 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 697 | LF | 89.32 | 62256.04 | 66 | 46002 |
| 10 | #10 THWN AWG solid wire | 1 | LS | 107922.8 | 107922.8 | 23669 | 23669 |
| 11 | #8 AWG stranded wire (600v) | 1 | LS | 107922.8 | 107922.8 | 254801 | 25480° |
| 12 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj surface | 6 | EA | 1652.57 | 9915.42 | 648 | 388 |
| 13 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 674 | EA | 272.37 | 183577.38 | 630 | 424620 |
| 14 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 5 | EA | 3305.14 | 16525.7 | 896 | 4480 |
| 15 | 10 amp fuse kit (includes cartridge fuse) | 522 | EA | 119.6 | 62431.2 | 83 | 4332 |
| 16 | 30 amp fuse kit (includes cartridge fuse) | 40 | EA | 857.04 | 34281.6 | 97 | 3880 |
| 17 | LED luminaire (100W HPS replacement) per plan and includes removal of exisiting equipment | 11 | EA | 4618.83 | 50807.13 | 468 | 5148 |
| 18 | LED luminaire (150W HPS replacement) per plan and includes removal of exisiting equipment | 5 | EA | 7102.28 | 35511.4 | 495 | 2475 |
| 19 | LED luminaire (200W HPS Replacement) per plan and includes removal of exisiting equipment | 5 | EA | 8332.28 | 41661.4 | 461 | 230 |
| 20 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of exisiting equipment | 496 | EA | 721.55 | 357888.8 | 691 | 34273 |
| 21 | Philips City Touch Lum Controller | 21 | EA | 155 | 3255 | 155 | 3258 |
| 22 | SSRE relay per plan | 7 | EA | 2068.9 | 14482.3 | 2971 | 20797 |
| 23 | PE Cell Pole Cap (for CD 814) | 1 | EA | 55 | 55 | 55 | 55 |
| 22 | PE Cell Pole Cap (for CD 851) | 2 | EA | 60 | 120 | 60 | 120 |
| 22 | PE Cell Pole Cap (for CD 807) | 1 | EA | 55 | 55 | 55 | 55 |
| 22 | PE Cell Pole Cap (for CD 953) | 1 | EA | 60 | 60 | 60 | 60 |
| 22 | P.E. collar per plan | 2 | EA | 2698.07 | 5396.14 | 981 | 1962 |
| | | | | -13.50% | \$2,432,764.10 | 11.33% | \$3,131,019.0 |

Bid Date: 1/18/17 Estimate: \$2,812,500.00

(Amounts have been verified)

3rd Low Bidder

| inoun | ave been verified) | | 3rd Low Bidder ELECNOR BELCO ELECTRIC, INC. | | |
|-------|--|----------|---|------------|---------------|
| | | Quantity | Unit | Unit Price | Total |
| 1 | Remove series service equipment | 8 | EA | 2000 | 16000 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 27000 | 27000 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 27 | EA | 250 | 675 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 5 | EA | 3500 | 1750 |
| 5 | Service junction connecting device | 3 | EA | 800 | 240 |
| 6 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 58155 | LF | 26 | 151203 |
| 7 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 11711 | LF | 28 | 32790 |
| 8 | 1" galv. cond. incl. excavations and restoring surface to match adjacent surface (in street along flowline) | 5420 | LF | 34 | 18428 |
| 9 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 697 | LF | 52 | 36244 |
| 10 | #10 THWN AWG solid wire | 1 | LS | 40000 | 40000 |
| 11 | #8 AWG stranded wire (600v) | 1 | LS | 260000 | 260000 |
| 12 | Pullbox, No. 3-1/2 with Steel Cover (traffic rated) incl. lid, bends, excv & restore to match adj surface | 6 | EA | 550 | 3300 |
| 13 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 674 | EA | 652 | 43944 |
| 14 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 5 | EA | 750 | 375 |
| 15 | 10 amp fuse kit (includes cartridge fuse) | 522 | EA | 100 | 5220 |
| 16 | 30 amp fuse kit (includes cartridge fuse) | 40 | EA | 125 | 500 |
| 17 | LED luminaire (100W HPS replacement) per plan and includes removal of exisiting equipment | 11 | EA | 640 | 704 |
| 18 | LED luminaire (150W HPS replacement) per plan and includes removal of exisiting equipment | 5 | EA | 660 | 330 |
| 19 | LED luminaire (200W HPS Replacement) per plan and includes removal of exisiting equipment | 5 | EA | 635 | 317 |
| 20 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of exisiting equipment | 496 | EA | 658 | 32636 |
| 21 | Philips City Touch Lum Controller | 21 | EA | 155 | 325 |
| 22 | SSRE relay per plan | 7 | EA | 1428 | 999 |
| 23 | PE Cell Pole Cap (for CD 814) | 1 | EA | 55 | 5 |
| 22 | PE Cell Pole Cap (for CD 851) | 2 | EA | 60 | 12 |
| 22 | PE Cell Pole Cap (for CD 807) | 1 | EA | 55 | 5 |
| 22 | PE Cell Pole Cap (for CD 953) | 1 | EA | 60 | 6 |
| 22 | P.E. collar per plan | 2 | EA | 1000 | 200 |
| | | | | 16.95% | \$3,289,234.0 |

Bid Date: 1/25/17 Estimate: \$2,072,500.00

(Amounts have been verified) 1st Low Bidder 2nd Low Bidder

| (Amoun | Amounts have been verified) | | 1 | st Low Bidder | 2nd Low Bidder | | |
|--------|--|----------|------|----------------------|----------------|---------------------------------|----------------|
| | | | | HENKELS & MCCOY INC. | | ELECNOR BELCO ELECTRIC, INC. | |
| | | Quantity | Unit | Unit Price | Total | Unit Price | Total |
| 11 | Remove series service equipment | 4 | EA | 551.67 | 2206.68 | 1200 | 4800 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 109692.78 | 109692.78 | 60000 | 60000 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 21 | EA | 141.85 | 2978.85 | 140 | 2940 |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 4 | EA | 2411.03 | 9644.12 | 1400 | 5600 |
| 5 | Service junction connecting device | 6 | EA | 747.46 | 4484.76 | 1000 | 6000 |
| 6 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 47527 | LF | 15.32 | 728113.64 | 20 | 950540 |
| 7 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10623 | LF | 31.57 | 335368.11 | 32 | 339936 |
| 8 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 200 | LF | 81 | 16200 | 80 | 16000 |
| 9 | #10 THWN AWG solid wire | 1 | LS | 25485.22 | 25485.22 | 26000 | 2600 |
| 10 | #8 AWG stranded wire (600v) | 1 | LS | 267463.34 | 267463.34 | 185000 | 185000 |
| 11 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 517 | EA | 610.21 | 315478.57 | 600 | 310200 |
| 12 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 4 | EA | 724.64 | 2898.56 | 850 | 3400 |
| 13 | 10 amp fuse kit (includes cartridge fuse) | 410 | EA | 81.46 | 33398.6 | 85 | 34850 |
| 14 | 30 amp fuse kit (includes cartridge fuse) | 28 | EA | 81.46 | 2280.88 | 100 | 2800 |
| 15 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 8 | EA | 1750.75 | 14006 | 615 | 4920 |
| 16 | LED luminaire (200W HPS Replacement) per plan | 5 | EA | 1750.75 | 8753.75 | 608 | 3040 |
| 17 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 393 | EA | 831.79 | 326893.47 | 755 | 29671 |
| 18 | Philips City Touch Lum Controller | 13 | EA | 155 | 2015 | 155 | 201 |
| 19 | SSRE relay per plan | 7 | EA | 3927.4 | 27491.8 | 2500 | 17500 |
| 20 | P.E. collar per plan | 7 | EA | 161.5 | 1130.5 | 974 | 6818 |
| | | | | 7.89% | \$2,235,984.63 | 9.97% | \$2,279,074.00 |

Bid Date: 1/25/17 Estimate: \$2,072,500.00

(Amounts have been verified)

3rd Low Bidder

4th Low Bidder

| (Amounts have been verified) | | | 3 | 3rd Low Bidder | 4th Low Bidder | | |
|------------------------------|--|----------|------|-----------------------|----------------|---------------------------|----------------|
| | | | | SELECT ELECTRIC, INC. | | KDC INC., dba DYNALECTRIC | |
| | | Quantity | Unit | Unit Price | Total | Unit Price | Total |
| 1 | Remove series service equipment | 4 | EA | 1679 | 6716 | 131 | 524 |
| 2 | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 47856 | 47856 | 23517 | 23517 |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 21 | EA | 192 | 4032 | 207 | 4347 |
| 44 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 4 | EA | 1616 | 6464 | 1881 | 7524 |
| 5 | Service junction connecting device | 6 | EA | 1032 | 6192 | 191 | 1146 |
| 6 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 47527 | LF | 22 | 1045594 | 22.5 | 1069357.5 |
| 7 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10623 | LF | 50 | 531150 | 56 | 594888 |
| 8 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 200 | LF | 98 | 19600 | 44.19 | 8838 |
| 9 | #10 THWN AWG solid wire | 1 | LS | 19403 | 19403 | 43994 | 43994 |
| 10 | #8 AWG stranded wire (600v) | 1 | LS | 167781 | 167781 | 119091.5 | 119091.5 |
| 11 | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 517 | EA | 633 | 327261 | 689 | 356213 |
| 12 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 4 | EA | 1071 | 4284 | 912 | 3648 |
| 13 | 10 amp fuse kit (includes cartridge fuse) | 410 | EA | 83 | 34030 | 67 | 27470 |
| 14 | 30 amp fuse kit (includes cartridge fuse) | 28 | EA | 97 | 2716 | 69 | 1932 |
| 15 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 8 | EA | 470 | 3760 | 426 | 3408 |
| 16 | LED luminaire (200W HPS Replacement) per plan | 5 | EA | 463 | 2315 | 420 | 210 |
| 17 | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 393 | EA | 693 | 272349 | 605 | 23776 |
| 18 | Philips City Touch Lum Controller | 13 | EA | 155 | 2015 | 155 | 201 |
| 19 | SSRE relay per plan | 7 | EA | 2801 | 19607 | 2544 | 17808 |
| 20 | P.E. collar per plan | 7 | EA | 1153 | 8071 | 891 | 623 |
| | | | | 22.13% | \$2,531,196.00 | 22.16% | \$2,531,823.00 |

WEST L.A. - PLAYA DEL REY STM HV CONV FY16-17 L1649435

Bid Date: 1/25/17 Estimate: \$2,063,500.00

(Amounts have been verified)

1st Low Bidder

2nd Low Bidder

| Amounts have been verified) | | | st Low Bidder | 2nd Low Bidder | | |
|--|---------------|------------------------------|----------------|--------------------------|----------------|--|
| | | ELECNOR BELCO ELECTRIC, INC. | | SERVITEK SOLUTIONS, INC. | | |
| | Quantity Unit | Unit Price Total | | Unit Price | Total | |
| Remove series service equipment | 6 EA | 1500 | 9000 | 4767.19 | 28603.14 | |
| Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 LS | 61149 | 61149 | 33370.33 | 33370.33 | |
| Replace damaged or missing hand hole covers (may vary in size or shape) | 19 EA | 140 | 2660 | 1829.11 | 34753.09 | |
| O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 2 EA | 1400 | 2800 | 3117.75 | 6235.5 | |
| 5 Service junction connecting device | 3 EA | 1000 | 3000 | 10354.38 | 31063.14 | |
| 6 U.G. service includes stub-out extension and coordination with D.W.P. | 2 EA | 2500 | 5000 | 27873.45 | 55746.9 | |
| " galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 48462 LF | 20 | 969240 | 16.11 | 780722.82 | |
| 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10010 LF | 32 | 320320 | 16.21 | 162262.1 | |
| 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 157 LF | 80 | 12560 | 80.83 | 12690.31 | |
| 10 #10 THWN AWG solid wire | 1 LS | 25000 | 25000 | 258639.9 | 258639.9 | |
| 11 #8 AWG stranded wire (600v) | 1 LS | 192000 | 192000 | 258639.9 | 258639.9 | |
| Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 508 EA | 600 | 304800 | 526.66 | 267543.28 | |
| Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 4 EA | 850 | 3400 | 13217.18 | 52868.72 | |
| 14 10 amp fuse kit (includes cartridge fuse) | 364 EA | 85 | 30940 | 295.72 | 107642.08 | |
| 15 30 amp fuse kit (includes cartridge fuse) | 24 EA | 100 | 2400 | 3613.6 | 86726.4 | |
| LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 15 EA | 615 | 9225 | 638.17 | 9572.55 | |
| LED luminaire (200W HPS Replacement) per plan and includes removal of existing equipment | 16 EA | 608 | 9728 | 598.29 | 9572.64 | |
| LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 332 EA | 789 | 261948 | 299.37 | 99390.84 | |
| 19 Philips City Touch Lum Controller | 31 EA | 155 | 4805 | 155 | 4805 | |
| 20 SSRE relay per plan | 11 EA | 2500 | 27500 | 2949.63 | 32445.93 | |
| 21 PE Cell Pole Cap (for CD 851) | 9 EA | 60 | 540 | 60 | 540 | |
| PE Cell Pole Cap (for CD814) | 1 EA | 55 | 55 | 55 | 55 | |
| 23 P.E. collar per plan | 7 EA | 974 | 6818 | 2394.51 | 16761.57 | |
| | | 9.76% | \$2,264,888.00 | 13.92% | \$2,350,651.14 | |

WEST L.A. - PLAYA DEL REY STM HV CONV FY16-17

L1649435

Bid Date: 1/25/17 Estimate: \$2,063,500.00

(Amounts have been verified) 3rd Low Bidder 4th Low Bidder 4th Low Bidder

| (Amour | mounts have been verified) | | | 3rd Low Bidder | 4th Low Bidder | | |
|--------|--|----------------|---------------|---------------------------|----------------|-----------------------|--|
| | | | KDC INC., dba | KDC INC., dba DYNALECTRIC | | SELECT ELECTRIC, INC. | |
| Г | | Quantity Un | t Unit Price | Total | Unit Price | Total | |
| 1 | Remove series service equipment | 6 EA | 186 | 1116 | 1684 | 10104 | |
| | Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 LS | 20986 | 20986 | 44307 | 44307 | |
| 3 | Replace damaged or missing hand hole covers (may vary in size or shape) | 19 EA | 207 | 3933 | 146 | 2774 | |
| 4 | O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 2 EA | 1879 | 3758 | 1710 | 3420 | |
| 5 | Service junction connecting device | 3 EA | 190 | 570 | 1835 | 5505 | |
| 6 | U.G. service includes stub-out extension and coordination with D.W.P. | 2 EA | 1733 | 3466 | 490 | 980 | |
| 7 | 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 48462 LF | 22.5 | 1090395 | 20.5 | 993471 | |
| 8 | 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10010 LF | 48 | 480480 | 47 | 470470 | |
| 9 | 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 157 LF | 61 | 9577 | 99 | 15543 | |
| 10 | #10 THWN AWG solid wire | 1 LS | 45830 | 45830 | 17958 | 17958 | |
| 11 | #8 AWG stranded wire (600v) | 1 LS | 136841 | 136841 | 189665 | 189665 | |
| | Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 508 E <i>F</i> | 669 | 339852 | 789 | 400812 | |
| 13 | Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 4 E <i>F</i> | 912 | 3648 | 2316 | 9264 | |
| 14 | 10 amp fuse kit (includes cartridge fuse) | 364 EA | 67 | 24388 | 83 | 30212 | |
| 15 | 30 amp fuse kit (includes cartridge fuse) | 24 EA | 69 | 1656 | 98 | 2352 | |
| 16 | LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 15 E <i>F</i> | 426 | 6390 | 471 | 7065 | |
| 17 | LED luminaire (200W HPS Replacement) per plan and includes removal of existing equipment | 16 EA | 413 | 6608 | 464 | 7424 | |
| | LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 332 E <i>F</i> | 605 | 200860 | 695 | 230740 | |
| 19 | Philips City Touch Lum Controller | 31 E <i>A</i> | 155 | 4805 | 155 | 4805 | |
| 20 | SSRE relay per plan | 11 EA | 2543 | 27973 | 2864 | 31504 | |
| 21 | PE Cell Pole Cap (for CD 851) | 9 E <i>F</i> | 60 | 540 | 60 | 540 | |
| 22 | PE Cell Pole Cap (for CD814) | 1 E/ | 55 | 55 | 55 | 55 | |
| 23 | P.E. collar per plan | 7 E/ | 891 | 6237 | 683 | 4781 | |
| | | | 17.27% | \$2,419,964.00 | 20.37% | \$2,483,751.00 | |

WEST L.A. - PLAYA DEL REY STM HV CONV FY16-17

L1649435

Bid Date: 1/25/17 Estimate: \$2,063,500.00

(Amounts have been verified)

5th Low Bidder

| (Canada and Canada) | ave been verified) | | | 5th Low Bidger | | |
|--|--------------------|------|----------------------|----------------|--|--|
| | | | HENKELS & MCCOY INC. | | | |
| | Quantity | Unit | Unit Price | Total | | |
| 1 Remove series service equipment | 6 | EA | 524.66 | 3147.96 | | |
| Remove & dispose of existing wires per general notes on sheet 1 of project plans | 1 | LS | 110453.84 | 110453.84 | | |
| Replace damaged or missing hand hole covers (may vary in size or shape) | 19 | EA | 142.67 | 2710.73 | | |
| O.H. svc. incl. 2" galv. cond. svc. riser complete to service pullbox and coordination with DWP | 2 | EA | 2715.28 | 5430.56 | | |
| Service junction connecting device | 3 | EA | 751.77 | 2255.31 | | |
| 6 U.G. service includes stub-out extension and coordination with D.W.P. | 2 | EA | 1662.88 | 3325.76 | | |
| 1" galv. cond. (Parkway) incl. excavations and restoring surface to match adjacent surface | 48462 | LF | 16.79 | 813676.98 | | |
| 1" galv. cond. (St. cross) incl. excavations and restoring surface to match adjacent surface | 10010 | LF | 43.48 | 435234.8 | | |
| 1-1/2"galv.cond.(St. cross) incl. excavations and restoring surface to match adjacent surface | 157 | LF | 97.27 | 15271.39 | | |
| #10 THWN AWG solid wire | 1 | LS | 24655.98 | 24655.98 | | |
| #8 AWG stranded wire (600v) | 1 | LS | 362196.96 | 362196.96 | | |
| Pullbox, type 2 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 508 | EA | 620.95 | 315442.6 | | |
| Pullbox, type 3 Armorcast incl. lid, bends, excavating, & restoring surface to match adj. surface. (or approved equal) | 4 | EA | 736.04 | 2944.16 | | |
| 1410 amp fuse kit (includes cartridge fuse) | 364 | EA | 83.37 | 30346.68 | | |
| 15 30 amp fuse kit (includes cartridge fuse) | 24 | EA | 83.87 | 2012.88 | | |
| LED luminaire (100W HPS replacement) per plan and includes removal of existing equipment | 15 | EA | 1803.96 | 27059.4 | | |
| LED luminaire (200W HPS Replacement) per plan and includes removal of existing equipment | 16 | EA | 1803.96 | 28863.36 | | |
| LED Post Top Lamp (incl retrofit kit, socket, etc.) per plan and includes removal of existing equipment | 332 | EA | 840.89 | 279175.48 | | |
| 19 Philips City Touch Lum Controller | 31 | EA | 155 | 4805 | | |
| 20 SSRE relay per plan | 11 | EA | 3950.02 | 43450.22 | | |
| 21 PE Cell Pole Cap (for CD 851) | 9 | EA | 60 | 540 | | |
| PE Cell Pole Cap (for CD814) | 1 | EA | 55 | 55 | | |
| 23 P.E. collar per plan | 7 | EA | 162.43 | 1137.01 | | |
| | | | 21.84% | \$2,514,192.06 | | |