

Geographic Information Systems

Week-2: Assignment-2

- 1 How many basic kinds of attributes so far know in GIS domain?
 - (a) 4
 - (b) 5
 - (c) 6**
 - (d) 7
- 2 A nominal attribute can be:
 - (a) Only numeric
 - (b) Only alpha-numeric
 - (c) Only alphabets
 - (d) Numeric, alpha-numeric and alphabets**
- 3 Ratio attributes have the same characteristics as interval variables, but in addition, these have:
 - (a) No order
 - (b) No starting point
 - (c) No order neither starting point
 - (d) Zero or starting point**
- 4 In TIN model, triangles are made from a set of points called:
 - (a) 2D points
 - (b) 3D points
 - (c) Random points
 - (d) Mass points**
- 5 TIN model stores data in:
 - (a) Node table
 - (b) Edge table
 - (c) X, Y coordinate and Z tables
 - (d) All of the above**
- 6 TIN model is adaptable to surface roughness:
 - (a) True**
 - (b) False
- 7 It is not possible to make subset of:
 - (a) Points
 - (b) Raster
 - (c) TIN**
 - (d) Polylines
- 8 The measure of how closely pixels /cells can be resolved in an image / grid is called:
 - (a) Spectral resolution
 - (b) Radiometric resolution
 - (c) Temporal resolution
 - (d) Spatial resolution**

9 The model is extremely useful for describing discrete features, but less useful for describing continuously varying features.

(a) Vector

(b) Raster

(c) TIN

(d) 3D

10 In terms of positional accuracy..... model is good.

(a) Vector

(b) Raster

(c) TIN

(d) 3D

----- END -----