

Geographic Information Systems

Week-8: Assignment-8

- 1 Higher spatial resolution raster dataset will allow:
 - (a) To distinguish far spaced objects clearly
 - (b) No changes in the visibility / interpretation
 - (c) To distinguish closed spaced objects clearly**
 - (d) None of the above
- 2 10 m spatial resolution is Over 20 m spatial resolution data:
 - (a) Inferior
 - (b) Better**
 - (c) No change
 - (d) None of the above
- 3 Which is freely available DEM:
 - (a) SRTM-DEM
 - (b) ASTER-GDEM
 - (c) USGS-DEM
 - (d) All of the above**
- 4 Which DEMs are having spatial resolution up to 30m:
 - (a) USGS-DEM
 - (b) USGS-DEM and SRTM-DEM
 - (c) SRTM-DEM and ASTER-GDEM**
 - (d) USGS-DEM, SRTM-DEM and ASTER-GDEM
- 5 What is spatial interpolation?
 - (a) The process of establishing values for areas outside the boundary of an existing set of data points
 - (b) The process of establishing a statistical relationship between two spatially correlated variables
 - (c) The process of modelling spatial pattern from a set of one or more data layers
 - (d) The process of establishing values for areas between an existing set of discrete observations**
- 6 Cartosat-1 & 2 provide?
 - (a) Stereo pairs**
 - (b) SAR data
 - (c) Thermal images
 - (d) LiDAR data
- 7 The most common use of Thiessen's Polygons is to create contour lines.
 - (a) True
 - (b) False**
- 8 The direction of a slope with reference to north:
 - (a) Slope
 - (b) Gradient
 - (c) Aspect**

- (d) Slope aspect
- 9 is a statistical concept which states the likelihood or probability that a particular set of measurements are within certain range of true value:
- (a) Error
 - (b) Inaccuracy
 - (c) Accuracy**
 - (d) Precision
- 10 'No data' is a:
- (a) Value**
 - (b) Always equal to 1
 - (c) Zero
 - (d) Nothing

----- END -----