

Index

■ A

Anaconda environment, 472
Attributes, 439

■ B

Backward differentiation formula (BDF), 221
Bayesian statistics
 conditional probability, 385
 import modules, 384
 likelihood function, 385
 linear regression model, 393
 Boolean masks, 394
 dataset, 401
 GLM model, 399
 MCMC algorithm, 396
 MCMC sampling, 401
 Seaborn library, 397
 stochastic variable, 397
 Monte Carlo simulation methods, 386
 overview, 383
 posterior probability, 385
 random variables, 386
 mc.find_MAP function, 389
 mc.sample function, 387
 mc.traceplot function, 388
 PyMC models, 386
 SciPy stats module, 386
 sampling posterior distribution, 390
 statistical modeling, 385
 unconditional probabilities, 384
BDF. *See* Backward differentiation formula (BDF)
Butterworth filter, 422

■ C

Clustering, 378
 confusion_matrix function, 380
 K-means method, 378

 predict method, 379
 sklearn.cluster module, 378
Comma-separated
 values (CSV) format, 426
csv.reader function, 427
DataFrame instance, 429
delimiter argument, 427
loadtxt function, 428
read_csv function, 428
skiprows argument, 427
TAB character, 426
usecols argument, 428
Computing environments, 4
Conda, 472
 conda create command, 473
 conda info command, 473
 conda install PACKAGE, 475
 conda list command, 474
 conda update command, 475
 YAML format, 474
Conflicting objectives, 1
CSV format. *See* Comma-separated
 values (CSV) format
Cython library, 454
 cy_cumsum function, 465
 cy_julia_fractal function, 468
 cy_sum function, 465
 overview, 461

■ D

Delimiter-separated
 values (DSV), 426
Dense matrices, 235
Durbin-Watson statistical test, 360

■ E

Einstein summation convention, 61
Extrapolation, 169

■ F

FDM. *See* Finite-difference method (FDM)

FEM. *See* Finite-element method (FEM)

FEniCS framework, 265

- CellFunction instance, 279

- DirichletBC class, 270, 274

- dolfin.Constant, 275

- dolfin.Expression object, 269

- dolfin.FunctionSpace class, 268

- dolfin.interactive, 271

- dolfin library, 266

- dolfin.MeshFunction object, 281

- dolfin.refine function, 279

- dolfin.solve, 282

- function instance, 270

- mesh object, 273

- RectangleMesh function, 267

- refined_mesh, 280

- vector method, 272

Finite-difference method (FDM), 257

- boundary-value problem, 257

- Dirichlet boundary conditions, 261

- eye function, 258

- ODE problem, 259

- reshape method, 260

- scipy.sparse module, 260, 262

- two-dimensional

- generalization, 259

Finite-element method (FEM), 262

Finite impulse

- response (FIR) filters, 419

■ G

Generalized least squares (GLS), 335

get_values method, 387

■ H

Hierarchical Data Format 5 (HDF5), 430

- attributes, 439

- datasets, 435

- files, 432

- flush method, 442

- group objects, 432

- HDFStore object, 444

- h5py library, 431

- iterrows method, 442

- PyTables library, 431, 440

- where method, 443

High-and low-level

- languages, trade-off, 1

Hypothesis testing, 325

■ I

Infinite impulse response (IIR) filters, 420

Installation commands, 477

Integral transforms, 202

- Fourier transform function, 205

- Laplace transform, 203

Interpolation, 169

- bivariate, 185

- Chebyshev polynomials, 170

- explicit matrix form, 170

- griddata function, 182

- implicit matrix form, 170

- import modules, 169

- Legendre polynomials, 170

- multivariate situations, 180

- polynomial, 173

- spline, 177

- Vandermonde matrix, 170

Interpreter, 5

IPython, 6

- autocompletion, 7

- command prompt, 6

- documentation, 7

- extension commands, 9

- debugger mode, 10

- file system navigation, 9

- %timeit and %time commands, 12

- profiler function, 12

- reset command, 11

- running scripts, 9

- input and output caching, 6

- notebook, 14

- cell-types, 16

- dashboard page, 14

- editing cells, 17

- features, 14

- HTML document, 19

- JSON-based file format, 15, 21

- markdown cells, 18

- PDF format, 20

- object introspection, 7

- Qt console, 13

- system shell, 8

■ J, K

JavaScript Object Notation (JSON) format, 445

- json.dump function, 446

- json.load function, 446–447

■ L

LUdecomposition method, 129

■ M

Machine learning, 363

- classification, 374, 377
 - classification_report function, 376
 - confusion_matrix function, 376
 - data and target attributes, 375
 - datasets module, 375
 - linear_model module, 375
 - load_iris function, 375
 - predict method, 376
 - sklearn.ensemble module, 377
 - sklearn.metrics module, 376
 - sklearn.tree module, 376
 - train_test_split function, 375

clustering, 378

- confusion_matrix function, 380
- K-means method, 378
- predict method, 379
- sklearn.cluster module, 378

cross-validation, 365

dimensionality reduction, 366

feature extraction, 365

feature selection, 366

regression, 366

- ElasticNet class, 373
- fit method, 369
- LASSO method, 372
- LinearRegression instance, 367
- LinearRegression object, 368
- make_regression function, 366
- regularized, 369
- score method, 367
- SSE, 367

sklearn modules, 364

supervised learning, 364

training, 364

unsupervised learning, 365

Matplotlib

annotations, 102

axes layout managers, 113

- GridSpec, 117
- insets, 113
- plt.subplot2grid function, 116
- subplots, 114

axes instances, 91, 96

axis properties, 104

- autoscale method, 105
- axis ticks, 106
- grid lines, 108
- log-scale plots, 110
- set_title method, 105
- set_xlabel and set_ylabel methods, 104
- set_xlim and set_ylim methods, 105
- set_xticks and set_yticks methods, 107

- spine attribute, 112
- tick placements, 109
- twinx method, 111

color map graph, 119

definition, 89

figure instances, 91, 95

import, 90

interactive mode, 93

legends, 101

line properties, 98

noninteractive nodes, 94

NumPy arrays, 92

plot types, 97

plt.subplots function, 97

text formatting, 102

3D graphs, 120

Matrix and vector operations, 57

Einstein summation convention, 61

elementwise multiplication, 57

Kronecker product, 60

matrix-vector multiplication, 58

nontrivial matrix multiplication, 58

Mesh-grid arrays, 33

Miniconda environment, 472

Multiple integrals, 196

■ N

Nonparametric methods, 329

Numba library, 454–455

Heaviside step function, 459–460

imshow function, 458

JIT-compiled function, 456

jit_julia_fractal function, 458

NumPy universal function, 461

NumPy-array aware function, 460

py_cumsum function, 456

py_sum function, 456

NumPy vectorize function, 459

Numerical integration methods, 188

interpretation, 188

midpoint rule, 189

Newton–Cotes quadrature rule, 189

quad function, 192

quadrature rule, 190

SciPy, 192

Simpson's rule, 189

sympy.Lambda function, 190

tabulated integrand, 194

trapezoid rule, 189

NumPy arrays

attributes, 26

Boolean-valued indexing, 39

constant values, 32

creation, 30

NumPy arrays (*cont.*)

- data types, 27
 - Einstein summation convention, 61
 - elementwise multiplication, 57
 - fancy indexing, 39
 - incremental sequences, 33
 - indexing and slicing expressions, 36
 - Kronecker product, 60
 - logarithmic sequences, 33
 - matrix creation, 35
 - arbitrary one-dimensional array, 35
 - nonzero diagonals, 35
 - matrix-vector multiplication, 58
 - memory data, 29
 - mesh-grid arrays, 33
 - multidimensional arrays, 37
 - nontrivial matrix multiplication, 58
 - properties, 34
 - Python lists, 31
 - real and imaginary parts, 29
 - reshaping and resizing, 41
 - slices, 36
 - vectorized expressions, 44
 - aggregate function, 50
 - arithmetic operations, 46
 - array operations, 56
 - Boolean-valued arrays, 53
 - conditional expressions, 53
 - elementary mathematical function, 50
 - elementwise functions, 48
 - logical operations, 54
 - set operations, 55
 - views, 38
 - uninitialized values, 34
- NumPy library, 26

■ O

ODEs. *See* Ordinary differential equations (ODEs)

Optimization, 147

- bisection method, 150
- constraints, 161
 - cvxopt library, 166
 - inequality function, 164
 - Lagrangian function, 162
 - L-BFGS-B method, 161
 - linear programming, 165
 - objective function, 163–164
 - optimize.minimize function, 163
 - SciPy SLSQP solver, 163
- continuous and smooth functions, 149
- convex problems, 149
- feasible method, 150
- import libraries, 147
- minimization problem, 148

multivariate optimization

- BFGS method, 155–156
 - brute force, 157
 - Hessian evaluations, 155
 - Newton's method, 153
 - objective function, 157
 - optimize.minimize function, 158
 - slice objects, 157
 - steepest descent method, 153
 - vectorized functions, 154
- nonlinear least square problem
- Levenberg–Marquardt method, 159
 - model function, 160
- nonlinear programming problem, 148
- univariate optimization, 150

Ordinary differential

equations (ODEs), 207–208

- boundary value conditions, 209
 - canonical form, 208
 - direction field graph, 214
 - dsolve function, 214
 - homogeneous, 208
 - import modules, 207
 - initial value conditions, 209
 - Laplace transformation, 217
 - nonhomogeneous, 208
 - numerical methods, 220
 - Adams methods, 222
 - adaptive stepsize/stepsize control, 222
 - Euler's method, 220
 - Runge-Kutta method, 221
 - SciPy (*see* SciPy)
 - source term, 208
 - standard form, 208
 - symbolic solution, 209
- Ordinary least squares (OLS), 335

■ P, Q

Pandas library, 285

DataFrame object, 289

- apply method, 293
- columns attribute, 289
- drop method, 296
- groupby method, 296
- index attributes, 290
- info method, 292
- ix indexer attribute, 290
- read_csv function, 291
- sort_index method, 294
- sortlevel method, 294
- sort method, 295
- sum method, 296
- value_counts method, 295
- values attribute, 290

- import modules, 286
- seaborn graphics library, 306
 - boxplot function, 308
 - dropna method, 308
 - heatmap, 310
 - jointplot function, 308
 - kdeplot function, 308
 - sns.set function, 306
 - violinplot functions, 308
- Series object, 286
 - describe method, 288
 - index attribute, 287
 - kind argument, 288
 - plot method, 289
- time series, 297
 - concat function, 305
 - DataFrame.plot method, 301
 - date_range function, 297
 - DateTimeIndex instance, 301
 - DatetimeIndex object, 298
 - freq keyword, 297
 - groupby methods, 303
 - info method, 301
 - join method, 303
 - mean function, 303
 - PeriodIndex class, 299
 - resample method, 304
 - reset_index method, 302
 - to_period method, 299
 - to_pydatetime method, 298
 - UNIX timestamps, 300
 - using read_csv, 299
- Partial differential equations (PDEs), 255, 257
 - FDM, 257
 - boundary-value problem, 257
 - Dirichlet boundary conditions, 261
 - eye function, 258
 - ODE problem, 259
 - reshape method, 260
 - scipy.sparse module, 260, 262
 - two-dimensional generalization, 259
 - FEM
 - Dirichlet/Neumann type, 263
 - libraries, 264
 - strong form, 262
 - test function, 262
 - trial function, 262
 - FEniCS framework, 265
 - DirichletBC class, 270, 274
 - dolfin.CellFunction, 279
 - dolfin.Constant, 275
 - dolfin.Expression object, 269
 - dolfin.FunctionSpace class, 268
 - dolfin.interactive, 271
 - dolfin library, 266

- dolfin.MeshFunction object, 281
- dolfin.refine function, 279
- dolfin.solve, 282
- function instance, 270
- mesh object, 273
- RectangleMesh function, 267
- refined_mesh, 280
- vector method, 272
- import modules, 256
- Poisson model, 355
- Polynomials, 171
- Probability density function (PDF), 387

■ R

- RandomState object, 317
- Regression, 366
 - ElasticNet class, 373
 - fit method, 369
 - LASSO method, 373
 - LinearRegression instance, 367
 - LinearRegression object, 368
 - make_regression function, 366
 - regularized, 369
 - score method, 367
 - SSE, 367

■ S, T

- SciPy
 - args argument, 227
 - definition, 125
 - double pendulum, dynamics, 233
 - eigenvalue equation, 134
 - import modules, 126
 - integrate.odeint, 224
 - linear equation system, 126
 - condition number, 127
 - higher-order polynomial model, 133
 - SciPy la.lstsq method, 132
 - LUdecomposition method, 129
 - parameters/constant values, 126
 - rectangular systems, 131
 - square systems, 127
 - symbolic variables, 130
 - sympy.solve function, 132
 - unique solution, 127
 - unknown model parameters, 132
 - Lokta–Volterra equation, 226
 - nonlinear equations, 136
 - bisection method, 138
 - Broyden’s method, 142
 - multivariate equation systems, 142
 - Newton’s method, 139
 - numerical techniques, 137

- SciPy (*cont.*)
 - optimize module, 141
 - sympy.solve function, 136
 - trigonometric equations, 136
 - univariate function, 136
 - univariate systems, 143
 - vector-valued function, 142
 - visualization, 144
- odeint function, 223
- odeint solver, 227
- set_integrator method, 229
- set_jac_params method, 230
- sympy.lambdify, 232
- Serialization, 449
- Signal processing, 405
 - import modules, 405
 - signal files, 418
 - convolution filters, 418
 - FIR and IIR filters, 420
 - spectral analysis, 406
 - Fourier transform, 406
 - frequency-domain filter, 410
 - spectrogram, 414
 - window function, 411
- Slices, 36
- Social component, 3
- Sparse matrices, 235
 - eigen value problems, 245
 - graphs and networks, 247
 - add_edges_from, 248
 - degree method, 251
 - edge_color argument, 250
 - Tokyo Metro graph, 252
 - transfer attribute, 252
 - import modules, 235
 - linear algebra functions, 242
 - linear equation systems, 242
 - pyplot module, 240
 - in SciPy, 236
 - sp.sparse module, 240
- Spline interpolation, 177
- Spyder IDE
 - object inspector, 23
 - overview, 21
 - panes, 21
 - Python and IPython consoles, 23
 - shell prompt, 22
 - source code editor, 22
- Spyder Integrated
 - Development Environment, 4
- Statistics, 313
 - import modules, 313
 - ndarray methods, 314
 - population, 314
 - random module, 315
 - choice function, 317
 - randint function, 315–316
 - RandomState class, 318
 - RandomState instance, 317
 - seed function, 317
 - random variable and distributions, 318
 - discrete Poisson distribution, 321
 - interval method, 320, 323
 - moment method, 320
 - SciPy stats module, 318–319, 324
 - stats method, 320
 - var and std methods, 315
- statsmodels library, 333
 - datasets, 349
 - discrete regression, 351
 - logistic regression, 351
 - Poisson model, 355
 - import module, 334
 - linear regression, 343
 - mathematical model, 335
 - multivariate linear regression, 335
- patsy library, 334, 336
 - binary-valued treatment fields, 342
 - DataFrame objects, 338
 - design_info attribute, 340
 - design matrix, 338, 342
 - formula syntax, 337
 - function call notation, 341
 - np.linalg.lstsq function, 339
- simple linear regression, 335
- time-series analysis, 358
 - ARMA model, 358
 - AR model, 360
 - fit method, 360
 - plot_acf function, 359–360
- Steepest descent method, 153
- Sum of squared errors (SSE), 367
- Symbolic and arbitrary-precision integration, 200
- Symbolic computing.
 - See* Symbolic Python (SymPy)
- Symbolic Python (SymPy), 63
 - equation solving, 83
 - linear algebra, 85
 - LUsolve method, 87
 - manipulating expressions, 72
 - substitutions, 75
 - sympy.apart function, 75
 - sympy.cancel function, 75
 - sympy.collect function, 75
 - sympy.expand function, 73
 - sympy.factor function, 74
 - sympy.simplify function, 72
 - sympy.together function, 75

- mathematical expressions, 70
- mathematical symbols, 64
 - arbitrary function, 69
 - constants and
 - special symbols, 69
 - floating-point number, 68
 - integer class, 67
 - lambda functions, 70
 - rational number, 68
 - sin function, 70
 - unapplied function, 69
 - undefined functions, 70
 - unevaluated function, 69
- numerical evaluation, 76
- symbolic calculus, 77
 - derivatives, 77
 - integrals, 79
 - limits, 82
 - series expansions, 80
 - sums and products, 83
- `sympy.init_printing` function, 64

■ U

- Univariate optimization, 150

■ V

- Vectorized expressions
 - aggregate function, 50
 - arithmetic operations, 46
 - array operations, 56
 - Boolean-valued arrays, 53
 - conditional expressions, 53
 - elementary mathematical function, 50
 - elementwise functions, 48
 - logical operations, 54
 - set operations, 55
- Visualization. *See* Matplotlib

■ W, X, Y, Z

- Weighted least squares (WLS), 335

Get the eBook for only \$5!

Why limit yourself?

Now you can take the weightless companion with you wherever you go and access your content on your PC, phone, tablet, or reader.

Since you've purchased this print book, we're happy to offer you the eBook in all 3 formats for just \$5.

Convenient and fully searchable, the PDF version enables you to easily find and copy code—or perform examples by quickly toggling between instructions and applications. The MOBI format is ideal for your Kindle, while the ePub can be utilized on a variety of mobile devices.

To learn more, go to www.apress.com/companion or contact support@apress.com.



All Apress eBooks are subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.