

Module 31 - Object Shorthand Assigned Properties

1. What is Object Shorthand Assigned Properties?

Object Shorthand Assigned Properties is a JavaScript feature that allows you to create object properties using variable names directly when the property name and variable name are the same.

2. What is Dynamic Property?

A Dynamic Property is a JavaScript feature that allows you to create or access an object property using a variable or expression inside square brackets [].

Example Code:

I. Object & Methods

```
let userProfile = {  
  userName: "Kesavan",  
  age: 25,  
  hairColor: "Black",  
  eyeColor: "Brown",  
  // Method inside the object.  
  eat: function() {  
    console.log("Im gonna eat ice cream");  
    return "Vanilla Ice Cream";  
  }  
};  
  
console.log(userProfile.userName);  
console.log(userProfile.age);  
console.log(userProfile.hairColor);  
  
// Calls the object method and stores its return value.  
let iceCreamType = userProfile.eat();  
console.log(iceCreamType);
```

II. Object Property Access

```
let vehicle = {  
  "vehicleType": "four-wheeler",  
  "price": 20000,  
  fuelType: "petrol",  
  "seater type": ["two", "three", "four"]  
};  
  
console.log(vehicle.vehicleType);  
  
// Bracket notation is used to access properties with quotes or spaces.  
  
console.log(vehicle["price"]);  
  
console.log(vehicle["fuelType"]);  
  
console.log(vehicle["seater type"]);  
  
console.log(vehicle["seater type"][1]);
```

III. Object Shorthand Assigned Properties & Dynamic Property

```
let uName = "Kesavan";  
  
let uAge = 30;  
  
let dynamicProp = "employeeId";  
  
let person1 = {  
  // Shorthand Property: Property name and variable name are the same.  
  uName,  
  uAge,  
  // Dynamic Property: Creates a property with the name "dynamicProp".  
  ["dynamicProp"]: "IFS246",  
  // Dynamic Property: Uses the value of the variable (employeeId) as the property name.  
  [dynamicProp]: "UQI!@#$",  
};  
  
console.log(person1);
```

```
// Accesses shorthand properties using dot notation.  
// Accesses dynamic properties using dot notation and bracket notation.  
console.log(  
  person1.userName,  
  person1.uAge,  
  person1.dynamicProp,  
  person1[dynamicProp]  
);
```