

Module 58 - Event Handler vs Event Listener

1. What is Event Handler?

- An Event Handler is a function assigned to an event that runs when that event occurs.
- Only one function can be assigned at a time; assigning another replaces the previous one.

2. What is Event Listener?

- An Event Listener is a method that waits for a specific event and runs a function when that event occurs.
- Multiple functions can be attached to the same event.

Example Code:

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Event Handler vs Event Listener</title>
</head>
<body>
  <h1>Event Handler vs Event Listener</h1>
  
  <p>I'm a Butterfly</p>
  <button id="listener">Listener</button>
  <button id="handler">Handler</button>
  <script src="index.js"></script>
</body>
</html>
```

Index.js

```
let button1 = document.getElementById("listener");
let button2 = document.getElementById("handler");

// Event Listener
button1.addEventListener("click", function(){
    console.log("First Listener");
});
button1.addEventListener("click", function(){
    console.log("Second Listener");
});
button1.addEventListener("click", function(){
    console.log("Third Listener");
});

// Event Handler
button2.onclick = function(){
    console.log("First Handler");
}
button2.onclick = function(){
    console.log("Second Handler");
}

let image = document.querySelector("img");
let para = document.querySelector("p");
```

```
// Mouse enters the image
image.addEventListener("mouseover",function(){
    image.src="img2.jpeg";
    para.innerText = "I'm a Leaf";
});

// Mouse leaves the image
image.addEventListener("mouseout",function(){
    image.src="img3.jpeg";
    para.innerText = "I'm a Flower";
});
```