

# DiscordEvents

Discord Channel Monitor Extension - Monitors Discord channels in real-time using WebSocket without exceeding API limits.

## Events:

### OnDiscordEvent

when 

DiscordEvents ▼

 . OnDiscordEvent

tag 

eventInfoList

do

Triggered when a Discord event occurs. Returns tag and event information.

Parameter	Type
tag	text
eventInfoList	list

### OnResponse

when 

DiscordEvents ▼

 . OnResponse

tag 

response

do

Triggered when a response is received.

Parameter	Type
tag	text
response	text

### OnError

when 

DiscordEvents ▼

 . OnError

tag 

error

do

Triggered when an error occurs.

Parameter	Type
tag	text
error	text

## Methods:

### StartMonitoring

### StartMonitoring

```
call DiscordEvents . StartMonitoring
tag
```

Starts monitoring Discord channels in real-time.

Parameter	Type
tag	text

### StopMonitoring

```
call DiscordEvents . StopMonitoring
tag
```

Stops monitoring Discord channels.

Parameter	Type
tag	text

### Properties:

#### SetBotToken

```
set DiscordEvents . SetBotToken to
```

Sets the Discord Bot Token for authentication.

## DiscordModeration

Discord Moderation Extension - Provides tools for server moderation, including checking user permissions, roles, and more.

### Events:

#### OnResponse

```
when DiscordModeration . OnResponse
tag response
do
```

Triggered when a successful response is received.

Parameter	Type
tag	text
response	text

#### OnError

```
when DiscordModeration . OnError
  tag error
do
```

Triggered when an error occurs.

Parameter	Type
tag	text
error	text

Methods:

CheckUserPermission

```
call DiscordModeration . CheckUserPermission
  guildId
  userId
  permission
  tag
```

Checks if a user has a specific permission in a guild.

Parameter	Type
guildId	text
userId	text
permission	text
tag	text

CheckAdminOrOwner

```
call DiscordModeration . CheckAdminOrOwner
  guildId
  userId
  tag
```

Checks if a user is an administrator or the owner of the bot.

Parameter	Type
guildId	text
userId	text
tag	text

KickUser

text

## KickUser

call DiscordModeration . KickUser

guildId

userId

reason

tag

Kicks a user from the specified guild.

Parameter	Type
guildId	text
userId	text
reason	text
tag	text

## BanUser

call DiscordModeration . BanUser

guildId

userId

reason

deleteMessageDays

tag

Bans a user from the specified guild.

Parameter	Type
guildId	text
userId	text
reason	text
deleteMessageDays	number
tag	text

## UnbanUser

call DiscordModeration . UnbanUser

guildId

userId

tag

Unbans a user from the specified guild.

Parameter	Type
guildId	text

userId	text
tag	text

Properties:

SetBotToken




Sets the Discord Bot Token for authentication.

DiscordText

Discord Bot Message Extension - Allows sending, editing, deleting, and monitoring messages on Discord.

Events:


OnResponse



Triggered when a successful response is received.

Parameter	Type
tag	text
response	text


OnError



Triggered when an error occurs.

Parameter	Type
tag	text
error	text

OnCooldown



Triggered when a command is on cooldown. Returns the remaining cooldown time.

Parameter	Type
tag	text
command	text
secondsRemaining	number

## Methods:

### SendMessage

call DiscordText . SendMessage

guildId

channelId

content

tag

cooldownSeconds

Sends a message to the specified Discord channel in the given server.

Parameter	Type
guildId	text
channelId	text
content	text
tag	text
cooldownSeconds	number

### EditMessage

call DiscordText . EditMessage

guildId

channelId

messageId

newContent

tag

cooldownSeconds

Edits an existing message in the specified channel within the given server.

Parameter	Type
guildId	text
channelId	text

channelId	text
messageId	text
newContent	text
tag	text
cooldownSeconds	number

DeleteMessage

call 

DiscordText

 . DeleteMessage

guildId

channelId

messageId

tag

cooldownSeconds

Deletes a message from the specified channel in the given server.

Parameter	Type
guildId	text
channelId	text
messageId	text
tag	text
cooldownSeconds	number

PinMessage

call 

DiscordText

 . PinMessage

guildId

channelId

messageId

tag

cooldownSeconds

Pins a message in the specified Discord channel.

Parameter	Type
guildId	text
channelId	text
messageId	text
tag	text
cooldownSeconds	number

cooldownSeconds	number
-----------------	--------

UnpinMessage

call DiscordText . UnpinMessage

guildId

channelId

messageId

tag

cooldownSeconds

Unpins a message in the specified Discord channel.

Parameter	Type
guildId	text
channelId	text
messageId	text
tag	text
cooldownSeconds	number

GetMessages

call DiscordText . GetMessages

guildId

channelId

limit

tag

cooldownSeconds

Fetches messages from a specified Discord channel.

Parameter	Type
guildId	text
channelId	text
limit	number
tag	text
cooldownSeconds	number

CreateThread

call DiscordText . CreateThread

guildId

channelId



messageId

threadName

autoArchiveDuration

tag

cooldownSeconds

Creates a thread in a Discord channel with a specified message.

Parameter	Type
guildId	text
channelId	text
messageId	text
threadName	text
autoArchiveDuration	number
tag	text
cooldownSeconds	number

### UpdateThread

call

DiscordText

.

UpdateThread

guildId

threadId

newName

autoArchiveDuration

tag

cooldownSeconds

Updates the name or auto-archive duration of a thread in a Discord channel.

Parameter	Type
guildId	text
threadId	text
newName	text
autoArchiveDuration	number
tag	text
cooldownSeconds	number

### DeleteThread

call

DiscordText

.

DeleteThread

guildId

guildId

threadId

tag

cooldownSeconds

Deletes a thread from a Discord channel.

Parameter	Type
guildId	text
threadId	text
tag	text
cooldownSeconds	number

### AddUserToThread

call DiscordText . AddUserToThread

guildId

threadId

userId

tag

cooldownSeconds

Adds a user to a thread in a Discord channel.

Parameter	Type
guildId	text
threadId	text
userId	text
tag	text
cooldownSeconds	number

### RemoveUserFromThread

call DiscordText . RemoveUserFromThread

guildId

threadId

userId

tag

cooldownSeconds

Removes a user from a thread in a Discord channel.

Parameter	Type
guildId	text

threadId	text
userId	text
tag	text
cooldownSeconds	number

ListActiveThreads

call

DiscordText ▼

.

ListActiveThreads

guildId

channelId

tag

cooldownSeconds

Gets a list of all active threads in a specified Discord channel.

Parameter	Type
guildId	text
channelId	text
tag	text
cooldownSeconds	number

Properties:

SetBotToken

set

DiscordText ▼

.

SetBotToken ▼

to

Sets the Discord Bot Token for authentication.