

Setting up an editor

Learning Goals




- Understanding what an editor is and how it relates to writing Python code
- Comparing an editor and the Code in Place IDE
- Understanding how to run Python code using an editor
- Understanding how to use Github from an editor

What is an editor?




An editor is the tool you use to **edit** your code

A terminal is what you use to **run** your code



What is an editor?


An editor and a terminal are
different tools, but are
often bundled together for
convenience



Why use the Code in Place IDE?



- It's in the same [place](#) as the rest of the course
- It knows about [Code in Place libraries](#) like Karel
- It [runs in your browser](#), so you don't need to install anything
- You can [rewind your code](#)
- You can use it on [your mobile device](#)



Why use another editor?



- Used outside of Code in Place
- Integrations with other common programming tools
- If you need to use libraries that Code in Place doesn't use
- The Code in Place IDE can't support some kinds of programs



What should you use for the final project?



Use the Code in Place IDE if...

- You want to make a Karel program
- You want to use the Code in Place Graphics Library
- You don't want to install any new software
- You want to be able to easily publish your project




Use VS Code if...

- You want to use new libraries
- You want to write an internet-based program
- You want to learn how to use tools you can use outside of Code in Place

A really important tool



[My first project on github](https://github.com)



<https://github.com/brahmcapoor/Mercury>

my_program.py

```
Code Blame 9 lines (6 loc) • 125 Bytes 
```

```
1
2 MAX_NUMBER = 42
3
4 def odd_number():
5     for i in range(MAX_NUMBER):
6         if i % 2 == 1:
7             print(i)
8
9 odd_number()
```

my_second_program.py

```
Code Blame 8 lines (5 loc) • 190 Bytes 
```

```
1
2 def convert_c_to_f(temp_in_celsius):
3     temp_in_fahrenheit = temp_in_celsius * 1.8 + 32
4     return temp_in_fahrenheit
5
6
7 temperature_in_f = convert_c_to_f(-40)
8 print(temperature_in_f)
```

my_third_program.py

```
Code Blame 8 lines (6 loc) · 108 Bytes 
```

```
1
2  ✓ def greeting():
3     print("Hello")
4     print("Hola")
5     print("Bounjour")
6     print("Namaste")
7
8     greeting()
```