Adv

① T. Ecosprin-AV 75/10

x —— x —— 1
10pm.

② T. levera 500

1 —— x —— 1

③ T. Pexep Plus 12.5/0.5

x —— x —— 1.

Rest. Continue same as per Gen physician for DM/HTN

Review c̄ ophthalmologist.
VA/IOP/ Fundoscopy

MEDIPARK

INSTITUTE OF NEURO SCIENCES

(A Unit of Medipark Healthcare Pvt. Ltd.)

CONSULTATION

Reg No	: MSSH-17333	**Appt No**	: YOGE1240726-6
Patient Name	: Miss. KUMARI RANJANA	**Date/Time**	: 24/07/2026 2:00PM
Age/Gender	: 50Y 2M 23D / F	**Sponsor**	: CASH
Mobile No	: 6202260930	**Consultant**	: Dr. Yogesh Kumar Md Dnb
Address	: PATNA,Bihar, India	**Speciality**	: Neurology

BP-120/80mmHg

MRI Brain 1/5/26

↓

Mild cortical thickening in left frontal lobe with blurred G-W matter showing T_2 shine through & higher ADC values. No blooming seen.

S/o focal cortical dysplasia (Type II)

No e/o aneurysm & AV malformation

SARITA DIAGNOSTIC CENTRE (P.) LTD.
(COMMITMENT, CARE AND QUALITY)
sdc
QCI
Opp. A.N. College, Rose Bud School Office Lane, Near, Near Roti Restaurant, Boring Road, Patna - 800 013
Br.: Shop No. 2 & 3, Ground Floor, Sofitel Apartment, Opp. Indian Oil Petrol Pump,
Phulwarisharif, Patna - 801505

CGHS EMPANELLED CENTRE

Dr. Rakesh Mehra
Consultant Radiologist
M.B.B.S. (CAL) (Gold Medalist)
M.D. PGIMER, Chandigarh, FRCRII (U.K.)
D.M. Interventional Radiology (Gold Medalist)
Ex. SENIOR RESIDENT PGIMER Chandigarh
EXPERT IN MSK USG (UNIVERSITY OF SPAIN)

Dr. Pallavi Mehra
Consultant Pathologist
M.B.B.S. (CAL) M.D. MAMC Gold Medalist
MNAMS, Dip. RC Path
Ex. SENIOR RESIDENT PGIMER Chandigarh
Associate Professor P.M.C.H.

Screening of dorsal and lumbar spines: reveals lumbar lordotic curvature is maintained. Mild diffuse disc bulges are present at L4-5 and L5-S1 causing effacement of thecal sac. Small annular tear also present at L4-5 level. . No abnormal signal intensity seen in dorsal cord.

IMPRESSION: MR brain study reveals mild cortical thickening seen involving left frontal lobe with blurred grey white matter showing T2 shine through and higher ADC values. No blooming seen. Features are suggestive of focal cortical dysplasia (Type II). Suggested close follow up study.

No evidence of aneurysm or AV malformation seen.

Dr. Rakesh Mehra
CONSULTANT RADIOLOGIST & INTERVENTIONIST
MBBS,(CAL)GOLD MEDALIST
MD,RADIODIAGNOSIS,(PGI,CHANDIGARH), DM (INTERVENTIONAL RADIOLOGY)
FRCR 1& II (U.K), EDIR, DICRI
PG DIP. MSK USG, UCAM UNIVERSITY OF MURCIA

sdc

SARITA DIAGNOSTIC CENTRE (P.) LTD.

(COMMITMENT, CARE AND QUALITY)

Opp. A.N. College, Rose Bud School Office Lane, Near, Near Roti Restaurant, Boring Road, Patna - 800 013
Br.: Shop No. 2 & 3, Ground Floor, Sofitel Apartment, Opp. Indian Oil Petrol Pump,
Phulwarisharif, Patna - 801505

QCI

CGHS EMPANELLED CENTRE

Dr. Rakesh Mehra
Consultant Radiologist
M.B.B.S. (CAL) (Gold Medalist)
M.D. PGIMER, Chandigarh, FRCRII (U.K.)
D.M. Interventional Radiology (Gold Medalist)
Ex. SENIOR RESIDENT PGIMER Chandigarh
EXPERT IN MSK USG (UNIVERSITY OF SPAIN)

Dr. Pallavi Mehra
Consultant Pathologist
M.B.B.S. (CAL) M.D. MAMC Gold Medalist
MNAMS, Dip. RC Path
Ex. SENIOR RESIDENT PGIMER Chandigarh
Associate Professor P.M.C.H.

Name: Kumari Ranjana, 50 Yrs
Ref by: Dr. Medi park Hospital

Date :01.05.2026
SEX-F

MR ANGIOGRAM OF BRAIN & NECK VESSELS WITH SCREENING OF WHOLE SPINE

Protocol:- Axial T1, T2, FLAIR, Gradient, DWI and ADC map.
MOTSA and 3D TOF
Axial source images
Post contrast multiphasic MRDSA and Axial FAT SAT T1.

There is mild cortical thickening seen involving left frontal lobe with T2/FLAIR hyperintense signal intensity , blurred grey white matter interface and relatively higher DWI values showing T2 shine through and higher ADC values. No blooming is seen.

Rest of brain parenchyma shows normal signal characteristics.
No focal lesion seen.
No mass effect noted.
Ventricles are normal.
Brainstem and thalami are normal.
Cerebellum is normal.
No surface collection seen.

Angiogram
Hypoplastic right vertebral artery (normal anatomical variant)
The origins of the arch vessels are normal. No significant osteal stenosis seen.
The common carotid arteries, internal carotid arteries and the external carotid arteries on both sides are normal in course and caliber.
B/L carotid bifurcations are normal.
No evidence of significant sized plaque seen.
No evidence of significant stenosis, occlusion or dissection seen.
The anterior cerebral and middle cerebral arteries on both sides are normal in course and caliber.
The vertebral, basilar, superior cerebellar and posterior cerebral arteries are normal in course and caliber.
A.com is normal.
B/L P.Com are normal.
No evidence of aneurysm or AV malformation seen.

Screening of cervical spine: reveals straightening of cervical spine. Mild reduced body height of C5. Mild diffuse disc bulges are present at C4-5 and C5-6 causing effacement of thecal sac. No abnormal signal intensity seen in cervical cord.

P. T. O

③ T. Pexep plus 12.5/0.5

X ——→ X ——→ 1/2

3 months ——————→

Rest. Continue same
as per Gen physician
DM | HTN

MEDIPARK
INSTITUTE OF NEURO SCIENCES
(A Unit of Medipark Healthcare Pvt. Ltd.)

CONSULTATION

Reg No : MSSH-17333
Patient Name : Miss. KUMARI RANJANA
Age/Gender : 50Y 3M 23D / F
Mobile No : 6202260930
Address : PATNA,Bihar, India

Appt No : YOGE1240826-5
Date/Time : 24/08/2026 12:00PM
Sponsor : CASH
Consultant : Dr. Yogesh Kumar Md Dnb
Speciality : Neurology

B.P-140/90mmHg
W.T-60Kg

- HTN
- DM type 2

MRI 1/5/26
↓
Focal Cortical Dysplasia
(Type 2).

Adv

① T. Ecosprin-AV 75/10
x —— x —— 1
10 pm.

② T. Levera 500
1 —— x —— 1,