
November 2026

Developer Console → Web Console

A step-by-step guide for complete beginners



Screens from Web Console (Beta) in a Summer '26 Trailhead playground

About me

Hussien Negm

Associate Solutions Engineer at Arcsen, and today's guest on Code With Sally.

ROLE

Associate Solutions Engineer

COMPANY

Arcsen

CONNECT

linkedin.com/in/hussien-negm

Today: **a Code With Sally community session** on Web Console and Agentforce Vibes IDE.



Agenda

What we'll cover today

Six parts in Web Console, then a bonus on Agentforce Vibes IDE and a demo from my phone.

01 **Run anonymous Apex**
Your code lives in a file you run with one click

02 **Read your logs**
Open the log and find your debug lines

03 **Trace flags and log levels**
Turn on logging straight from the status bar

04 **Create, edit and test classes**
Make a class, save it to the org, run its tests

05 **Query data and find metadata**
SOQL Builder, query plans and the Org Browser

06 **Cheat sheet and troubleshooting**
Everything on one page, plus common fixes

07 **Agentforce Vibes IDE**
A full VS Code in your org, with Claude Code

08 **Demo and questions**
Built from my phone, then your questions

Introduction

What changed and why

Since Winter '27, Web Console is the default in every org. Developer Console is switched off, not deleted.

April 2026

Open beta in **Summer '26**. Off by default; admins switch it on.

Sept–Oct 2026

Winter '27 reached every org in waves. Web Console became generally available.

Today

Every org has Web Console, **on** by default. Developer Console is **off** by default, but not deleted.

1

VS Code in your browser

The same editor millions of developers already use, built into Salesforce.

2

Nothing to install

It opens inside your org and uses the login you already have.

3

More than Apex

Lightning Web Components, tests, SOQL Builder and an Org Browser for all metadata.

Introduction

Where Web Console fits

Four Salesforce coding tools, from lightest to most powerful.

1

Developer Console

The old in-org tool, around since 2011. No LWC support.

LEGACY

2

Web Console

VS Code in the browser, inside your org. Free, in every edition.

THIS GUIDE

3

Agentforce Vibes IDE

Full cloud VS Code with Git, CLI and AI. Formerly Code Builder.

SANDBOXES + DEV ORGS

4

VS Code + CLI

Desktop VS Code with the Salesforce CLI, for source-driven projects.

MOST POWERFUL

Web Console is the easy middle step: **no installs, one org, manual coding**. When you need Git or a terminal, move up to option 3 or 4.

Introduction

A note about these screenshots

Captured in a Summer '26 beta org. Everything inside the editor matches Winter '27.

In this deck: the beta

Captured in a **Summer '26** playground, so labels say **Web Console (Beta)**.

- Setup page has one toggle
- Gear menu lists both consoles
- Access: users with View All Data

SUMMER '26 · BETA

In your org today

Labels just say **Web Console**.

- Setup page has two toggles: Web Console and Developer Console
- Gear menu shows Web Console only, by default
- Access: Web Console User + View All Data


WINTER '27 · GA

Inside the editor, everything is the same. Beta and GA orgs load the same Web Console build (Salesforce extensions v67.20), so every step after the Setup pages matches.

PART 1

Run anonymous Apex


The Execute Anonymous window is gone. Your code now lives in a file you run with one click.




Where did Execute Anonymous go?

Your code now lives in a file you run with one click.

BEFORE: DEVELOPER CONSOLE




NOW: WEB CONSOLE



A pop-up window you type into	A **.apex file** you save and can reuse
Execute button (Ctrl+E)	**Execute** link above line 1
Menus along the top	**Command Palette**: Cmd/Ctrl + Shift + P

Before: the Execute Anonymous window



Open window **Mac** Ctrl + E **Windows** Ctrl + E


Tip Web Console has no pop-up. The next steps show the new way.

BEFORE: DEVELOPER CONSOLE


DO THIS

In Developer Console: **Debug** → **Open Execute Anonymous Window**. Tick **Open Log** (1), then **Execute** (2) or **Execute Highlighted** (3).

CLOSE-UP



Step 1 · Open the Command Palette



Command Palette **Mac** Cmd + Shift + P **Windows** Ctrl + Shift + P


Tip Type **SFDX:** to list every Salesforce command.

NOW: WEB CONSOLE


DO THIS

Press the shortcut and type **Create Anonymous** (1). Choose **SFDX: Create Anonymous Apex Script** (2).

CLOSE-UP



Step 2 · Name the script



Confirm **Mac** Return **Windows** Enter


Tip Wait for the box to appear before typing. It can take a second.

NOW: WEB CONSOLE


DO THIS

Type a name, for example **demoAnon** (1), and press **Enter**.

CLOSE-UP



Step 3 · Pick the folder



Confirm **Mac** Return **Windows** Enter


Tip Keep the default. All your scripts end up in one place.

NOW: WEB CONSOLE


DO THIS

Press **Enter** to accept **scripts/apex** (1), the default folder.

CLOSE-UP



Step 4 · Write or paste your code



Save **Mac** Cmd + S **Windows** Ctrl + S


Tip Saving a .apex script deploys nothing. It is only stored in Web Console.

NOW: WEB CONSOLE


DO THIS

The file **demoAnon.apex** opens (1), inside **scripts/apex** (2). Replace the sample line with your code (3), then save.

CLOSE-UP



Step 5 · Click Execute




Tip No Execute link? The file must end in **.apex** and must not be empty.

NOW: WEB CONSOLE


DO THIS

Click the small **Execute** link above line 1 (1). The script runs straight away in your org.

CLOSE-UP



Or right-click to run the whole file




Tip Same result as the Execute link.

NOW: WEB CONSOLE


DO THIS

Right-click in the code **with nothing selected**. Choose **SFDX: Execute Anonymous Apex with Currently Open Editor** (1).

CLOSE-UP



Run only some lines



Select **Mac** Shift + arrows **Windows** Shift + arrows


Tip The menu shows only **one** Execute option. Which one depends on whether text is selected.

NOW: WEB CONSOLE

DO THIS

Select the lines you want (1). Right-click and choose **SFDX: Execute Anonymous Apex with Editor's Selected Text** (2).


CLOSE-UP




PART 2

Read your logs

Open the log and find your debug lines.



Step 6 · Open the log




Tip Missed it? Click the **bell** at the far bottom right to see recent messages.

NOW: WEB CONSOLE


DO THIS

When the run finishes, a message appears at the bottom right (1). Click **Open Log** (2).

CLOSE-UP



Your log, and where it's saved




Tip The same log also appears in **Output → Salesforce Apex Log** (3).

NOW: WEB CONSOLE


DO THIS

The log opens in a new tab (1). Each run gets its own folder under **.sfdx/tools/debug/logs** (2).

CLOSE-UP



Find your debug lines



Find **Mac** Cmd + F **Windows** Ctrl + F

Tip This replaces Developer Console's **Debug Only** checkbox.

NOW: WEB CONSOLE


DO THIS

Click inside the log and open **Find**. Type **USER_DEBUG** (1). Press Enter to jump to each match (2).

CLOSE-UP



Before: the Log Inspector




Tip To show every panel there: **Debug → View Log Panels…**

BEFORE: DEVELOPER CONSOLE

DO THIS

Developer Console showed panels: **Stack Tree** (1), **Execution Stack** (2), **Execution Log** (3), **Source** (4), **Variables** (5), plus a **Debug Only** filter (6).

CLOSE-UP




PART 3

Trace flags and log levels

Turn on logging for yourself or someone else, straight from the status bar.



Before: Change Log Levels




Tip In Web Console, log levels live in **trace flags**, on the status bar.

BEFORE: DEVELOPER CONSOLE


DO THIS

Developer Console: open the **Debug** menu (1). Execute Anonymous lived here (2), and so did **Change Log Levels** (3).

CLOSE-UP



Step 1 · Start tracing yourself




Tip The same menu has **Add trace for another user**.

NOW: WEB CONSOLE


DO THIS

At the bottom left, hover over **No Tracing** (1). Click **Create trace flag for current user** (2).

CLOSE-UP



Step 2 · Pick a debug level



Choose **Mac** Return **Windows** Enter


Tip Higher levels (FINEST) give the most detail but bigger logs.

NOW: WEB CONSOLE


DO THIS

Choose a debug level, for example **SFDC_DevConsole** (1).

CLOSE-UP



Tracing is on for 30 minutes




Tip Auto-downloaded logs land in **.sfdx/tools/debug/logs**. The hover menu can stay open until you move the mouse away.

NOW: WEB CONSOLE


DO THIS

The status bar now says **Tracing until** a time (1). New logs download by themselves about every 30 seconds.

CLOSE-UP



Change or remove trace flags



Command Palette **Mac** Cmd + Shift + P **Windows** Ctrl + Shift + P

Tip This replaces Setup → Debug Logs for day-to-day work.

NOW: WEB CONSOLE

DO THIS

Run **SFDX: Open Trace Flags** from the Command Palette. Use the links in the file: **Remove** (1), **Change** (2), **Add trace for another user** (3), **Create Debug level** (4).

CLOSE-UP




PART 4

Create, edit and test classes

Make a class, save it to the org and run its tests.



Create a new Apex class



Command Palette | **Mac** Cmd + Shift + P | **Windows** Ctrl + Shift + P


Tip Same pattern as scripts: Command Palette, then SFDX.

NOW: WEB CONSOLE


DO THIS

Open the Command Palette and type **Create Apex Class** (1). Choose **SFDX: Create Apex Class** (2).

CLOSE-UP



Pick a template




Tip The second Enter accepts the default folder, **force-app/main/default/classes**.

NOW: WEB CONSOLE


DO THIS

Choose **DefaultApexClass** for a normal class (1) or **ApexUnitTest** for a test class (2). Then type the name and press Enter twice.

CLOSE-UP



Save = deploy to the org



Save **Mac** Cmd + S **Windows** Ctrl + S


Tip Works in sandboxes and Developer orgs. In **production**, Apex is read-only.

NOW: WEB CONSOLE


DO THIS

Write your code in the new tab (1). The class files appear under **classes** (2). Press **Save** and Web Console deploys it (3).

CLOSE-UP



Run tests from the Testing view




Tip Tests already in the org show up straight away. No download needed.

NOW: WEB CONSOLE


DO THIS

Click the **beaker** icon (1). Hover over a test class and click its **Run Test** (play) button (2).

CLOSE-UP



Read the test results




Tip A red cross means a failure. Click the test to see the error.

NOW: WEB CONSOLE


DO THIS

Green ticks mean the tests passed (1). Open **Test Results** (2) to see the summary (3).

CLOSE-UP



Or run tests from the class itself




Tip **Right-click** the icon for more options.

NOW: WEB CONSOLE


DO THIS

Open a test class. Click the **run** icon to the left of line 1 (1). The tooltip explains it (2).

CLOSE-UP



Passed!




Tip A message also offers **Open Report**, a saved copy of the results.

NOW: WEB CONSOLE

DO THIS

The icon turns into a **green tick** (1). **Test Results** shows the summary (2).


CLOSE-UP




PART 5

Query data and find metadata

Build SOQL by clicking, read the query plan and browse every kind of metadata.



Start a SOQL query



Command Palette **Mac** Cmd + Shift + P **Windows** Ctrl + Shift + P


Tip Queries are saved in **scripts/soql** so you can reuse them.

NOW: WEB CONSOLE


DO THIS

Open the Command Palette and type **Create Query** (1). Choose **SFDX: Create Query in SOQL Builder** (2). Name it and press Enter twice.

CLOSE-UP



Build the query by clicking




Tip When it looks right, click **Run Query** (6) or **Get Query Plan** (7).

NOW: WEB CONSOLE


DO THIS

Pick the object in **From** (1), then **Fields** (2), a **Filter** (3), **Order By** (4) and **Limit** (5). The SOQL text updates on the right.

CLOSE-UP



Run Query and export the results




Tip Record names are blurred here for privacy.

NOW: WEB CONSOLE


DO THIS

Click **Run Query**. Results open in a new tab (1). Export them as **.csv** or **.json** (2). The grid shows each record (3).

CLOSE-UP



Check the query plan




Tip Same idea as the Query Plan button in Developer Console.

NOW: WEB CONSOLE


DO THIS

Click **Get Query Plan** (1). The plan appears in the **Output** panel (2), on the **SOQL** channel (3).

CLOSE-UP



Org Browser: find any metadata




Tip Managed-package components don't appear here.

NOW: WEB CONSOLE

DO THIS

Click the **cloud** icon (1). Use the **filter** (2) and expand a type such as **ApexClass** (3). Click the **download** icon to retrieve an item (4).


CLOSE-UP



PART 6

Cheat sheet and troubleshooting

Everything on one page, plus fixes for the most common surprises.



Cheat sheet: running code and reading logs

The Developer Console path, the Web Console path, and the shortcut for each.

Task	Before: Developer Console	Now: Web Console	Mac / Windows
Open the tool	Gear → Developer Console	Gear → **Web Console**	Cmd-click / Ctrl-click = tab
Run anonymous Apex	Debug → Open Execute Anonymous Window	**SFDX: Create Anonymous Apex Script** → Execute	Cmd+Shift+P / Ctrl+Shift+P
Run selected lines	Execute Highlighted	Select → right-click → **…Editor's Selected Text**	Shift + arrows
Open the log	Tick Open Log	Message → **Open Log**	—
Show only debug lines	Debug Only checkbox	Find **USER_DEBUG** in the log	Cmd+F / Ctrl+F
Set log levels	Debug → Change Log Levels	Status bar **No Tracing** → create trace flag	—

Cheat sheet: classes, tests and data

The Developer Console path, the Web Console path, and the shortcut for each.

Task	Before: Developer Console	Now: Web Console	Mac / Windows
Create a class	File → New → Apex Class	**SFDX: Create Apex Class**	Cmd+Shift+P / Ctrl+Shift+P
Open a class	File → Open	Setup **Edit** link, or Org Browser → retrieve	Quick Open: Cmd+P / Ctrl+P
Save	Save = compile	Save = **deploy** (not in production)	Cmd+S / Ctrl+S
Run tests	Test → New Run	**Beaker** → Run Test, or the run icon in the class	—
Query data	Query Editor → Execute	**SFDX: Create Query in SOQL Builder** → Run Query	Cmd+Shift+P / Ctrl+Shift+P
Query plan	Query Plan button	**Get Query Plan** → Output	—
Browse metadata	Limited (Apex, VF, Aura)	**Org Browser** (cloud icon), all types	—

Gaps and gotchas

What's missing today, and what catches people out.

Not in Web Console (yet)

- Checkpoints and heap dumps
- Terminal, CLI and Git
- The old Log Inspector panels
- Managed-package classes in the Org Browser

Watch out for

- The log doesn't open by itself: click **Open Log**
- Right-click shows only **one** Execute option
- Anonymous Apex runs for real, even in production
- **Save deploys** straight to the org

Need Developer Console back? Setup → Web Console → **Enable Developer Console to: Active**. Ask your admin; it's an org-wide setting.

Troubleshooting


Fixes for the most common first-week surprises.

If you see…	Try this
No **Execute** link above the code	The file must end in **.apex** and not be empty. Save it and wait a moment.
Only one Execute option when you right-click	Normal. Select text for **Selected Text**; select nothing for **Currently Open Editor**.
The log didn't open	Click **Open Log** in the message, or the bell (bottom right). Logs are in **.sfdx/tools/debug/logs**.
"This entity is already being traced…"	A trace flag overlaps. Run **SFDX: Remove Trace Flag**, or remove it in Setup → Debug Logs.
No Web Console in the gear menu	Ask an admin to turn it on and give you **View All Data** and the **Web Console User** permission.
No **Edit** link next to a class	It's a managed-package class, or a production org, where Apex is read-only.
Run Query is missing	If API Access Control is on, you also need **Use Any API Client**.
Your typing went into the wrong file	Wait for the prompt box to appear before you type. Then undo with Cmd/Ctrl + Z.

BONUS

Agentforce Vibes IDE

When Web Console isn't enough: a full VS Code in your org, with your own extensions, that you can even use from your phone.



What you get in each tool

The four ways to write Salesforce code, side by side.

	Developer Console LEGACY	Web Console THIS GUIDE	Agentforce Vibes IDE CLOUD VS CODE	VS Code + CLI ON YOUR LAPTOP
Runs in the browser, nothing to install	✓	✓	✓	✗
Lightning Web Components	✗	✓	✓	✓
Terminal and Salesforce CLI	✗	✗	✓	✓
Git and GitHub	✗	✗	✓	✓
Install extensions	✗	✗	✓	✓
Claude Code extension	✗	✗	✓	✓
Use with production orgs	✓	✓	✗	✓
Cost	**Free**	**Free**	**Hours pool**	**Free**

Web Console vs Agentforce Vibes IDE

Light and free, or a full cloud VS Code.

	Web Console	Agentforce Vibes IDE
What it is	VS Code in the browser, inside your org	Full VS Code on a cloud machine (formerly Code Builder)
Where it runs	Every edition. Apex is read-only in production	Sandboxes and scratch orgs (Professional, Enterprise, Unlimited) and Developer Edition. **Not production**
Cost	Free	Included user licences, plus a **shared pool of hours**
Terminal, CLI, Git	No	**Yes**
Extra extensions	No, built-in tools only	**Yes**, for example the Claude Code extension
Built-in AI	None	Agentforce Vibes chat (paid outside Developer Edition since June 2026)
Best for	Quick fixes, scripts, logs, tests	Bigger features, Git workflows, AI-assisted coding

Agentforce Vibes IDE: licences and hours

Included user licences, plus a monthly pool of hours shared by the whole org.

PROFESSIONAL

250

hours a month, shared by the whole org
10 users

ENTERPRISE

1,000

hours a month, shared by the whole org
40 users


UNLIMITED

2,500

hours a month, shared by the whole org
100 users

- Hours = 25 × the number of IDE licences. **Everyone in the org shares them**, and unused hours expire each month.
- Sandbox add-ons add users: Developer Pro +5, Partial Copy +10, Full +15. Developer Edition orgs get the IDE free.
- An admin turns it on in **Setup** → **Agentforce Vibes**. Each user needs **View All Data**; Professional also needs the API Access add-on.

Open Agentforce Vibes IDE




Tip The first launch asks you to **accept the terms**, then takes a minute or two to start your cloud workspace.

AGENTFORCE VIBES IDE


DO THIS

Click the **gear** icon (1), then **Agentforce Vibes** (2). The IDE opens in a new tab. In Setup, **Agentforce Vibes IDE** (3) confirms it's built in.

CLOSE-UP



A full VS Code, already connected




Tip Inactive workspaces are deleted after **30 days**, so keep your code in Git.

AGENTFORCE VIBES IDE

DO THIS

Everything Web Console lacks is here: **Source Control / Git** (1), **Extensions** (2) and a real **terminal** (3) with Node, Git and the Salesforce CLI. You're already **connected to your org** (4).

CLOSE-UP



Bring your favourite extensions

Export the list from your laptop, install it in the IDE in one go.

1

On your laptop

In VS Code's terminal, save your extension list:

```
code --list-extensions > extensions.txt
```

2

Copy it across

Drag **extensions.txt** into the IDE's Explorer, or paste the list into a new file.

3


In the IDE terminal

Install everything on the list:

```
xargs -n 1 code-server \
  --install-extension < extensions.txt
```

Good to know: the IDE installs extensions from **Open VSX** (open-vsx.org), not Microsoft's marketplace. Most extensions are there; a few Microsoft-only ones (GitHub Copilot, Pylance, Live Share) are not.

Install Claude Code




Tip Check the publisher is **Anthropic**. Other "Claude" extensions are unofficial.

AGENTFORCE VIBES IDE


DO THIS

Open **Extensions** (1) and search **claude code** (2). Pick **Claude Code for VS Code** by **Anthropic** (3) and click **Install** (4).

CLOSE-UP



Trust the publisher




Tip The IDE shows "not verified", but Open VSX lists Anthropic's namespace as **verified** (ID **anthropic.claude-code**).

AGENTFORCE VIBES IDE


DO THIS

The first install from a new publisher asks for trust (1). Click **Trust Publisher & Install** (2).

CLOSE-UP



Sign in to Claude




Tip You need a Claude Pro, Team or Enterprise plan, or an Anthropic Console account for pay-as-you-go.

AGENTFORCE VIBES IDE


DO THIS

Click the **Claude** icon (1) or the Claude button at the top right. In the **Claude Code** tab (2), choose **Claude.ai Subscription** (3) and follow the sign-in.

CLOSE-UP



Ask Claude to build it




Tip Choose the mode under the chat box: **Manual**, **Plan**, Edit automatically or Auto. Use Manual or Plan for anything that touches the org.

AGENTFORCE VIBES IDE

DO THIS

Describe what you want in the Claude panel (1). Claude reads your files and shows its change as a **diff** (2). In **Manual** mode it asks before every edit (3).

CLOSE-UP



The idea: build from your phone

Agentforce Vibes IDE runs in the cloud, so a phone browser is all you need.

1

Phone

Open Salesforce on your phone, signed in to your dev sandbox.

2

IDE

Setup → Agentforce Vibes IDE opens a full cloud VS Code.

3

Ask

Describe the change to the AI assistant in the IDE (we use Claude Code).

4

Deploy

The change is built and deployed straight to your dev sandbox.

5

Laptop

Back home: test, retrieve into VS Code, commit to Git.

Why it works: Agentforce Vibes IDE is a full cloud VS Code that's already logged in to your org, so you can build, deploy and check the result with no setup, from any phone.

Guardrails before you try it

Keep it safe before you share the idea.

Do this

- ✓ Use a **personal** dev sandbox or scratch org, never a shared one
- ✓ Have Claude commit to a **Git branch**, not just deploy
- ✓ Keep phone tasks small; review properly on your laptop
- ✓ Leave Claude's permission prompts **on** for deploys


Check first

- ! Your company's rules on AI tools and which Claude account to use
- ! The org's shared IDE hours (250 a month on Professional)
- ! Production isn't supported, which is a useful safety net
- ! Claude Code on the web works from a phone too, but isn't logged in to your org

DEMO

Built from my phone

A screen recording from my Samsung Galaxy S23: Agentforce Vibes IDE builds a Lightning Web Component and deploys it to the Home page. Questions? We'll switch to the desktop.



Thank you.

Questions?

LEARN MORE AND SHARE FEEDBACK

Web Console documentation

developer.salesforce.com › Web Console guide

Developer Console vs Web Console

developer.salesforce.com › Dev Console vs Web Console

Agentforce Vibes IDE: licences and hours

developer.salesforce.com › Agentforce Vibes IDE licences

Feedback and known issues (GitHub)

github.com/forcedotcom/web-console-feedback