#CodeYork

Handout 2: Functions and Control

Intro to Functions

- The ‘verbs’ of a programming language
- Can define an ‘action’ in code and ‘perform’ it at any time
  - In English, can define what ‘speak’ means and do it after, once everyone knows what it means
  - In Python, can define what ‘foo()’ means and do it after, once Python knows what it means
- Sometimes our actions need to know about the world they’re in
  - eg. ‘eating’ needs us to know who’s eating and what they’re eating
- Functions can have parameters, and we can pass arguments to the function:
  - eg. print(“Hello york!”) -> “Hello york!” is the argument

Functions in Python

- Functions are defined using the “def” keyword
- Functions may or may not “return” values

```
def add_one(num):
    return num + 1

print(add_one(3))
```

Functions Calling Functions

- Functions can call other functions if needed

```
def add_one(num):
    return num + 1

def add_two(num):
    return add_one(add_one(num))


print(add_two(3))
```

For Loops

- For loops to do something for every element

```
>>> for n in [1, 2, 3, 4]:
        print(n)

1
2
3
4
```

The Range Function

- The range function behaves a bit like a list

```
>>> for i in range(0, 3):
        print(i)

0
1
2
```

While Loops

- While loops will repeat until a condition stops being true

```
>>> x = 0
>>> while x < 5:
        print(x)
        x = x + 1

0
1
2
3
4
```