Right click network icon and select open network and internet settings

Then click ethernet and then Network and sharing center

Then select set up a new connection or network

Select connect to network and next



Chose create new connection

Chose use my internet connection (vpn)

Input the following information into the boxes

Click Create

ick on change adapter settigns

Right click the one that says gerloff and chose properties.

Chose security tab, drop down type of VPN and select Layer 2 tunneling protocol with IPsec

Click advanced settings and input the following

← → ∨ ↑ 🖥 > Control Panel > Network and Internet > Network Connections

File   Edit   View   Advanced   Tools

Organize ▼   Start this connection   Rename this connection   Delete this connection   Change settings of this connection

Gerloff
Disconnected
WAN Miniport (IKEv2)

GerloffVPN
Disconnected
WAN Miniport (L2TP)

Local Area Connection
Wi-Fi
Realtek PCIe GBE Family Controller

pg
Disconnected
WAN Miniport (L2TP)

VPN Connection
Disconnected
WAN Miniport (IKEv2)

Gerloff Properties   ✕

General   Options   Security   Networking   Sharing

Type of VPN:

Layer 2 Tunneling Protocol with IPsec (L2TP/IPsec)   ∨

                                            Advanced settings

Data encryption:

Optional encryption (connect even if no encryption)   ∨

Authentication

○ Use Extensible Authentication Protocol (EAP)

[∨]

                                                Properties

◉ Allow these protocols

☑ Unencrypted password (PAP)
☑ Challenge Handshake Authentication Protocol (CHAP)
☑ Microsoft CHAP Version 2 (MS-CHAP v2)
☐ Automatically use my Windows logon name and
   password (and domain, if any)

                        OK   Cancel

---

5 items   1 item selected

Now click the network Icon in the bottom right by the click and chose Gerloff and click connect

User name is GPuser

Password is – Passw0rd4880!