



Flurry Advertising iOS SDK Instructions

SDK version 7.6.6
Updated: 07/07/2016

Welcome to Flurry Advertising!

This README contains:

1. [Introduction](#)
2. [Advertising API](#)
3. [Basic 10 Minute Integration](#)
4. [Requesting Native Ads](#)
5. [Video Ads](#)
6. [Ad Targeting \(Optional\)](#)
7. [Implementing Ad Delegate \(Optional\)](#)
8. [Enabling Ad Network Mediation \(Optional\)](#)
9. [Tumblr In-App Sharing](#)
10. [F.A.Q.](#)

1. Introduction

Flurry provides a flexible ad serving solution to easily manage the complete monetization of your mobile applications. Rooted in Flurry Analytics, integration with Yahoo Gemini, Flurry's Real-time Bidder (RTB) Marketplace, and various mobile ad networks can easily generate the maximum value from ad inventory for publishers.

With Flurry Ads you will be able to:

1. Define your inventory
2. Traffic ad campaigns
3. Track & optimize your performance

The Flurry Ads SDK is modular and contains only the functionality related to serving advertisements. It is designed to be as easy as possible with a basic setup completed in under 10 minutes.

For ad space setup and more information on Flurry Ads, please visit

<https://developer.yahoo.com/flurry/docs/publisher/>

Please note, it is **required** that you create ad spaces before retrieving ads. Ad spaces can be created on the Flurry Developer Portal or in the application code. If Ad spaces are created in the code, they will appear in the dev portal designated as "Determined by SDK" in the Ad space setup page.

These instructions assume that you have already integrated Flurry Analytics into your application. If you have not done so, please refer to **Analytics-README** to get started.

2. Advertising API

Starting with version 6.0.0, developers can create objects for Banners and Interstitials. Individual objects control life cycle of an Ad. Support for legacy API using static methods is now deprecated. Developers are encouraged to use Objects based API for serving Ads. The examples in this README will only contain references to the new Object-based API. For information on using the legacy deprecated Static API, please see <https://developer.yahoo.com/flurry/docs/publisher/code/iosv5/>.

3. Basic 10 Minute Integration

Follow these steps to quickly integrate Flurry Ads into your app:

1. Add the required frameworks. Flurry Ads will throw a linking error without the framework, and ads will not display.
 - AdSupport.framework
 - CoreGraphics.framework
 - Foundation.framework
 - MediaPlayer.framework
 - StoreKit.framework
 - UIKit.framework
 - AVFoundation.framework
 - CoreMedia.framework
 - libz.dylib
2. In the finder, drag FlurryAds/ into project's file folder.
3. Add it to your project in Xcode: Project > Add to project > FlurryAds - Choose 'Recursively create groups for any added folders'
4. Please make sure `startSession` is called in your app's AppDelegate child class.

The final integration will look as follows:

Objective - C

```
#import "Flurry.h"
- (BOOL)application:(UIApplication *)application
didFinishLaunchingWithOptions:(NSDictionary *)launchOptions {
    [Flurry startSession:@"YOUR_API_KEY"];
    //your code
}

/**
 * You can connect Ads in any existing placement in your app, but for
 * demonstration purposes we present integration within your ViewController
 */
```

```

#import "FlurryAdBanner.h"
#import "FlurryAdBannerDelegate.h"
#import "FlurryAdInterstitial.h"
#import "FlurryAdInterstitialDelegate.h"

- (void)viewDidAppear:(BOOL)animated {
    [super viewDidAppear:animated];
    /**
     *      We will show banner and interstitial integrations here.
     *
     */

    // 1. Fetch and display banner ads
    FlurryAdBanner *adBanner = [[[FlurryAdBanner alloc]
initWithSpace:@"BANNER_MAIN_VC"] autorelease];
    adBanner.adDelegate = self;
    [adBanner fetchAndDisplayAdInView:self.view
viewControllerForPresentation:self];

    // 2. Fetch fullscreen ads for later display
    FlurryAdInterstitial *adInterstitial = [[[FlurryAdInterstitial alloc]
initWithSpace:@"INTERSTITIAL_MAIN_VC"] autorelease];
    adInterstitial.adDelegate = self;
    adInterstitial.targeting = [FlurryAdTargeting targeting];
    [adInterstitial fetchAd];
}

```

Swift Code :

```

func application(UIApplication, didFinishLaunchingWithOptions launchOptions:
NSDictionary) -> Bool {
    Flurry.startSession("YOUR_API_KEY")
    // your code
    return true
}

override func viewDidAppear(animated: Bool) {
    super.viewDidAppear(animated)

    // 1. Fetch and display banner ads
    let adBanner = FlurryAdBanner(space: "BANNER_MAIN_VC")
    adBanner.adDelegate = self
    adBanner.fetchAndDisplayAdInView(self.view,
viewControllerForPresentation: self)

    // 2. Fetch fullscreen ads for later display
    let adInterstitial = FlurryAdInterstitial(space:

```

```

"INTERSTITIAL_MAIN_VC")
    adInterstitial.adDelegate = self
    adInterstitial.targeting = FlurryAdTargeting()
    adInterstitial.fetchAd()
}

```

If you are integrating banner ads only, you are done - no further action is required. `[adBanner fetchAndDisplayAdInView]` will display the banner ads and will keep refreshing them until the `adBanner` object is released.

If you are integrating Interstitial ads, read on.

Objective C:

```

// Most often there is a point in your app to invoke a takeover (e.g. -
// button is pressed, level is completed, etc). Here we will be mocking this
// existence of a button method that shows full screen ads
- (IBAction) showFullScreenAdClickedButton:(id)sender {
    // Check if ad is ready. If so, display the ad
    if (adInterstitial != nil && [adInterstitial ready]) {
        [adInterstitial presentWithViewController:self]
    } else {
        // fetch an ad
        [adInterstitial fetchAd];
    }
}

/*
 * It is recommended to pause app activities when an interstitial is shown.
 * Listen to adInterstitialWillPresent delegate.
 */
- (void) adInterstitialWillPresent:(FlurryAdInterstitial *)flurryAd
{
    // Pause app state here
}

/*
 * Resume app state when the interstitial is dismissed.
 */
- (void) adInterstitialDidDismiss:(FlurryAdInterstitial *)flurryAd
{
    // Resume app state here
}

```


Swift:

// Most often there is a point in your app to invoke a takeover (e.g. - button is pressed, level is completed, etc). Here we will be mocking this existence of a button method that shows full screen ads

```
@IBAction func showFullScreenAdClickedButton(sender: AnyObject) {
    if adInterstitial != nil && adInterstitial.ready {
        adInterstitial.presentWithViewController(self)
    } else {
        adInterstitial.fetchAd()
    }
}

/*
 * It is recommended to pause app activities when an interstitial is
shown.
 * Listen to adInterstitialWillPresent delegate.
 */
func adInterstitialWillPresent(interstitialAd: FlurryAdInterstitial!) {
    // Pause app state here
}

/*
 * Resume app state when the interstitial is dismissed.
 */
func adInterstitialWillDismiss(interstitialAd: FlurryAdInterstitial!) {
    // Resume app state here
}
```

For more details on the Advertising API please refer to

<https://developer.yahoo.com/flurry/docs/publisher/code/ios/>

Also note that the SDK package downloaded from the developer site contains API documentation.

4. Requesting Native Ads

To request native ads in your code, first start session using Flurry API. Note: please see **Analytics-README** for details on [Flurry startSession:]. Native ad object should be created using FlurryAdNative class with initialization method `initWithSpace:`.

4.1 Set up the ad

Set the `adDelegate` property on the native ad object to the object that will implement the FlurryAdNativeDelegate protocol. Set the `viewControllerForPresentation` to the UIViewController that will be designated to display the native ads.

4.2 Asynchronously fetching an ad

Call the `fetchAd` routine on FlurryAdNative to fetch an ad asynchronously. This enables you to pre-load ads before they are actually displayed. Use the following call to fetch an ad

```
- (void)fetchAd;
```

Once you have made the request for an ad to be fetched, there are two ways of proceeding to display the ad. The first is to check if the ad is ready at various times, and then display the ad once it is ready. The other way is to implement the `<FlurryAdNativeDelegate>` which will be notified with a call to `adNativeDidFetchAd` when the ad is ready. It is recommended to implement the `adNative:adError:errorDescription:` method to get notified of a failure to fetch ads.

4.3 Checking if an ad is ready

After an ad is fetched, you can explicitly check if the ad is ready to be displayed from a property of FlurryAdNative object, `ready`.

```
@property (nonatomic, readonly) BOOL ready;
```

The value of this property is YES or NO based on availability of the ad.

4.4 Checking if an ad has expired

After an ad is fetched, you can explicitly check if the ad is expired from a property of FlurryAdNative object, `expired`.

```
@property (nonatomic, readonly) BOOL expired;
```

The value of this property is YES or NO based on expiration state of the ad.

4.5 Using the Native Ad assets

When the ad is ready the native ads asset list will be available and can be accessed using the `assetList`

property.

```
@property (nonatomic, readonly) assetList;
```

This property returns an array of `FlurryAdNativeAsset` objects. Each object has details about the asset such as:

```
@property (nonatomic, retain, readonly) NSString *name;  
@property (nonatomic, readonly) kAssetType type;  
@property (nonatomic, retain, readonly) NSString *value;  
@property (nonatomic, assign, readonly) int width;  
@property (nonatomic, assign, readonly) int height;
```

The `type` property of an asset is an enum value of type `kAssetType`. This indicates whether the asset is image or text. The property, `value` contains the text or url for the asset. If an image asset is precached, the url will be a file url pointing to cached asset on the device.

These assets can then be used to populate a `UIView` within your application and can be used to display the native ad.

4.6 Tracking Ad

After an ad is placed in appropriate location in your app, the `UIView` object used to create the ad needs to be set as tracking view for the native ad object. Once the property, `trackingView` of `FlurryAdNative` object is set, it is used to track the viewability of the native ad automatically. The viewability criteria for native ads is based on IAB guidelines (50% of ad view visible for more than 1 second). Once the ad view met this criteria, impression urls are fired to log views.

In addition to impression tracking, Flurry SDK provides automatic click tracking of ad when the ad view is set as `trackingView` of `FlurryAdNative` object.

Note: It is very important to set the ad view you created to be tracking view of native ad object for proper monetization in the app.

Example usage of native ad in a custom table view cell as follows:

```
@interface AdStreamCell : UITableViewCell  
  
@property (nonatomic, retain) FlurryAdNative* ad;  
  
@end  
  
@implementation AdStreamCell  
  
- (void) setupAdCellForNativeAd:(FlurryAdNative*) nativeAd  
{  
    [self.ad removeTrackingView];  
    self.ad = nativeAd;  
    self.ad.trackingView = self;  
}
```


The basic steps for integration of native ads were listed above. For more details including code samples on native ad integrations please refer to the Flurry support site:

<https://developer.yahoo.com/flurry/docs/publisher/code/ios/#native-display-integration-code>

5. Video Ads

Flurry supports Video ad on the Interstitial ad format. Publishers have the option of configuring length of video play allowed, if the video can be skipped, and if a reward should be granted for watching a video. By default, all video ads on the Flurry network are pre-cached for enhanced user experience and completion rates. To set up your interstitial ad space for video see

<https://developer.yahoo.com/flurry/docs/howtos/videoadspace/>

6. Ad Targeting (Optional)

Flurry ADS API supports ad targeting using an object of `FlurryAdTargeting`. Both `FlurryAdBanner` and `FlurryAdInterstitial` have a property `targeting`. Publishers can control the ads using various properties of the `FlurryAdTargeting` object.

`FlurryAdTargeting` is a container for various properties to target an ad space effectively such as:

```
@property (nonatomic, retain) CLLocation* location;
@property (nonatomic, retain) NSDictionary *userCookies;
@property (nonatomic, retain) NSDictionary *keywords;
@property (nonatomic, assign) BOOL testAdsEnabled;
```

6.1 location: If your app collects location information you should pass that to Flurry. This will result in better targeting and higher spend from advertisers. The user device location information can be attached to `FlurryAdTargeting` object if the app has permission to do so. Once app obtains permission, `FlurryAd` objects send the location information to target effectively.

6.2 userCookies: `UserCookies` allow the developer to specify information on a user executing an ad action. On ad click `UserCookie` key/value is transmitted to the Flurry servers. The `UserCookie` key/value pairs will be transmitted back to the developer via the app callback if one is set. This is useful for rewarded inventory, to identify which of your users should be rewarded when a reward callback is sent.

6.3 keywords: `Keywords` allow the developer to specify information on a user executing an ad action for the purposes of targeting. There is one `keywords` object that is transmitted to the Flurry servers on each ad request. If corresponding keywords are matched on the ad server, a subset of targeted ads will be delivered. This allows partners to supply information they track internally, which is not available to Flurry's targeting system.

6.4 testAdsEnabled: Publishers can use this field to fetch test ads from flurry server during app development. Test ads won't monetize and are provided for integration test only. Please make sure to set to false before the app is launched.

7. Implementing Ad Delegate (Optional)

7.1 FlurryAdBannerDelegate

To be notified of events during life cycle of FlurryAdBanner, the calling object needs to implement FlurryAdBannerDelegate protocol. And the calling object need to set itself as the delegate to FlurryAdBanner object.

Please refer to http://flurrydev.github.io/FlurryiOSSDK6xAPI/protocol_flurry_ad_banner_delegate-p.html for additional details on this delegate's callback methods.

7.2 FlurryAdInterstitialDelegate

To be notified of events during life cycle of FlurryAdInterstitial, the calling object needs to implement FlurryAdInterstitialDelegate protocol. And the calling object need to set itself as the delegate to FlurryAdInterstitial object.

Please refer to http://flurrydev.github.io/FlurryiOSSDK6xAPI/protocol_flurry_ad_interstitial_delegate-p.html for additional details on this delegate's callback methods.

7.3 FlurryAdNativeDelegate

To be notified of events during life cycle of FlurryAdNative, the calling object needs to implement FlurryAdNativeDelegate protocol. And the calling object need to set itself as the delegate to FlurryAdNative object.

Please refer to http://flurrydev.github.io/FlurryiOSSDK6xAPI/protocol_flurry_ad_native_delegate-p.html for additional details on this delegate's callback methods.

8. Enabling Ad Network Mediation (Optional)

Once your Ad Spaces are configured, you have the option of selecting 3rd party ad networks to serve ads into your Ad Spaces. You can change which ad networks serve ads at any time on the Flurry website, but in order to enable them you need to add the ad network SDKs into your application and configure them. The following Ad Networks are currently supported:

- iAd
- Admob - Framework version 7.0.0
- Millennial - Framework version 5.4.1
- InMobi - SDK version 4.5.1

Please refer to <https://developer.yahoo.com/flurry/docs/publisher/gettingstarted/targeting/> for more information regarding setting up Ad Network Mediation.

9. Tumblr In-App Sharing

9.1 Login to Flurry dashboard and enable content sharing

To post content to Tumblr, please enable your application for Content Sharing as shown below.

The screenshot shows the Flurry dashboard interface. At the top, there's a navigation bar with 'Home', 'Company', 'Applications' (selected), 'AppCircle', 'Clips', 'Publishers', and 'Ad'. Below this, a breadcrumb trail reads 'All Applications > Apple Tumblr Test App > Analytics'. On the left, a sidebar menu lists various analytics categories, with 'Manage' expanded to show 'App Info' (selected), 'Versions', 'Segments', 'Events', 'Alerts', 'Permissions', and 'Advanced'. The main content area is titled 'APPLICATION INFO' and contains a table of application details:

App Name	Tumblr Test App	edit
Category ?	Photo & Video	edit
Feature Set	Complete	edit
ADomain ?	TumblrTestApp.Yahoo.com	edit
SDK Version	No data received yet	
AppStore ID	Click Here to Provide your AppStore ID Explain ?	
API Key	2C6Q7RBS3BCFJRYPQGYS	
Watch Extension Key	Get watch extension key	
Content Sharing	Enable content sharing	

At the bottom of the 'APPLICATION INFO' section, there are three links: 'Create New Version', 'View Change Logs', and 'Download SDK: iPhone'. A red arrow points from the 'App Info' menu item in the sidebar to the 'Enable content sharing' button in the 'Content Sharing' row of the table.

9.2 Set the Consumer Api Key and secret

Set your app's consumer key and secret prior to making any calls to FlurryTumblr using the following API

```
+ (void) setConsumerKey:(NSString*) consumerKey
consumerSecret:(NSString*) consumerSecret;
```

NOTE: You will need to generate Tumblr OAuth keys at <https://www.tumblr.com/oauth/apps>, and then email bd@tumblr.com to request that your keys are whitelisted.

9.3 Get Tumblr Image

If you want to use your own Tumblr image please do so, otherwise please use the following API to fetch an UIImage and incorporate it into your view.

```
+ (UIImage*) tumblrImage;
```

9.4 Create and send post

Note: we strongly recommend that you include deeplinks for both Android and iOS platforms, as well as a high-resolution image for your post. If your app does not support iOS, you may pass in a web URL pointing to your website in its place.

Add FlurryTumblr.h to the implementation file that will post to Tumblr and share to Tumblr by using the following API

```
+ (void) post: (id<IFlurryTumblrShareParameters>)parameters  
presentingViewController: (UIViewController*) presentingController;
```

Flurry will do a one time authentication of the user and then post the shared content to Tumblr. To receive success and failure notifications please implement the FlurryTumblrDelegate protocol and register your viewcontroller as the delegate with Flurry.

9.4.1 Text Share Parameters

text	The text content to share
title	The title of the text content
iOSDeepLink	[<i>optional - highly recommended</i>] Your app's iOS deep link to the text content
androidDeepLink	[<i>optional - highly recommended</i>] Your app's Android deep link to the text content
webLink	[<i>optional - highly recommended</i>] Your app's Web link to the text content

9.4.2 Image Share Parameters

imageUrl	The imageUrl to share, this can be http or a file URL. We recommend using a high quality image for better user experience.
imageCaption	Caption for the image that needs to be shared
iOSDeepLink	[<i>optional - highly recommended</i>] Your app's iOS deep link to the image content

androidDeepLink	[<i>optional - highly recommended</i>] Your app's Android deep link to the image content
webLink	[<i>optional highly recommended</i>] Your app's Web link to the image content

9.5 Implementing Flurry Tumblr Delegates (Optional)

To be notified of success and failure during the authentication and posting to Tumblr, the calling object needs to implement FlurryTumblrDelegate protocol and the calling object needs to set itself as the delegate to FlurryTumblr

```
+ (void) flurryTumblrPostSuccess;

+ (void) flurryTumblrPostError:(NSError*) error
  errorType:(FlurryTumblrErrorType) errorType;
```

Objective - C

```
#import "FlurryTumblr.h"
#import "FlurryTumblrDelegate.h"

-(void) viewDidLoad {
    // Get the Tumblr Image and incorporate it into your app's view
    UIImage* tumblrImage = [FlurryTumblr tumblrImage];

    // set the consumer key and secret
    [FlurryTumblr setConsumerKey:@"Your Consumer Key" consumerSecret:@"Your
Consumer Secret"];

    // set this view controller as the delegate to FlurryTumblr
    [FlurryTumblr setDelegate: self];
}

- (void) dealloc {
    // Note: please don't set delegate to nil on viewDidUnload
    // as Flurry Tumblr views are shown modally
    [FlurryTumblr setDelegate: nil];
    [super dealloc];
}

- (void)tumblrPostImage:(NSURL*)imgPath withCaption:(NSString*)imgCaption
{
```

```

        FlurryImageShareParameters* imgShareParameters =
            [[FlurryImageShareParameters alloc] init];

        imgShareParameters.imageURL = [imgPath absoluteString];
        imgShareParameters.imageCaption = imgCaption;
        imgShareParameters.iOSDeepLink = @"Your App's iOS Deep Link to Content";
        imgShareParameters.androidDeepLink = @"Your App's Android Deep Link";
        imgShareParameters.webLink = @"Your App's Web Link";

        [FlurryTumblr post:imgShareParameters presentingViewController:self];
    }

- (void)tumblrPostText:(NSString*)title withBody:(NSString*)body
{
    FlurryTextShareParameters* textShareParameters =
        [[FlurryTextShareParameters alloc] init];
    textShareParameters.text = body;
    textShareParameters.title = title;
    textShareParameters.iOSDeepLink = @"Your App's iOS Deep Link to Content";
    textShareParameters.androidDeepLink = @"Your App's Android Deep Link";
    textShareParameters.webLink = @"Your App's Web Deep Link";

    [FlurryTumblr post:textShareParameters presentingViewController:self];
}

```

Swift:

```

override func viewDidLoad() {
    super.viewDidLoad()
    // Get Tumblr Image and incorporate it into your view
    var image = FlurryTumblr.tumblrImage();

    // Set your app's consumer key and secret
    FlurryTumblr.setConsumerKey("Your Consumer Key", consumerSecret: "Your
Consumer Secret")

    // Set this view controller as the delegate to FlurryTumblr
    FlurryTumblr.setDelegate(self)
}

func tumblrPostText(title: String, withBody body: String)
{
    var textShareParameters = FlurryTextShareParameters();
}

```

```

    textShareParameters.text = body;
    textShareParameters.title = title;
    textShareParameters.iOSDeepLink = "Your App's iOS Deep Link to Content";
    textShareParameters.androidDeepLink = "Your App's Android Deep Link";
    textShareParameters.webLink = "Your App's Web Deep Link";

    FlurryTumblr.post(textShareParameters, presentingViewController: self);
}

func tumblrPostImage(imageURL: NSURL, withCaption caption: String)
{
    var imgShareParameters = FlurryImageShareParameters();

    imgShareParameters.imageURL = imageURL.absoluteString;
    imgShareParameters.imageCaption = caption;
    imgShareParameters.iOSDeepLink = "Your App's iOS Deep Link to Content";
    imgShareParameters.androidDeepLink = "Your App's Android Deep Link";
    imgShareParameters.webLink = "Your App's Web Deep Link";

    FlurryTumblr.post(imgShareParameters, presentingViewController: self);
}

```

Note that the image URL can be a http(s) or a local file path URL.

10. F.A.Q.

How do you set a device as a test device?

The Flurry SDK can be configured to receive test ads. This can be used to test and visually verify integrations. Test ads do not generate revenue and therefore MUST be disabled before submitting to the AppStore. Please see <https://developer.yahoo.com/flurry/docs/publisher/code/ios/> for more details on this feature.

How does iOS9 affect the FlurryAds SDK?

Landing page URLs for ads are opened in a SFSafariViewController so that Flurry can better support Ad serving on iOS9 devices.