

ASSIGNMENT NO. 2

1. Create a Student class using default and parameterized constructors.

Code

```
class Student {

    String name;
    int rollNo;

    // Default Constructor
    Student() {
        name = "Not Assigned";
        rollNo = 0;
    }

    // Parameterized Constructor
    Student(String n, int r) {
        name = n;
        rollNo = r;
    }

    void display() {
        System.out.println("Name : " + name);
        System.out.println("Roll No : " + rollNo);
    }
}

public class StudentDemo {

    public static void main(String[] args) {

        Student s1 = new Student();           // Default Constructor
        Student s2 = new Student("Akshat", 101); // Parameterized Constructor

        System.out.println("Student 1");
        s1.display();
    }
}
```

```
        System.out.println();

        System.out.println("Student 2");
        s2.display();
    }
}
```

Output

```
Student 1
Name : Not Assigned
Roll No : 0

Student 2
Name : Akshat
Roll No : 101
```

2. Develop a Mobile Phone Inventory System using different constructors.

code

```
class Mobile {

    String brand;
    int price;

    // Default Constructor
    Mobile() {
        brand = "Unknown";
        price = 0;
    }

    // Parameterized Constructor
    Mobile(String b, int p) {
        brand = b;
    }
}
```

```

        price = p;
    }

    // Copy Constructor
    Mobile(Mobile m) {
        brand = m.brand;
        price = m.price;
    }

    void display() {
        System.out.println("Brand : " + brand);
        System.out.println("Price : " + price);
    }
}

public class MobileDemo {

    public static void main(String[] args) {

        Mobile m1 = new Mobile();           // Default Constructor
        Mobile m2 = new Mobile("Samsung", 25000); // Parameterized Constructor
        Mobile m3 = new Mobile(m2);         // Copy Constructor

        System.out.println("Mobile 1");
        m1.display();

        System.out.println();

        System.out.println("Mobile 2");
        m2.display();

        System.out.println();

        System.out.println("Mobile 3 (Copied Object)");
        m3.display();
    }
}

```

Output

Mobile 1

Brand : Unknown

Price : 0

Mobile 2

Brand : Samsung

Price : 25000

Mobile 3 (Copied Object)

Brand : Samsung

Price : 25000