


PIZZA

Sales Report


Total number of orders placed

```sql
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```




Total revenue generated from pizza sales

```sql
SELECT
    ROUND(SUM(a.quantity * b.price), 2) AS 'Total Sales / Revenue'
FROM
    order_details a
        JOIN
    pizzas b ON a.pizza_id = b.pizza_id;
```



The highest-priced pizza


```sql
SELECT
    a.name, b.price
FROM
    pizza_types a
        JOIN
    pizzas b ON a.pizza_type_id = b.pizza_type_id
ORDER BY b.price DESC
LIMIT 1;
```



	name	price
▶	The Greek Pizza	35.95

The most common pizza size ordered

```sql
SELECT
    a.size, COUNT(b.quantity) AS order_count
FROM
    pizzas a
        JOIN
    order_details b ON a.pizza_id = b.pizza_id
GROUP BY a.size
ORDER BY order_count DESC
LIMIT 1;
```



	size	order_count
▶	L	18526

Top 5 most ordered pizza types along with their quantities


```sql
SELECT
    a.name, SUM(c.quantity) AS Total_Quantity
FROM
    pizza_types a
        JOIN
    pizzas b ON a.pizza_type_id = b.pizza_type_id
        JOIN
    order_details c ON b.pizza_id = c.pizza_id
GROUP BY a.name
ORDER BY Total_Quantity DESC
LIMIT 5;
```

Result Grid | Filter Rows:

name	Total_Quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Join the necessary table to find the total quantity of each pizza category

```sql
SELECT
    a.category, SUM(c.quantity) AS Total_Quantity
FROM
    pizza_types a
        JOIN
    pizzas b ON a.pizza_type_id = b.pizza_type_id
        JOIN
    order_details c ON b.pizza_id = c.pizza_id
GROUP BY a.category
ORDER BY Total_Quantity DESC;
```



Result Grid | Filter Rows:

category	Total_Quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

The distribution of orders by hour of the day

```sql
SELECT
    HOUR(order_time) AS Hour, COUNT(order_id) AS Order_Placed
FROM
    orders
GROUP BY Hour;
```

Result Grid | Filte

Hour	Order_Placed
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642

Join relevant tables to find the category-wise distribution of pizzas


```sql
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

Result Grid | Filter Rows

category	COUNT(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

Group the orders by date and calculate the average number of pizzas ordered per day

```sql
SELECT
    ROUND(AVG(Total_Quantity), 0) AS 'Average Order Per Day'
FROM
    (SELECT
        orders.order_date AS Ordering_Date,
            SUM(order_details.quantity) AS Total_Quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY Ordering_Date) AS order_quantity;
```



Determine the top 3 most ordered pizza types based on revenue

```sql
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS Revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.name
ORDER BY Revenue DESC
LIMIT 3;
```

Result Grid | Filter Rows:

name	Revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue

```sql
SELECT
    pizza_types.category,
    CONCAT(ROUND(SUM(pizzas.price * order_details.quantity) / (SELECT
                            SUM(order_details.quantity * pizzas.price) AS 'Total Sales / Revenue'
                        FROM
                            order_details
                                JOIN
                            pizzas ON order_details.pizza_id = pizzas.pizza_id) * 100,
                    2),
            '%') AS Revenue_percentage
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.category
ORDER BY Revenue_percentage DESC;
```

Result Grid | Filter Rows:

category	Revenue_percentage
Classic	26.91%
Supreme	25.46%
Chicken	23.96%
Veggie	23.68%

The cumulative revenue gnerated over time

```sql
SELECT order_date, ROUND(SUM(Revenue) OVER(ORDER BY order_date),2) AS cumulative_revenue
FROM
(SELECT orders.order_date, SUM(order_details.quantity * pizzas.price) as Revenue
FROM order_details JOIN pizzas ON order_details.pizza_id=pizzas.pizza_id
JOIN orders ON orders.order_id=order_details.order_id
GROUP BY orders.order_date) as sales;
```

Result Grid | Filter Rows:

order_date	cumulative_revenue
2015-01-01	2713.85
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4

The top 3 most ordered pizza types based on revenue for each pizza category

```sql
SELECT b.category,b.name, b.revenue
FROM
(SELECT a.category, a.name, a.revenue,
rank() over(partition by category order by revenue desc) as rn
FROM
(SELECT pizza_types.category, pizza_types.name, ROUND(SUM(order_details.quantity * pizzas.price),2) AS revenue
FROM pizza_types
JOIN pizzas ON pizza_types.pizza_type_id=pizzas.pizza_type_id
JOIN order_details ON order_details.pizza_id=pizzas.pizza_id
GROUP BY pizza_types.category, pizza_types.name) as a) as b
WHERE rn<=3;
```

Result Grid | Filter Rows:

category	name	revenue
Chicken	The Thai Chicken Pizza	43434.25
Chicken	The Barbecue Chicken Pizza	42768
Chicken	The California Chicken Pizza	41409.5
Classic	The Classic Deluxe Pizza	38180.5
Classic	The Hawaiian Pizza	32273.25
Classic	The Pepperoni Pizza	30161.75
Supreme	The Spicy Italian Pizza	34831.25
Supreme	The Italian Supreme Pizza	33476.75
Supreme	The Sicilian Pizza	30940.5
Veggie	The Four Cheese Pizza	32265.7

Total revenue generated from pizza sales

Total revenue generated from pizza sales