

PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
Code - Lab3
PS C:\Users\KIIT\OneDrive\Desktop\DS LAB_2405941> cd "c:\Users\KIIT\OneDrive\Desktop\DS
\" ; if ($?) { gcc Ques1.c -o Ques1 } ; if ($?) { .\Ques1 }
Enter the size of the matrix : 4
Enter matrix elements :
7 8 5 6
1 0 2 9
3 44 87 1
0 3 36 12
<-------MENU------->
1.View Non Zero Elements
2.Upper Triangular Matrix
3.Diagonal Elements
4.Exit
Enter your choice : 1
Total no. of Non-Zero elements : 14
<-------MENU------->
1.View Non Zero Elements
2.Upper Triangular Matrix
3.Diagonal Elements
4.Exit
Enter your choice : 2
Upper Triangular Matrix :
7 8 5 6
0 0 2 9
0 0 87 1
0 0 0 12
Share
Ln 22, Col 10
Spaces: 4
UTF-8
CRLF
{ } C
Go

```
<-------MENU------->
1.View Non Zero Elements
2.Upper Triangular Matrix
3.Diagonal Elements
4.Exit


Enter your choice : 3

Diagonal Elements :
Elements just above the main diagonal : 8       2       1
Elements just below the main diagonal : 1       44      36

<-------MENU------->
1.View Non Zero Elements
2.Upper Triangular Matrix
3.Diagonal Elements
4.Exit

Enter your choice : 4
Program Exited.
PS C:\Users\KIIT\OneDrive\Desktop\DS LAB_2405941\Lab3>
```

hare Ln 22, Col 10 Spaces: 4 UTF-8 CRLF { } C Go Li


PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
Code - Lab3
PS C:\Users\KIIT\OneDrive\Desktop\DS LAB_2405941\Lab3> cd "c:\Users\KIIT\OneDrive\Desktop\DS LA
\Lab3\" ; if ($?) { gcc Ques2.c -o Ques2 } ; if ($?) { .\Ques2 }
Enter size of the sparse matrix (rows, columns) : 4 5
Enter the elements of the sparse matrix :
0 0 33 0 0
0 17 0 0 0
0 0 46 0 0
0 0 0 51 0
3-Tuple Representation of the Sparse Matrix :
Row Column Value
4 5 4
0 2 33
1 1 17
2 2 46
3 3 51
PS C:\Users\KIIT\OneDrive\Desktop\DS LAB_2405941\Lab3>
Share
Ln 59, Col 6
Spaces: 4
UTF-8
CRLF
{ } C
Go Live
Win