

Sr. No	Question Content	Option 1	Option 2	Option 3	Option 4	Correct
1	PHP is an acronym for ____.	Prefix Hypertext Preprocessor	Prototype Hypertext Preprocessor	Hypertext Preprocessor	PHP: Hypertext Preprocessor	PHP: Hypertext Preprocessor
2	Which is/are statement(s) true about PHP?	It is an open-source scripting language	PHP scripts execute on the server	It is used for developing dynamic & interactive websites	All of the above	All of the above
3	What is the extension of a PHP file?	php	.ph	.phpfile	All of the above	php
4	Who developed PHP?	Guido van Rossum	Rasmus Lerdorf	Jesse James Garrett	Douglas Crockford	Rasmus Lerdorf
5	In which year PHP was developed?	1993	1994	1995	1996	1994
6	A PHP script starts with ____ and ends with ____.	<?php and ?>	<php> and </php>	<?php and /?php>	</php and />	<?php and ?>
7	PHP keywords are case-sensitive?	Yes	No	Both A & B	None	No
8	Single line comments can be placed in PHP script by using which symbol?	//	#	\$	Both and B.	Both and B.
9	Multi-line comments can be written within the ____.	// and //	## and ##	/* and */	/// and ///	/* and */

10	PHP statements end with a ____.	semicolon (;)	colon (:)	dot (.)	comma (,)	semicolon (;)
11	Which sign is used to declare variables in PHP?	@	&	\$	_	\$
12	Which is not a valid variable name in PHP?	age	_age	PersonAge	1age	1age
13	Are variable names case-sensitive?	Yes	No			Yes
14	Which statement is commonly used for PHP output?	write	php.write	log	echo	echo
15	How many variable scopes are there in PHP?	1	2	3	4	3
16	Which is not a valid variable scope in PHP?	local	global	static	external	external
17	A variable declared outside a function has a ____.	local scope	global scope	main scope	external scope	global scope
18	What will be the output of the following PHP code?<?php \$x = 5; function myFunction(){ echo "Result \$x"; } myFunction();	Result \$x	Result 5	Result	None of the above	Result
19	What will be the output of the following PHP code? <?php function myFunction() { \$x = 5; echo "Result1: \$x , "; } myFunction();	Result1: 5 , Result2:	Result1: 5 , Result2: 0	Result1: 5 , Result2: 5	None of the above	Result1: 5 , Result2:

20	Which PHP keyword is used to access a global variable inside the function?	php_ global	global	global_variable	globalscope	global
22	There are two variables a, b which declared in global scope, which is the correct PHP statement to access them within a function?	global \$a, \$b;	global \$a \$b;	global (\$a, \$b);	php_global \$a, \$b;	global \$a, \$b;
23	What is the name of an array that stores all global variables in PHP?	\$GLOBAL[]	\$global[]	\$GLOBALS[]	\$PHP_GLOBALS[]	\$GLOBALS[]
24	In the syntax of \$GLOBALS[index], what does "index" hold?	Index (starting from 0) of the variable	Index (starting from 1) of the variable	Name of the variable	Line number of the variable where the variable was declared	Name of the variable
25	Which statement is faster echo or print?	echo	print	printf	system	echo
26	What is the correct syntax of echo statement in PHP?	echo	echo()	echo = ()	Both and B.	Both and B.
27	There is a variable "name" that contains the name of a person, which is/are the correct echo statement(s) to print the "name" suffix with "Hello".	echo "Hello \$name";	echo "Hello " . \$name;	echo ("Hello \$name");	All of the above	All of the above
28	What is the correct syntax of print statement in PHP?	print	print()	print = ()	Both and B.	Both and B.
29	There is a variable "name" that contains the name of a person, which is/are the correct print statement(s) to print the "name" suffix with "Hello".	print "Hello \$name";	print "Hello " . \$name;	print ("Hello \$name");	All of the above	All of the above
30	What will be the output of the following PHP code? <?php function myFunction() { \$x = 5; echo "Result1: \$x , "; } myFunction();	5, 10+10	5, 20	5 10+10	5 20	5, 10+10

31	What will be the output of the following PHP code? <?php var_dump (print "Hello"); ?>	Helloint(5)	Helloint(6)	Helloint(1)	Hellonumber(5)	Helloint(1)
32	Which data type is not supported by PHP?	Integer	Complex	Float	String	Complex
33	String is placed within ____.	Double quotes ("")	Single quotes (")	Both and B.	None of the above	Both and B.
34	String is placed within ____.	Double quotes ("")	Single quotes (")	Both and B.	None of the above	Both and B.
35	A PHP integer data type can store values between ____.	-65,536 and 65,535	0 and 4,294,967,295	-(2^63) and (2^63)-1	-2,147,483,648 and 2,147,483,647	-2,147,483,648 and 2,147,483,647
36	"Array" is a data type in PHP?	Yes	No	Can't say	Both a and b	Yes
37	What will be the output of the following PHP code? <?php \$Laptops = array("MAC", "Lenovo", "Dell", "HP")	array	array(4)	object	string	array
38	What is NULL in PHP?	Value	Keyword	Data Type	Function	Data Type
39	What will be the output of the following PHP code? <?php \$value1 = NULL; \$value2 = null; var_dump(\$value1); var_dump(\$value2);	Error	NULL undefined	NULL object	NULL NULL	NULL NULL
40	Which type is used to store the database call?	object	class	resource	string	resource

41	What will be the output of the following PHP code? <?php echo strpos("Hello, Includehelp!", "Includehelp!"); ?>	6	7	8	-1	7
42	Which function is used to replace text within a string?	str_replace()	replace()	replace_str()	string-replace()	str_replace()
43	What will be the output of the following PHP code? <?php \$str = addslashes("IncludeHelp","e"); echo(\$str); ?>	Includehelp	IncludeH\elp	Includ\eHelp	Includ\eH\elp	Includ\eH\elp
44	What will be the output of the following PHP code? <?php \$str = addslashes('Hello "Includehelp!'); echo(\$str); ?>	Hello Includehelp!	Hello "Includehelp!"	Hello ""Includehelp!""	Hello \"Includehelp!\"	Hello \"Includehelp!\"
45	Which function converts a string of ASCII characters to hexadecimal values?	bin2hex()	str2hex()	hex()	str_hex()	bin2hex()
46	What will be the output of the following PHP code? <?php \$str = "Includehelp"; echo pack("H*",bin2hex(\$str)); ?>	496e636c75646568656c70	Includehelp	496e636c75646568656c70Includehelp	Includehelp496e636c75646568656c70	Includehelp
47	Which function is used to convert the ASCII value to the character?	asc()	str()	char()	chr()	chr()
48	What is the complete syntax of chunk_split() function in PHP?	chunk_split(string,length,end)	chunk_split(string)	chunk_split(string,end)	chunk_split(length)	chunk_split(string,length,end)
49	Which function is used to convert hexadecimal values to the ASCII characters?	hex2bin()	hex2str()	hex2asc()	hex_string()	hex2bin()
50	What is the complete syntax of join() function in PHP?	join(string1, string2)	join(string1, string2, separator)	join(separator, array)	join(separator, string1, string2)	join(separator, array)

51	There are two strings (in an array) "Hello" and "World", which is the correct PHP statement to join them with the separator ","?	join(",","Hello","World")	join("Hello","World",",")	join(",", ("Hello","World"))	join(",",array("Hello","World"))	join(",",array("Hello","World"))
52	Which PHP function is used to print (output) a formatted string?	echo()	print()	printf()	prints()	printf()
53	What will be the output of the following PHP code? <?php printf("%x",65535); ?>	ffff	0xffff	FFFF	0xFFFF	ffff
54	Which PHP function is used to get the length of the string?	strlen()	strlen()	length()	str_len()	length()
55	What will be the output of the following PHP code? <?php echo ucwords("hi, there how are you?"); ?>	Hi, there how are you?	Hi, There How Are You?	hi, there how are you?	HI, THERE HOW ARE YOU?	Hi, There How Are You?
56	Which PHP functions are used to convert string to lowercase and uppercase?	strupper() and strtolower()	str_toupper() and str_tolower()	toupper() and tolower()	strtoupper() and strtolower()	strtoupper() and strtolower()
57	Which PHP constant returns the largest integer supported?	INT_MAX	MAX_INT	MAXINT	PHP_INT_MAX	PHP_INT_MAX
58	Which PHP constant returns the size of an integer in bytes?	INT_SIZE	SIZE_INT	INTSIZE	PHP_INT_SIZE	PHP_INT_SIZE
59	Which is/are the function(s) to check if the type of a variable is integer?	is_int()	is_integer()	is_long()	All of the above	All of the above
60	What will be the output of the following PHP code? <?php \$x = -123.45; echo var_dump(is_int(\$x)); ?>	bool(false)	bool(true)	FALSE	TRUE	bool(false)

61	Which is/are the function(s) to check if the type of a variable is float?	is_float()	is_double()	is_longfloat()	Both and B.	Both and B.
62	Which is/are the function(s) to check if a numeric value is finite or infinite?	is_finite()	is_infinite()	is_inf()	Both and B.	Both and B.
63	PHP NaN stands for ____.	not-a-number	not-a-numerical	nothing-a-number	numeric-a-number	not-a-number
64	What will be the output of the following PHP code? <?php echo var_dump(is_nan(10)); ?>	bool(false)	bool(true)	FALSE	TRUE	bool(false)
65	Which is the correct syntax to cast float to integer?	(int) float_variable	int (float_variable)	(int) (float_variable)	All of the above	(int) float_variable
66	Which PHP function is used to get the value of PI?	php_pi()	pivalue()	pi()	None of the above	pi()
67	Which PHP functions are used to find the lowest and highest values from a list of arguments?	minimum() and maximum()	min() and max()	find_min() and find_max()	getmin() and getmax()	min() and max()
68	Which PHP function is used to get the absolute value of the given number?	abs()	absolute()	find_abs()	php_abs()	abs()
69	Which PHP function is used to get the square root of the given number?	sqrt()	squareroot()	find_sqrt()	php_sqrt()	sqrt()
70	What will be the output of the following PHP code? <?php echo (round(0.49) . " " . round(0.50) . " " . round(0.51)); ?>	0,0,0	1,1,1	0,0,1	0,1,1	0,1,1

71	Which PHP function is used to get the random number?	random()	randomize()	rand()	randnumbers()	rand()
72	Which PHP function is used to convert a number from one number base to another?	convert()	base_convert()	parseInt()	base_conversion()	base_convert()
73	What is the correct syntax of PHP base_convert() function?	base_convert(number, from_base, to_base);	base_convert(number, to_base, from_base);	base_convert(number);	base_convert(number, to_base);	base_convert(number, from_base, to_base);
74	What is the use of PHP mt_rand() function?	Generates a random number using the milliseconds time.	Generates a random number using the microseconds time.	Generates a random number using the milliseconds time.	Generates a random number using the Mersenne Twister algorithm.	Generates a random number using the Mersenne Twister algorithm.
75	What is the use of PHP lcg_value() function?	Generates a pseudo random number in a range between 0 and 1	Generates a pseudo random number in a range between the given minimum to maximum numbers	Generates a pseudo random number in a range between 0 and 1 using the Mersenne Twister algorithm	Generates a pseudo random number in a range between -1 and +1	Generates a pseudo random number in a range between 0 and 1
76	Which keyword/function is used to create a constant in PHP?	define keyword	define() function	const keyword	const() function	define() function
77	Which is the correct syntax of define() function in PHP?	define(constant_name)	define(constant_name, value)	define(constant_name, value, case-insensitive)	define(constant_name = value)	define(constant_name, value, case-insensitive)
78	What can be the value of case-insensitive parameter in define() function?	TRUE	FALSE	Anything	Both and B.	Both and B.
79	Give an example, how to define a constant array in PHP?	const cities = new array(["New Delhi","Mumbai","Banglore"]);	define("cities"=["New Delhi","Mumbai","Banglore"]);	define("cities", ["New Delhi","Mumbai","Banglore"]);	define("cities":["New Delhi","Mumbai","Banglore"]);	define("cities", ["New Delhi","Mumbai","Banglore"]);
80	What is the scope of a constant in PHP?	Local	Global	Static	Fixed	Global

81	What is name of PHP "===" operator?	Equal	Safe Equal	Identity	Identical	Identical
82	What will be the output of the following PHP code? <?php \$a = 123; \$b = "123"; var_dump(\$a !== \$b); ?>	Error	bool(false)	bool(true)	TRUE	bool(true)
83	What is name of PHP "<=>" operator?	Spaceship	Safe Spaceship	Identity	Identical	Spaceship
84	Does PHP support Ternary Operator?	Yes	No	Can't say	None	Yes
85	Which PHP operator known as "Null coalescing" operator?	?	?=>	??	???	??
86	What will be the output of the following PHP code? <?php \$x = 100; if (\$x < 200){ echo "True"; }	TRUE	FALSE	Both A & B	None	TRUE
87	What will be the output of the following PHP code? <?php \$a = 15; \$b = 20; if (\$a < ++\$a \$b < ++\$b){ echo "True"; }	TRUE	FALSE	TrueFalse	Parse Error	FALSE
88	Which PHP statement is used to select one of many blocks of code to be executed?	The if statement	The if...else statement	The switch statement	The select statement	The switch statement
89	In PHP, the break statements with case blocks are optional?	Yes	No	Can't say	None	Yes
90	What will be the output of the following PHP code? <?php \$car = "Honda"; switch (\$car) { case "Honda": echo "You selected Honda." }	You selected Honda.	You selected Honda.You selected BMW.	You selected Honda.You selected BMW.You selected Audi.	You selected Honda.You selected BMW.You selected Audi.None is selecte	You selected Honda.You selected BMW.You selected Audi.None is selecte

91	How many loops are there in PHP?	2	3	4	5	4
92	What will be the output of the following PHP code? <?php \$counter = 1; while (\$counter++ <= 5) { echo \$counter . " "; }	2,4,	1,2,3,4,5,	2,4,6,	1,2,4,	2,4,6,
93	Which loop statement is used to loop through a block of code a specified number of times?	while	do...while	for	foreach	for
94	Which loop statement is used to loop through a block of code for each element in an array?	while	do...while	for	foreach	foreach
95	What will be the output of the following PHP code? <?php \$cars = array("BMW", "Mercedes", "Honda",);	BMW Mercedes Honda	Honda Mercedes BMW	SyntaxError	TypeError	BMW Mercedes Honda
96	Which PHP statement is used to jump out of a loop?	exit	break	continue	stop	break
97	What is the use of PHP "continue" statement?	breaks the loop and transfers the control to the statement written just after the loop body	breaks the all loop statement (outer loops and inner loops)	breaks one iteration of the loop and transfers the control to the next loop iteration	All of the above	breaks one iteration of the loop and transfers the control to the next loop iteration
98	What will be the output of the following PHP code? <?php for (\$i = 1;\$i <= 10;\$i++){ if (\$i == 6){ continue; } echo "\$i "; }	1 2 3 4 5 7 8 9 10	1 2 3 4 5 6 7 8 9 10	1 2 3 4 5 6	1 2 3 4 5	1 2 3 4 5 7 8 9 10
99	The "break" statement is used in switch and loop statements, can the "continue" statement be used in the switch statement instead of the "break" statement?	Yes	No	Both A & B	None	No
100	What will be the output of the following PHP code? <?php \$x = 10; while (\$x < 10) { \$x++; echo \$x . " "; }	Infinite loop	Error	10, 11,	No output	No output

101	Which keyword is used to define a function in PHP?	def	fun	func	function	function
102	The PHP function names are case-sensitive?	Yes	No	Both A & B	None	No
103	What will be the output of the following PHP code? <?php declare(strict_types = 1); function details(string \$name, int \$age){ echo "Name: \$name, Age: \$age"; }	Name: Alvin, Age: 21	Name: Alvin, Age:	Name: Alvin, Age: 0	Fatal Error	Fatal Error
104	Which is the correct syntax of defining a default argument value in PHP?	function function_name(type \$argument_name : value) { /* function body*/ }	function function_name(type \$argument_name , value) { /* function body*/ }	function function_name(type \$argument_name = value) { /* function body*/ }	All of the above	function function_name(type \$argument_name = value) { /* function body*/ }
105	Which is the correct syntax of defining function return type in PHP?	function function_name(type \$arguments) : return_type { /* function body*/ }	function function_name(type \$arguments) , return_type { /* function body*/ }	return_type function function_name(type \$arguments) { /* function body*/ }	function return_type function_name(type \$arguments) { /* function body*/ }	function function_name(type \$arguments) : return_type { /* function body*/ }
106	Which PHP function is used to create an array?	array()	arr()	new_array()	array()	array()
107	How many types of arrays are there in PHP?	1	2	3	4	3
108	Which is/are valid types of arrays in PHP?	Indexed arrays	Associative arrays	Multidimensional arrays	All of the above	All of the above
109	What is the difference between Indexed array and Associative array in PHP?	Index array has numeric index while associative array has named keys	Index array has numeric index while associative array has named keys and numeric index both	Index array is one-dimensional array with numeric index while associative array is two-dimensional array with numeric index	Index array has numeric index while associative array has one or more arrays	Index array has numeric index while associative array has named keys
110	Which is the correct example of an Indexed array in PHP?	\$cities = array("Delhi", "Mumbai", "Banglore");	\$cities = array("Delhi", "Mumbai", "Banglore");	\$cities = new array("Delhi", "Mumbai", "Banglore");	\$cities = new array(3) ("Delhi", "Mumbai", "Banglore");	\$cities = array("Delhi", "Mumbai", "Banglore");

111	Which is the correct example of an Associative array in PHP?	<pre>\$person = array("Alvin"=>"Delhi", "Alex"=>"Mumbai", "Bhavik"=>"Banglore");</pre>	<pre>\$person = array("Alvin"=>"Delhi"; "Alex"=>"Mumbai"; "Bhavik"=>"Banglore");</pre>	<pre>\$person = new array("Alvin"=>"Delhi", "Alex"=>"Mumbai", "Bhavik"=>"Banglore");</pre>	<pre>\$person = new array("Alvin"=>"Delhi"; "Alex"=>"Mumbai"; "Bhavik"=>"Banglore");</pre>	<pre>\$person = array("Alvin"=>"Delhi", "Alex"=>"Mumbai", "Bhavik"=>"Banglore");</pre>
112	Which PHP function(s) is/are used to compare arrays and returns the differences?	array_diff()	array_diff_assoc()	array_diff_key()	All of the above	All of the above
113	What is the difference between array_diff() and array_diff_assoc() functions?	array_diff() compares the values only while array_diff_assoc() compares the keys only	array_diff() compares the values only while array_diff_assoc() compares the keys and values	Both functions can be used to compare the values and keys	None of the above	array_diff() compares the values only while array_diff_assoc() compares the keys and values
114	Which PHP function is used to sort multi-dimensional arrays?	array_sort()	sort()	multisort()	array_multisort()	array_multisort()
115	What is the use of PHP sort() function?	Sorts an indexed array	Sorts an associative array	Sorts a multi-dimensional array	Sorts any kind of array	Sorts an indexed array
116	Which PHP function is used to sort an indexed array in descending order?	sort_reverse()	reverse_sort()	revsort()	rsort()	rsort()
117	Which PHP function is used to return the current element in an array?	get()	start()	current()	cur()	current()
118	Which PHP function is used to check if a specified value exists in an array?	in_array()	check_array()	exist()	None of the above	in_array()
119	Which PHP function is used to sort an associative array in descending order, according to the key?	sort()	rsort()	ksort()	krsort()	krsort()
120	Which PHP function is used to get one or more random keys from an array?	array_random()	array_randomize()	array_rand()	krand()	array_rand()

121	Which is not a valid PHP superglobal variable?	\$GLOBALS	\$_SERVER	\$_ENV	\$_SESSIONS	\$_SESSIONS
122	What is the use of PHP \$_SERVER variable?	To update the content on the server	To access the information about headers, paths, and script locations	To access and update the database records on the server	All of the above	To access the information about headers, paths, and script locations
123	Which element of the of PHP \$_SERVER variable is used to get the path of the current script?	SCRIPT_NAME	SCRIPT_PATH	PATH	FILE_PATH	SCRIPT_NAME
124	Which element of the of PHP \$_SERVER variable is used to get the filename of the currently executing script?	PATH	FILE_PATH	PHP_SELF	SELF	PHP_SELF
125	Which PHP global variable is used to collect data after submitting an HTML form?	\$_GET	\$_REQUEST	\$_POST	\$_ENV	\$_REQUEST
126	Which PHP globl variable is used to collect form data after submitting an HTML form with method="post"?	\$_GET	\$_REQUEST	\$_POST	\$_ENV	\$_POST
127	What is the return value of preg_match() function?	0 or 1	False or True	0, less than 1, or greater then 1	None of the above	0 or 1
128	What will be the output of the following PHP code? <?php \$str = "Hello, IncludeHelp"; \$pattern = "/includehelp/i"; echo preg_match(\$pattern, \$str); ↵	0	1	5	7	1
129	What will be the output of the following PHP code? <?php \$str = "Hello, IncludeHelp"; \$pattern = "/el/m"; echo preg_match(\$pattern, \$str); ↵	0	1	5	7	1
130	What are the metacharacters in PHP Regular Expression?	Metacharacters are characters with a special meaning	Metacharacters are set of symbols to perform the mathematical operations on the characters	Metacharacters are characters written within the double quotes to search in the string	None of the above	Metacharacters are characters with a special meaning

131	What is the search pattern to find any character from the range 5 to 8?	[5 to 8]	[5...8]	[5-8]	[4-9]	[5-8]
132	What is the valid set of characters (or, metacharacters) to find the Unicode character specified by the hexadecimal number xxxx?	\uxxxx	\xxxx	\+uxxxx	\+Uxxxx	\uxxxx
133	What is the complete syntax of PHP date() function?	date(format)	date(timestamp)	date(format, timestamp)	date(format, value, timestamp)	date(format, timestamp)
134	Which is the correct PHP statement to print the current date in DD-MON-YYY format?	<?php echo date("DD-MON-YYYY"); ?>	<?php echo date("dd-mon-yyyy"); ?>	<?php echo date("d-m-y"); ?>	<?php echo date("d-M-Y"); ?>	<?php echo date("d-M-Y"); ?>
135	What will be the output of the following PHP code (if the date is 30 th December 2021)?	30th - Dec - 2021	30 (Thursday) - Dec - 2021	30 (Thu) - Dec - 2021	30 (l) - Dec - 2021	30 (Thursday) - Dec - 2021
136	Which is the correct PHP statement to print the current time in the format of hour:minutes:seconds(am/pm) i.e., 10:22:54pm?	<?php echo date("h:i:sa");?>	<?php echo date("h:m:sa");?>	<?php echo date("h:mi:sa");?>	<?php echo date("hh:min:sa");?>	<?php echo date("h:i:sa");?>
137	The PHP date() function returns the ____.	Current date and time of the localhost	Current date and time of the server	Current UTC time	All of the above	Current date and time of the server
138	Which PHP function is used to add days, months, years, hours, minutes, and seconds to a date?	add()	add_date()	date_add()	add_dates()	date_add()
139	Which PHP function modifies the timestamp?	date_modify()	modify_timestamp()	date_stamp()	stamp()	date_modify()
140	Which PHP function is used to get the current Unix timestamp with microseconds?	date_microtime()	microtime()	mtime()	microsecondstime()	microtime()

141	Which PHP function is used to get the current time in the number of seconds since the Unix Epoch (January 1 1970 00:00:00 GMT)?	time()	gettime()	stime()	time_seconds()	time()
142	What will be the output of the following PHP code (if the date is 30th December 2021)? <?php \$d=mkttime(12, 13, 14, 1, 2, 2021); echo date("d-M-Y h:i:sa", \$d); ?>	01-Feb-2021 12:13:14pm	01-feb-2021 14:13:12pm	02-Jan-2021 12:13:14pm	02-Jan-2021 14:13:12pm	02-Jan-2021 12:13:14pm
143	What is the difference of include and require statements in PHP?	There is not difference both are the same	require is an alias of include	require returns the Fatal Error, while include returns the Warning	include includes one PHP file while require can include multiple PHP files	require returns the Fatal Error, while include returns the Warning
144	What is the syntax of PHP "include" statement?	include {'filename'};	<include 'filename';	include <'filename';	include 'filename';	include 'filename';
145	What is the syntax of PHP "require" statement?	require {'filename'};	<require 'filename';	require <'filename';	require 'filename';	require 'filename';
146	Which PHP function is used to open a file?	fopen()	open()	open_file()	PHP_open()	fopen()
147	Which PHP function is used to close a file?	fclose()	close()	close_file()	PHP_close()	fclose()
148	Which PHP function is used to read the content of a file?	read()	getfile()	readfile()	All of the above	readfile()
149	Which PHP function reads a single line from a file?	readline()	getline()	fget()	fgets()	fgets()
150	Which PHP function reads a single character from a file?	readcharacter()	getchar()	fgetc()	fchars()	fgetc()

151	What does PHP stand for?	Personal Hypertext Processor	PHP: Hypertext Preprocessor	Private Home Page	Personal Home Page	PHP: Hypertext Preprocessor
152	Which symbol is used to start a PHP variable?	&	\$	#	@	\$
153	Which of the following is the correct way to include a PHP file?	#include 'file.php';	include('file.php');	import 'file.php';	require('file.php');	include('file.php');
154	Which PHP function is used to display text?	echo()	print()	write()	Both a and b	Both a and b
155	PHP files have a default file extension of:	.html	.xml	.php	.js	.php
156	Which of the following is used to get the length of a string in PHP?	strlen()	strlen()	lengthof()	count()	strlen()
157	How do you comment out a single line in PHP?	// comment	# comment	/* comment */	Both a and b	Both a and b
158	Which of the following is used to check if a variable is set in PHP?	isset()	set()	exist()	defined()	isset()
159	How can you define a constant in PHP?	const()	define()	constant()	var()	define()
160	Which of the following loops does PHP support?	for	foreach	while	All of the above	All of the above

161	What will 5 % 2 return in PHP?	2	1	5	0	1
162	How do you access a value in an associative array?	<code>\$array[]</code>	<code>\$array(key)</code>	<code>\$array[key]</code>	<code>\$array->key</code>	<code>\$array[key]</code>
163	Which function is used to get the current date in PHP?	<code>current_date()</code>	<code>getdate()</code>	<code>date()</code>	<code>now()</code>	<code>date()</code>
164	What does the <code>\$_POST</code> superglobal represent?	Form data sent via GET	Form data sent via POST	Cookie data	Server information	Form data sent via POST
165	How can you include an external PHP file into a script?	<code>add()</code>	<code>include()</code>	<code>insert()</code>	<code>push()</code>	<code>include()</code>
166	Which of the following is the correct way to declare a function in PHP?	<code>function myFunc[]</code>	<code>function myFunc()</code>	<code>myFunc()</code>	<code>def myFunc()</code>	<code>function myFunc()</code>
167	How can you check if a file exists in PHP?	<code>is_file()</code>	<code>check_file()</code>	<code>file_exist()</code>	<code>file_exists()</code>	<code>file_exists()</code>
168	What will the function <code>round(2.4)</code> return in PHP?	2	3	2.4	2	2
169	What will the <code>count()</code> function do when used on an array?	Return the length of the array	Return the last element	Return the number of elements	Return the index of the array	Return the number of elements
170	How do you start a session in PHP?	<code>session_start();</code>	<code>session();</code>	<code>start_session();</code>	<code>begin_session();</code>	<code>session_start();</code>

171	What is the default data type of a variable in PHP?	integer	float	string	None (dynamically typed)	None (dynamically typed)
172	Which function is used to send an email in PHP?	mail()	send()	email()	message()	mail()
173	What does json_encode() do in PHP?	Decodes JSON	Encodes a string to JSON	Encodes an array to JSON	Both b and c	Both b and c
174	How can you delete a cookie in PHP?	delete_cookie()	remove_cookie()	Set cookie with a past expiry date	unset_cookie()	Set cookie with a past expiry date
175	Which of the following is not a valid PHP data type?	String	Float	Boolean	Character	Character
176	What is the result of strpos("Hello world", "world")?	0	1	6	-1	6
177	Which superglobal contains information about uploaded files?	\$_FILES	\$_POST	\$_GET	\$_SESSION	\$_FILES
178	What is the output of echo 10 <=> 20;?	1	0	-1	None	-1
179	Which of the following is the correct way to concatenate two strings in PHP?	strcat()	&	.	+	.
180	How can you destroy a PHP session?	session_end()	destroy_session()	session_destroy()	unset_session()	session_destroy()

181	How do you declare an array in PHP?	<code>\$array = array();</code>	<code>\$array = {};</code>	<code>\$array = new Array();</code>	<code>\$array = [];</code>	<code>\$array = array();</code>
182	Which of the following method is used to send HTTP headers?	<code>send_header()</code>	<code>header()</code>	<code>set_header()</code>	<code>header_set()</code>	<code>header()</code>
183	Which method is used to create a cookie in PHP?	<code>create_cookie()</code>	<code>setcookie()</code>	<code>cookie_create()</code>	<code>makecookie()</code>	<code>setcookie()</code>
184	What is the default value of a function parameter in PHP?	Null	Empty String	FALSE	No default	No default
185	What is a trait in PHP?	A keyword to define a class	A code reuse mechanism	A new data type	A PHP constant	A code reuse mechanism
186	What will the function <code>time()</code> return?	Current date and time	Unix timestamp	GMT date and time	None of the above	Unix timestamp
187	How can you connect to a MySQL database using PHP?	<code>connect_db()</code>	<code>mysql_connect()</code>	<code>mysqli_connect()</code>	<code>db_connect()</code>	<code>mysqli_connect()</code>
188	What is the output of <code>intdiv(10, 3)</code> in PHP 7?	3.33	3	4	None	3
189	What does <code>empty(\$var)</code> do in PHP?	Checks if <code>\$var</code> is empty	Sets <code>\$var</code> to empty	Deletes <code>\$var</code>	Initializes <code>\$var</code>	Checks if <code>\$var</code> is empty
190	How can you redirect a user to a new page using PHP?	<code>redirect();</code>	<code>header("Location: page.php");</code>	<code>move();</code>	<code>set_header("page.php");</code>	<code>header("Location: page.php");</code>

191	Which of the following functions is used to create a new database table in PHP with MySQL?	mysql_query()	mysqli_query()	query()	execute()	mysqli_query()
192	How do you include a file only once in PHP?	include()	include_once()	require_once()	Both b and c	Both b and c
193	Which function is used to terminate script execution in PHP?	exit()	die()	Both a and b	stop()	Both a and b
194	How do you convert a string to lowercase in PHP?	lower()	strlower()	tolower()	strtolower()	strtolower()
195	Which of the following is used to get the last inserted ID in MySQL with PHP?	mysqli_insert_id()	insert_id()	last_id()	get_id()	mysqli_insert_id()
196	What does print_r() do in PHP?	Prints an array	Prints the values in a human-readable format	Prints an integer	Prints the result	Prints the values in a human-readable format
197	What does === signify in PHP?	Assignment	Comparison of type and value	Reference	None of the above	Comparison of type and value
198	Which function is used to read a file in PHP?	file_get_contents()	file()	fread()	All of the above	All of the above
199	How can you encode a URL in PHP?	urlencode()	encode_url()	encode()	url_format()	urlencode()
200	How can you retrieve browser details in PHP?					
		\$_SERVER['HTTP_USER_AGENT']	\$_SESSION['HTTP_USER_AGENT']	\$_BROWSER['AGENT']	\$_ENV['USER_AGENT']	\$_SERVER['HTTP_USER_AGENT']