Protocal & Standared.

Protocal :-> Set of Rule / Set of rule that govern data communication.

(i) what is communicated ?
(ii) How it will be " ?

Key componant of a protocal :->

(i) syntax
(ii) symentic
(iii) Timining.

Mail (SMTP)

Protocal Standared :->

(i) De-facto (Fact) - Convention. (Protocal by convention/Fact)
(ii) De-Jure (By Law) - (Protocal by Law).

(i) Nyquist Theorem (Noiseless Channel) → By theorem (Law)

(ii) Shanon Theorem (Noisy channel) → By fact.

OSI - Model

ISO

Open System Interconnection.

ARPANET → America Defence.

Army

IEEE-754 format → Floating Point



WWW

Network Model (Reference Model)

OSI Model

ISO
IOS
OSI.

7 Layer

APSTNDP

Host Machine

Sender	PDU	Receiver	
7. Application	(User Data)	User Data · Application	7.
6. Presentation	(Formatted Data)	· Presentation	6.
5. Session	(Formatted Data)	· Session	5.
4. Transport	(Segment)	Segment · Transport	4.
3. Network	(Packet)	Packet · Network	3.
2. Datalink	(Frame)	Frame · Datalink	2.
1. Physical	(bit)	bit · Physical	1.

Network (3., 2., 1.)

PDU → Physical / Protocol Data Unit of all the Layers.

TCP/IP

4-Layer.

Simple

4. Application (7, 6, 5) { User Data ↓ F.D ↓ F.D }
3. Transport (4)
2. Internet (3)
1. Host to Network (2, 1)

Q. Comparisions of TCP/IP & OSI Model.
- → similarity
- → Dis-similarity.

Q. Functions of OSI Model Layers?