

Network Layer.

Unicast →


One source & one Destination.
Class - A, B, C. HTTP, FTP, Email.


Multi-Cast →

One source & Group Destination.
CSEbnet.

Broadcast →

One source & All Destination
within a network.





Routing Protocol

Intra-domain

Inter-domain

Distance
vector
Routing


Link
state
Routing

Path-vector
Routing.

(RIP)


(OSPF)

(BGP)



RIP - Routing Information Protocol.
OSPF → Open Shortest Path First.
BGP → Border Gateway Protocol.

Source	Destination	Distance	Status
Routing Table			




Dynamic Routing.

Neighbour.

RIP.

update.

Source	Destination	Distance
A	B	2
A	C	5
A	D	2
B	A	2
B	C	1
B	D	1
C	A	5
C	B	1
C	D	1
D	A	2
D	B	1
D	C	1




OSPF.

Dijkstra Algorithm: →

Single Source Shortest Path.

'Hello' ↔




✓ BGP. ✓

Inter-Domain.



Autonomous system



Autonomous system.



Short Note on

- (i) RIP,
- (ii) OSPF
- (iii) BGP

Distance vector Routing protocol

(iv) Link state Routing protocol

(v) Path vector Routing protocol.

Difference M/W

- (i) static Routing vs Dynamic Routing
- (ii) RIP vs BGP.
- (iii) OSPF vs RIP
- (iv) OSPF vs BGP.
- (v) Inter Domain Routing vs Intra Domain Routing.

Next Class

↓
Protocol

↓
Cryptography ✓

