PROGRAMMING IN JAVA

Assignment VIII

TYPE OF QUESTION: MCQ

Number of questions: 10 Total marks**: 10 × 1 = 10**

QUESTION 1:

Which package must be imported to use AWT components in Java?

a. `java.swing.*`

b. `java.awt.*`

c. `java.gui.*`

d. `java.window.*`

Correct Answer: b

b. java.awt.*

Detailed Solution:

All AWT components such as `Frame`, `Button`, and layout managers are defined in the `java.awt` package.

QUESTION 2:

Which AWT class is used to create a top-level window?

a. `Panel`

b. `Dialog`

c. `Frame`

d. `WindowManager`

Correct Answer: c

c. Frame

Detailed Solution:

The `Frame` class is used to create a top-level window with a title bar, border, and close button.

QUESTION 3:

Which method is used to make an AWT Frame visible?

a. `show()`

b. `display()`

c. `setVisible(true)`

d. `open()`

Correct Answer: c

c. setVisible(true)

Detailed Solution:

The `setVisible(true)` method displays the frame on the screen. Without this call, the window is not shown.

QUESTION 4:

Which layout manager is the default for an AWT `Frame`?

a. `FlowLayout`

b. `GridLayout`

c. `BorderLayout`

d. `CardLayout`

Correct Answer: c

c. `BorderLayout`

Detailed Solution:

An AWT `Frame` uses `BorderLayout` as its default layout manager.

QUESTION 5:

Which method is used to add a component to an AWT container?

a. `insert()`

b. `attach()`

c. `add()`

d. `append()`

Correct Answer: c

c. add()

Detailed Solution:

The `add()` method is used to place components such as buttons or labels into a container.

QUESTION 6:

Which AWT component is used to display non-editable text?

a. `TextField`

b. `TextArea`

c. `Label`

d. `Button`

Correct Answer: c

c. Label

Detailed Solution:

The `Label` component is used to display read-only text in an AWT application.

QUESTION 7:

Which layout manager places components one after another from left to right and wraps to the next line if needed?

a. `GridLayout`

b. `BorderLayout`

c. `FlowLayout`

d. `CardLayout`

Correct Answer: c

c. FlowLayout

Detailed Solution:

`FlowLayout` arranges components from left to right and moves to the next line when space runs out.

QUESTION 8:

Which method is used to enable absolute positioning for components in AWT?

a. `setBounds()`

b. `setLayout(null)`

c. `setPosition()`

d. `setCoordinates()`

Correct Answer: b

b. setLayout(null)

Detailed Solution:

Calling `setLayout(null)` disables layout management and allows manual positioning using `setBounds()`.

QUESTION 9:

Which listener interface is used to handle button click events in AWT?

a. `PrintListener`

b. `KeyListener`

c. `ActionListener`

d. `WindowListener`

Correct Answer: c

c. ActionListener

Detailed Solution:

Button click events in AWT are handled using the `ActionListener` interface.

QUESTION 10:

Which method is used to specify the size of an AWT Frame?

a. `resize()`

b. `setBounds()`

c. `setSize()`

d. `setDimension()`

Correct Answer: c

c. setSize()

Detailed Solution:

The `setSize(width, height)` method defines the size of a frame in pixels.