

SCAN-ALPHA: handwritten archive retention is 42 months.

OCR confidence and page coordinates must remain attached.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

COLUMN-LEFT

The left policy sets the recovery point objective to 15 minutes.

COLUMN-RIGHT

The right policy sets the recovery time objective to 60 minutes.

CROSS-PAGE-TABLE part 1

Item 01 value=7 owner=team-1
Item 02 value=14 owner=team-2
Item 03 value=21 owner=team-0
Item 04 value=28 owner=team-1
Item 05 value=35 owner=team-2
Item 06 value=42 owner=team-0
Item 07 value=49 owner=team-1
Item 08 value=56 owner=team-2

CROSS-PAGE-TABLE part 2

Item 09 value=63 owner=team-0
Item 10 value=70 owner=team-1
Item 11 value=77 owner=team-2
Item 12 value=84 owner=team-0
Item 13 value=91 owner=team-1
Item 14 value=98 owner=team-2
Item 15 value=105 owner=team-0
Item 16 value=112 owner=team-1

FORMULA: quality = (supported claims / total claims) * 100

