



ADT Volume





High-Risk Patients Table

Person Id	Age	Primary Diagnosis	Previous Admi
079a8499-00d5-e89a-df8f-21ff00a9bcff	103	Received higher education (finding)	
001da1f9-3195-e19c-f308-e07d94de2b39	63	Chronic sinusitis (disorder)	
1835efe8-e743-799b-8a4d-84ca09671448	92	Received higher education (finding)	
5ebb08ca-98a5-6d26-f681-980098da9f8b	75	Risk activity involvement (finding)	
60c9a4a1-bac5-5ee8-4fe7-be1b613210e3	22	Seasonal allergic rhinitis (disorder)	
3ae46429-2cb7-fadd-cbaf-f3e223c8bb22	12	Otitis media (disorder)	
7d9bd72a-7c42-f17b-a072-b0699ba4fcc7	29	Adolescent idiopathic scoliosis (disorder)	
bb163766-1aca-5a62-b114-5f09f007f960	51	Received higher education (finding)	
29fcc689-cf67-55f0-f78d-3917d26609e7	49	Chronic intractable migraine without aura (disorder)	
c1fd2da9-e537-7d9b-1668-624cb5795b73	99	Past pregnancy history of miscarriage (situation)	
27c4730e-5e7c-9fdf-2e52-18fa772a175a	26	Loss of teeth (disorder)	
...	...	...	

<

1

2

3


4

5


...

167


>



Medication Usage



Readmission by Cohort



Readmission Rate

43

Readmission Risk Distribution

Shows what percentage of patients are predicted to be at High Risk vs Low Risk.



Risk Level

■ High Risk

■ Low Risk

Top Diagnosis

