


CAPPUCCINO

टिलाटिची स
काँफी कॅफे
मोना
कडक
साय
लाटे



Bever Matic®



Follow Us:



www.beveromatic.com

Beveromatic Multi Beverage Vending System (2 Lane)

MODEL: BV02P



SPECIFICATIONS

TECHNICAL

- 5 Programmable Buttons
- Dedicated Hot Water Facility (Optional)
- 2.3 Liter Boiler Capacity
- 1750 W Boiler Heater
- Water Input with Pump /Online
- 2 Gear Motors
- 2 Mixing Motors
- 2 Powder Canisters (1 Kg. Capacity)
- 110 mm Dispensing Area Height
- Upto 6 Cups Per Minute Dispensing Rate
- LCD Display Module with Yellow Backlight
- Push Button Interface
- Cup Count Feature
- Hourly Rinse Available

ELECTRICAL

Power Supply 230V AC / 50 Hz / 1750 W

UNIT

Unpacked: 250 x 480 x 590 mm | Packed: 340 x 520 x 670 mm
Net Weight: 15Kgs. | Gross Weight: 17Kgs.

Beveromatic Multi Beverage Vending System (2 Lane)

MODEL: BV02DX



SPECIFICATIONS

TECHNICAL

- Illuminated Front Door with LED
- 5 Programmable Buttons
- Dedicated Hot Water Facility (Optional)
- 2.3 Liter Boiler Capacity
- 1750 W Boiler Heater
- Water Input with Pump /Online
- 2 Powder Canisters (1 Kg. Capacity)
- 2 Gear Motors
- 2 Mixing Motors
- 110 mm Dispensing Area Height
- Upto 6 Cups Per Minute Dispensing Rate
- LCD Display Module with Yellow Backlight
- Touch Button Interface
- Cup Count Feature
- Hourly Rinse Available

ELECTRICAL

Power Supply 230V AC / 50 Hz / 1750 W

UNIT

Unpacked: 250 x 480 x 590 mm | Packed: 400 x 580 x 690 mm
Net Weight: 20 Kgs. | Gross Weight: 22 Kgs.

Beveromatic Multi Beverage Vending System (3 Lane)

MODEL: BV03P



SPECIFICATIONS

TECHNICAL

- 5 Programmable Buttons
- Dedicated Hot Water Facility (Optional)
- 2.3 Liter Boiler Capacity
- 1750 W Boiler Heater
- Water Input with Pump /Online
- 3 Powder Canisters (1 Kg. Capacity)
- 3 Gear Motors
- 3 Mixing Motors
- 110 mm Dispensing Area Height
- Upto 6 Cups Per Minute Dispensing Rate
- LCD Display Module with Yellow Backlight
- Push Button Interface
- Cup Count Feature
- Hourly Rinse Available

ELECTRICAL

Power Supply 230V AC / 50 Hz / 1750 W

UNIT

Unpacked: 250 x 480 x 590 mm | Packed: 340 x 520 x 670 mm
Net Weight: 18 Kgs. | Gross Weight: 20 Kgs.

Beveromatic Multi Beverage Vending System (3 Lane)

MODEL: BV03DX



SPECIFICATIONS

TECHNICAL

- Illuminated Front Door with LED
- 5 Programmable Buttons
- Dedicated Hot Water Facility (Optional)
- 2.3 Liter Boiler Capacity
- 1750 W Boiler Heater
- Water Input with Pump /Online
- 3 Powder Canisters (1 Kg. Capacity)
- 3 Gear Motors
- 3 Mixing Motors
- 110 mm Dispensing Area Height
- Upto 6 Cups Per Minute Dispensing Rate
- LCD Display Module with Yellow Backlight
- Touch Button Interface
- Cup Count Feature
- Hourly Rinse Available

ELECTRICAL

Power Supply 230V AC / 50 Hz / 1750 W

UNIT

Unpacked: 250 x 480 x 590 mm | Packed: 400 x 580 x 690 mm
Net Weight: 21 Kgs. | Gross Weight: 23 Kgs.

Beveromatic Multi Beverage Vending System (4 Lane)

MODEL: BV04P



SPECIFICATIONS

TECHNICAL

- 7 Programmable Buttons
- Dedicated Hot Water Facility (Optional)
- 3.5 Liter Boiler Capacity
- 1750 W Boiler Heater
- Water Input with Pump /Online
- 4 Powder Canisters (1 Kg. Capacity)
- 4 Gear Motors
- 4 Mixing Motors
- 110 mm Dispensing Area Height
- Upto 6 Cups Per Minute Dispensing Rate
- LCD Display Module with Yellow Backlight
- Push Button Interface
- Cup Count Feature
- Hourly Rinse Available

ELECTRICAL

Power Supply 230V AC / 50 Hz / 1750 W

UNIT

Unpacked: 330 × 510 × 630 mm | Packed: 440 × 610 × 740 mm
Net Weight: 24.5 Kgs. | Gross Weight: 26.5 Kgs.

Beveromatic Multi Beverage Vending System (4 Lane)

MODEL: BV04DX



SPECIFICATIONS

TECHNICAL

- Illuminated Front Door with LED
- 7 Programmable Buttons
- Dedicated Hot Water Facility (Optional)
- 3.5 Liter Boiler Capacity
- 1750 W Boiler Heater
- Water Input with Pump /Online
- 4 Powder Canisters (1 Kg. Capacity)
- 4 Gear Motors
- 4 Mixing Motors
- 110 mm Dispensing Area Height
- Upto 6 Cups Per Minute Dispensing Rate
- LCD Display Module with Yellow Backlight
- Touch Button Interface
- Cup Count Feature
- Hourly Rinse Available

ELECTRICAL

Power Supply 230V AC / 50 Hz / 1750 W

UNIT

Unpacked: 320 x 580 x 600 mm | Packed: 450 x 700 x 690 mm
Net Weight: 25 Kgs. | Gross Weight: 27 Kgs.