

# LINUX LAB-1

## Que-4

Que 4: Configure file permissions and ownership.

Ans 4: Linux provides `chmod` to change file permissions, `chown` to change file ownership and `chgrp` to change group ownership. File permissions control whether the owner, group and other users can read, write or execute a file. The `ls -l` command is used to verify permissions, owner and group information.

### **Result**

File permissions and ownership were successfully configured and verified using `chmod`, `chown`, `chgrp` and `ls -l`.

```
root@mshuaibsi: /home/LabF × + ∨  
root@mshuaibsi:/home/LabFiles# mkdir ProjectFiles && cd ProjectFiles  
root@mshuaibsi:/home/LabFiles/ProjectFiles# touch report.txt script.sh data.csv  
root@mshuaibsi:/home/LabFiles/ProjectFiles# chmod 644 report.txt  
root@mshuaibsi:/home/LabFiles/ProjectFiles# ls -l  
total 0  
-rw-r--r-- 1 root root 0 Sep 19 16:23 data.csv  
-rw-r--r-- 1 root root 0 Sep 19 16:23 report.txt  
-rw-r--r-- 1 root root 0 Sep 19 16:23 script.sh  
root@mshuaibsi:/home/LabFiles/ProjectFiles# ls -l report.txt  
-rw-r--r-- 1 root root 0 Sep 19 16:23 report.txt  
root@mshuaibsi:/home/LabFiles/ProjectFiles# sudo chown shuaib report.txt  
root@mshuaibsi:/home/LabFiles/ProjectFiles#
```