

University Institute of Engineering

Department of Computer Science & Engineering

Experiment:4

Date of Experiment: 19-09-2025

Aim of the practical:

Solve the Problem related to Normalisation and give it closure, candidate key along with prime attribute and non-prime attribute and in which type of normal exist.

1. Consider a relation R having attributes as R(ABCD), functional dependencies are given below:

AB->C

C->D

 $D \rightarrow A$

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Answer:

R(A, B, C, D)

Closure:

 $A+ \rightarrow A$

 $B+ \rightarrow B$

 $C+ \rightarrow C, D, A$

 $AB+ \rightarrow A, B, C, D$

 $AC+ \rightarrow A, C, D$

 $AD+ \rightarrow A, D,$

 $BC+ \rightarrow B, C, D, A$

 $BD+ \rightarrow B, D, A, C$

 $CD+ \rightarrow C, D, A$

Candidate Keys:

AB, BC, BD

Prime Attributes:

A, B, C, D

Non-prime Attributes:

Normal Form: 3NF

CU CHANDIGARH UNIVERSITY

University Institute of Engineering

Department of Computer Science & Engineering

2. Relation R(ABCDE) having functional dependencies as:

A -> D

B->A

BC->D

AC->BE

Identify the set of candidate keys possible in relation R. List all the set of prime and nonprime attributes. Answer:

R(A, B, C, D, E)

Closure:

 $A+ \rightarrow A, D$

 $B+ \rightarrow B, A, D$

 $C+ \rightarrow C$

 $AB+ \rightarrow A, B, D$

 $AC+ \rightarrow A, C, D, B, E$

 $AD+ \rightarrow A, D$

 $BC+ \rightarrow B, C, A, D, E$

Candidate Keys:

AC, BC

Prime Attributes:

A, B, C

Non-prime Attributes:

D, E

Normal Form: 1NF

3. Consider a relation R having attributes as R(ABCDE), functional dependencies are given below:

B->A

 $A \rightarrow C$

BC->D

AC->BE

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Answer:

R(A, B, C, D, E)

Closure:

$$A+ \rightarrow A, C, B, E, D$$

$$B+ \rightarrow B$$
, A, C, D, E



University Institute of Engineering

Department of Computer Science & Engineering

$$C+ \to C\ D+ \to D$$

 $E+ \rightarrow E$

Candiate Keys:

A, B

Prime Attributes:

A, B

Non-prime Attributes:

C, D, E

Normal Form: BCNF

4. Consider a relation R having attributes as R(ABCDEF), functional dependencies are given below:

A->BCD

BC->DE

B->D

D->A

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Answer:

Closure:

$$A+ \rightarrow A, B, C, D, E$$

$$B+\rightarrow B, D, A, C, E$$

 $C+ \rightarrow C$

 $D+ \rightarrow D, A, B, C, E$

 $E+ \rightarrow E$

 $F+ \rightarrow E$

 $AF+ \rightarrow A, B, C, D, E, F$

 $BF+ \rightarrow B, F, D, A, C, E$

 $CF+ \rightarrow C, F$

 $DF+ \rightarrow D, F, A, B, C, E$

Candiate Keys:

AF, BF, DF

Prime Attributes:

A, B, D, F

Non-prime Attributes:

C, E

Normal Form: 1NF



University Institute of Engineering

Department of Computer Science & Engineering

5. Designing a student database involves certain dependencies which are listed below:

$$WZ \rightarrow X$$

$$WZ \rightarrow Y$$

The task here is to remove all the redundant FDs for efficient working of the student database management system.

Answer:

Closure:

$$X+ \rightarrow X, Y, W, Z$$

$$Y+ \rightarrow Y, X, W, Z$$

$$WZ+ \rightarrow W, Z, X, Y$$

Candiate Keys:

Prime Attributes:

Non-prime Attributes:

Normal Form: BCNF

6. Debix Pvt Ltd needs to maintain database having dependent attributes ABCDEF. These attributes are functionally dependent on each other for which functionally dependency set F given as:

$$A \rightarrow BC$$

$$D \rightarrow E$$

$$BC \rightarrow D$$

$$A \rightarrow D$$

Consider a universal relation R1(A, B, C, D, E, F) with functional dependency set F, also all attributes are simple and take atomic values only. Find the highest normal form along with the candidate keys with prime and non-prime attribute.



University Institute of Engineering Department of Computer Science & Engineering

Ans:

R(A, B, C, D, E, F)

Closure:

 $A+ \rightarrow A, B, C, D, E$

 $B+ \rightarrow B$

 $C+ \rightarrow C$

 $D+ \rightarrow D, E$

 $AF+ \rightarrow A, B, C, D, E, F$

Candiate Keys:

AF

Prime Attributes:

A, F

Non-prime Attributes:

B, C, D, E

Normal Form: 1NF