
EdgeORE

An Android ORE client for Solana Seeker. Every ORE deploy is reviewed, capped, signed in your own wallet, and receipted.

CLOCK IN · Solana Mobile · Mobile category · 12 Oct 2026 · by CodesbyFebin



ORE grid (earlier build screenshot)

The problem

1. ORE on a phone means spending real SOL.
2. You need to see exactly what you sign.
3. One tap should have a hard limit.
4. A timeout must never become a silent resend.
5. You should keep a record you can check later.


The deploy path

```
Live board → opt-in Mainnet + risk tick → amount (cap 0.01 SOL)
→ exact-message review → MWA sign in your wallet
→ returned-bytes check → one Submit → signed receipt
```

Over-cap amounts are refused before any wallet request exists. No auto-retry; timeouts stay "unknown". The app never holds keys.

What is built

- Live ORE v3 mainnet board and 5×5 grid
- Mainnet switch with risk tick · 0.01 SOL per-deploy cap
- Copper mainnet review panel: amount, round, squares, SHA-256
- Android Keystore signed receipts · JVM checker verifies the integrity of signed receipt contents
- Daily check-in: streak and points saved on your phone
- Optional AI advisor / node / storage: *Set up* step until you set them up



Receipts (earlier build screenshot)

Evidence

- Tested against the **live ORE mainnet program** (local fork, LiteSVM; not a live transaction): two runs, rounds 437646 and 437756, program sha256 `b16a1002…a7dd5bd`. App bytes executed: +400,000 lamports on each of 25 squares; stale round rejected.
- Layout verified against regolith-labs/ore @ 48c203bd.
- Devnet: evidence/devnet-session/ (laptop CLI).
- Device mainnet signing: pending device recording.

Tests

Suite	Result
Android unit tests	390 run · 382 passed · 8 skipped
Receipt checker	17 passed
LiteSVM receipt-settlement	27 passed
Live ORE mainnet program, local fork	2 passed

Each suite separate, never summed. Next: claim/checkpoint, more device testing.

Research

Exploratory. No timelines, no partnerships.

- ORE SDK layer for Android apps
- Reserve viewer
- DePIN workloads on owned hardware
- TEE / ZK receipt attestation

Hard rules

- One wallet approval per transaction
- You approve every deploy; no auto-retry
- No reward, income or earnings claims. Deployed SOL may be lost.
- Hackathon build 0.1.0-clockin

Not affiliated with Regolith Labs or Solana Mobile. Upstream: regolith-labs/ore, Mobile Wallet Adapter, Google AI Edge Gallery / LiteRT-LM, ZXing.