


FOUNDATION PLAN NOTES:

- FLOOR SLAB SHALL BE 5" CONCRETE SLAB ON GRADE w/ 6x6 W2.W2.1 WUF REINFORCING ON 10 MIL VAPOR BARRIER OVER COMPACTED POISON TREATED ENGINEERED FILL UNO SEE PLAN
- TOP OF FINISHED SLAB REFERENCE ELEV. = 0'-0" (UNLESS NOTED OTHERWISE).
- TOP OF WALL FOOTING ELEV. = -1'-4" (UNO). TOP OF INTERIOR COLUMN FOOTINGS ELEV. = -2'-0" (UNO). ALL FOOTINGS ARE CENTERED BENEATH BEARING WALLS AND COLUMNS, TYPICAL OR UNLESS NOTED OTHERWISE.
- NOTED OTHERWISE COORDINATE TOP OF SLAB WITH FINAL FLOOR FINISHES, SLAB RECESSES, AND FLOOR
- SLOPES. SEE ARCHITECTURAL PLAN FOR FINISH ELEVATIONS
- WHERE WALL FTG INTERCEPT ISOLATED FTG CONTINUE WALL FTG REINF THRU ISOLATED FTG - TYP
- COORDINATE THIS DRAWING w/ ARCHITECTURAL DRAWINGS FOR DOOR AND WINDOW ROUGH OPENINGS DIMENSIONS & LOCATIONS
- "C.J." INDICATES CONTRACTION / CONSTRUCTION JOINT, SEE DETAIL 10 ON "5-2.2" FOR DETAIL. PROVIDE AS SHOWN ON PLAN AND AT 12'-6" o.c. MAX.
- PROVIDE (2) #4 x 4'-0" LG AT ALL CORNERS AT MID-DEPTH OF SLAB -

PARTIAL FOUNDATION PLAN

1/8"=1'-0"


	TILT-UP WALL
	STORAGE ROOM
	ELECTRICAL ROOM
	CORRIDOR



PERMIT ENGINEERS SERVICES, INC.  
9132 FORTUNE WAY, D-31  
WELLINGTON, FLORIDA 33414  
PHONE: (561) 328-6354  
CERT. # EB-00006989

**RS**

Albert Kwan, # 55185




No.	DATE	ISSUED FOR	BY

DRAWN BY: AG APPROVED BY: AK

DATE: 07/21/2021 SCALE: AS SHOWN

KEY PLAN



1st FL FFE: 102.50' NAVD (1988)

SEAL/SIGNATURE

ROLANDO LLANES  
AR - 0013160

This drawing is the property of CIVICA and is not to be reproduced or copied in whole or part. It is not to be used on any other project and is to be returned on request.  
COPYRIGHT © 2021

SHEET TITLE  
PARTIAL  
FOUNDATION  
PLAN

SHEET NUMBER  
S-1.0