

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



Course: Web Designing

INSTITUTE: CORVIT SYSTEMS PESHAWAR

DURATION: 3-MONTH WEB DESIGNING & DEVELOPMENT COURSE

2ND CLASS OF WEB DESIGNING

HTML BASIC TAGS & WRITING CONTENT

What we will learn today

- By the end of this class, you will understand:
 - ✓ Setting up VS Code properly
 - ✓ Writing HTML paragraphs
 - ✓ Using line breaks `<br/>`
 - ✓ Adding comments in HTML
 - ✓ Formatting text (Bold, Italic, Underline)
 - ✓ Adding horizontal lines `<hr>`
 - ✓ Understanding the importance of semantics in HTML

VS Code Setup

- Steps for installation:
 - Visit <https://code.visualstudio.com/>
 - Click on download for window button
 - After downloading click on install
- Steps for writing code in VS Code
 - Open vscode
 - Create a folder in vscode
 - Create index.html file
 - Write your code and save file
 - Run index.html and enjoy coding
- VS Code helps us write code faster with auto-suggestions, formatting, and extensions.

HTML Paragraph Tag `<p>`

- The paragraph tag is used to write normal text.
- Example :
 - `<p>This is a paragraph of text.</p>`
- Characteristics:
 - Creates a block of text
 - Adds spacing automatically
 - Used for paragraphs, descriptions, and content sections
- Every website uses paragraphs to present readable text.

Line Break Tag `<br/>`

- `<br>` creates a new line without starting a new paragraph.
- Example
 - `<p>Hello Students!<br>Welcome to Web Designing Class.</p>`
- Use `<br>` when:
 - You want to break a line within the same paragraph
 - Writing poetry, addresses, or short lines
- Important:
 - Do NOT use `<br>` for spacing

HTML Comments

- Comments are used to write notes for yourself or other developers.
- **Syntax:**
 - `<!-- This is a comment -->`
- **Features:**
 - Not visible on the webpage
 - Used for reminders, explanations, disabling code temporarily
 - Helps keep your code clean and understandable
- **Explain:**
 - Professional developers always use comments to maintain code quality.

Formatting Tags (Bold, Italic, Underline)

1. **Bold Text** → `<b>`
 - Highlights important words.
 - `<b>This text is bold.</b>`
 2. **Italic Text** → `<i>`
 - Used for emphasis or special words.
 - `<i>This text is italic.</i>`
 3. **Underline Text** → `<u>`
 - Used rarely for important names or terms.
 - `<u>This text is underlined.</u>`
- Explain:
 - Later we will use **CSS** for formatting, but these tags help in basic styling.

Horizontal Line `<hr>`

- The `<hr>` tag is used to visually separate sections.
- Example:
 - `<hr>`
- It is useful for:
 - Dividing topics
 - Creating section breaks
 - Making content easier to read
- Explain:
 - `<hr>` adds a line but is not recommended for layout — CSS will replace this later.

Semantic Importance

- Semantic HTML means **using meaningful tags** instead of generic ones.
- Example:
 - (✗) Using `<div>` for everything
 - (✓) Using `<header>` `<nav>` `<section>` `<article>` `<footer>`
- **Why semantics matter:**
 - Improves SEO (Google understands your page better)
 - Helps screen readers (Accessibility)
 - Code becomes more organized
 - Makes you a professional developer
- Explain to students:
 - Learning semantics early is the foundation of good web design.

Practical Example of All Tags

○ Below are the examples:

- 1) `<!-- Class 2 Code Example -->`
- 2) `<p>Hello, this is my first paragraph.</p>`
- 3) `<b>This is bold text.</b>`
- 4) `<br>`
- 5) `<i>This is italic text.</i>`
- 6) `<br>`
- 7) `<u>This is underlined text.</u>`
- 8) `<hr>`
- 9) `<p>Learning HTML is fun and interesting!</p>`

Summary of today Class

- Today we covered:
 - ✓ How to set up VS Code
 - ✓ Writing paragraphs with `<p>`
 - ✓ Using `<br>` for line breaks
 - ✓ Adding comments
 - ✓ Formatting text using `<b>`, `<i>`, `<u>`
 - ✓ Adding dividers with `<hr>`
 - ✓ Understanding why semantic HTML is important
- Next Class → **HTML Lists & Image Tags**