

Sample Outputs of DungeonMasterGPT and MediGPT

1) DungeonMasterGPT

```
print(generate_text("The wizard entered the ancient dungeon and"))
```

The wizard entered the ancient dungeon and said: I
You must go down to you. The miller was going into the
king s house, and then the millstone, and said:
Shake, you are going into the barrel, and have told me to come
the water, and I will be a beautiful, and I will give you the
horse. The bean said: Just go into the prince, and look at my
s, and took the man. Then the king s son and said: Now I have
will have it in the town, so that I may not get down
his father and fetch some food for his own house. The king s son said: You may
that, but be the other way home on a great beast s son;
he is the king s heart, and he has to come again, and he
and the cook that he will let him get into the wood. The king
kingdom was told the garden, and said: Take the king s

```
print(generate_text("The dragon awoke beneath the mountain as"))
```

The dragon awoke beneath the mountain as she had been
had gone, and said to her husband and went to the chest:
Open the door, the door, the door, and the prince went
took her, and said, I will go away again.
The shepherd said: I will be very well, and give me the boy: I will. I
give you better! said the man, and put it down. I will be
into the king s daughter, and went down. The king s son said: What
will do you? I have something in this, said he,
I will be my son; I will throw you the king s son, and when he
the king s daughter he came to her, and told him, and said: It
will not have you in the boy, and make you shall be very
you. Then said the king: My son, I shall be
said: I shall do what I get you. Then the king the king

```
print(generate_text("Knight Arthur raised his sword and"))
```

Knight Arthur raised his sword and his sword. And when King Arthur was his
in the sword, he fell down on the sword, and pulled out
and it into the sword in a stone, and when the head he
he took his hand, and then he saw the sword in the sword
of his sword, and so he took the sword in the sword in the sword,
there was his hand, and did so mounted up to the sword that the sword. Then
came a damosel, till she went unto a well, and took Arthur, and gave him to
the sword the sword, and was the sword, and was it. Now, said Arthur, Arthur,
Igraine. Sir, said King Arthur, hast thou hast slain my death of
knight, for I will. Sir, said Merlin, that I am so, and the sword of the
knight that ye will have done this sword, and so ye shall
with the sword, and ye shall

```
print(generate_text("The rogue discovered a hidden scroll inside"))
```

The rogue discovered a hidden scroll inside it, and there came out of the tree. Then the man said to the Scarecrow, the other man was a great roar. The next morning the little manikin said: I am the little man, and I cannot say the miller. Then the branches went on the man, and said: Now I am the door out of the world, and I shall be a long pole to my wedding and the stream. Then he took the man and the and the king, and said: Oh, and you shall be your son--you, and get down and the king's son. The huntsman found, and said: The old king's son: The king is, said: I shall throw the king, and that I cannot tell him. The king had to be sent for him on his wife; and took the king's son, and his son went out of him to the field, and

```
print(generate_text("Dungeon Master: The party approaches the castle gates."))
```

Dungeon Master: The party approaches the castle gates. As they had heard two children to them they were sitting at the door, and and they were found that they could not go back at each other their mother. The little woman was quite forgotten what she had happened, had to do what to be of the child's heart. The cook had the little girl, but was so much as the boy had a great joy, and when she saw her was, she had just now grown up, she thought he thoughtfully, and she was frightened to eat. The servant, however, and the boy was the boy, and said: Just wait upon her, but still see that she would have a piece of the forest, and she the door. The two years were sitting on the door, and said: What have I am here? But one of the wild man, but the first, but Ilsabill was still more? The two girls said: The king, I am in

2) MediGPT

symptoms of diabetes include a person's vaginal lesions, toxic, and excision at a cirrhosis. a possible preventive lifespan is a common condition that can occur in people who have allergies, such as changes in routine blood pressure (hypertension), hepatic hypotension, or brain and heart abnormalities. a common feature of h syndrome is abnormal electrical system, which causes affected individuals to part of the heart (cardiac) and sudden death. people with holt-oram syndrome often have cardiac conduction disease, which is an obstruction of the heart muscle that functions as a normal heartbeat (arrhythmia). cardiac conduction disease can lead to short stature, death. abnormal heart rhythms (arrhythmia), stroke, or cardiac death. abnormally slow heart failure. people with holt-oram syndrome may have serious heart defects such as a distinctive issues (such as a natural or a result of the heart palpe), can be abnormally low or as their heartbeats (cardiome).

```
... Clinical symptoms of hypertension include delayed high blood pressure (hypertension), decreased appetite, and early separation of the parathyroid carcinoma. parafibromin is considered a parafibrominoma or pheochrominoma. rarely, people with neuroblastoma develop neuroblastoma, a cancer of the nerve cells called neuroblastoma. question: how many people are affected by neuroblastoma ? answer: neuroblastoma and sporadic neuroblastoma is rare tumor origin is the most common cancer in about 1 in 2 million people. it is the most common inherited diseases in the disease origin, affecting about 1 in 500,000 people worldwide. question: what are the genetic changes related to neuroblastoma ? answer: neuroblastoma is associated with neuroblastoma have a type of genetic disorder that causes tumor and mutations in the pnf2 gene are somatic mutations. familial neuroblastoma is associated with mutations in the body's cells and was located in 78 ( somatic mutations
```

A 56 year old patient with a history of recurrent labolism and a more than the general population. decision: no question: prognosis of benign cystoscopy: is the 30 learning needs a clinically relevant? context: to investigate the rate of evidence-control study in patients with recurrent cystoscopy (ac) is the use of the risks of ultrasonographic scout image prior to outcomes caused by the cystectomy in institutions. we hypothesized that the on the outcomes influence of patients, the outcomes on the outcomes on the use of preoperative diagnosis of the. the outcomes of specific reference hospital, identified, postoperative overall ratio of the use of postoperative serum postoperative bile, and postoperative hemodynamic performance score were associated with a significant influence of the initial sfusion in-operative hemoglobin level, transfusion requirement. the group was significantly associated with a significantly higher rate of a significantly higher rate of transfusion in patients (16 3 of 10.0 95 ci 3.0 to 1.13 infections; p 0.00001-1.02). an univariate analysis showed that independent predictors of transfusion in postoperative complications nor eta (odds ratio 0.65; 95 ci 0.01-0.09-0.97; p 0.01). decision: no question: does a preoperative serum c-reactive protein in patients who have pleurogenic pollen? context: there is involved in the effect of systemic infection with

The clinical trial demonstrated significant differences regarding opioid response was found between the experimental group and subgroup analysis. a high correlation coefficients comparing the variables measured early adoption of the general practitioner examinations was compared between the groups. when adjusted for the a total of 663 standard care, there was no significant correlation between the groups. decision: yes question: ant lay people in the objective of the chronic inflammatory changes related to systemic red-jgren syndrome: ischemic syndrome? context: to determine whether cytotland may associated with the syndrome (hcc) in gynecological cancer, usually be a secondary effect of three main outcome. in a prospective study 218 includes clinical trial, we sought to determine whether such cases have nonvalvular at early follow-up. retrospective analysis of patients aged 15 years (range 18-7-13.2-11.2) received this treatment with a history of pipe (2.3it) of patients with the following variables. the following variables were clinical trials (4), with, 17 of whom 124 stopped ppromones, 63.4 versus 9.9 , p 0.02), and the following variables evaluated the primary endpoint. the overall survival rates were 35 and the factors for the development of polyps was 13 , respectively. there was no significant difference in the 8.4 (64.7 vs. 4. 8.0). significant difference in number of positive predictive values between number of lymph node metastases (10) was significantly associated

... The patient presented with chest pain and a global examination. ompartmental study was performed with type 1 type 1 day shifts over 800 described above 7 type 2 type 1 (ovagia), and type 3 (rcdp2). baseline status and 3 (range 4) improved from 1 year apart were reviewed. we found to predict delayed surgery, except withoutose independently explained by type 1 type 1 (rcdp2) or type 3 (rcdp2). decision: yes question: do provider service delivery of spinocerebellar ataxia? context: spinocerebellar ataxia (sca2) is a similar immunostatica; however, have demonstrated that this risk of spinocerebellar ataxia; however, can help explain some mitochondrial permeability to investigate the value of treatment of spino syndrome (epa3) in 11 to 7 years after one year. we reviewed the value of a group of treatment outcome. glin abnormalities recorded specimens obtained2 patients