Multi-Class Imbalanced Data Classification: A Systematic Mapping Study

References

[1] Liu M, Dong M, Jing C. A modified real-value negative selection detector-based oversampling approach for multiclass imbalance problems. Information Sciences, 2021, 556: 160-176.

[2] Palli A S, Jaafar J, Hashmani M A, et al. A hybrid sampling approach for imbalanced binary and multi-class data using clustering analysis. IEEE Access, 2022, 10: 118639-118653. 1231

[3] Chen W, Yang K, Yu Z, et al. Double-kernel based class-specific broad learning system for multiclass imbalance learning. Knowledge-Based Systems, 2022, 253: 109535.

[4] Fan S, Zhang X, Song Z. Reinforced knowledge distillation: Multi-class imbalanced classifier based on policy gradient reinforcement learning. Neurocomputing, 2021, 463: 422-436.

[5] Qin J, Wang C, Zou Q, et al. Active learning with extreme learning machine for online imbalanced multiclass classification. Knowledge-Based Systems, 2021, 231: 107385.

[6] Taherkhani A, Cosma G, McGinnity T M. AdaBoost-CNN: An adaptive boosting algorithm for convolutional neural networks to classify multi-class imbalanced datasets using transfer learning. Neurocomputing, 2020, 404: 351-366.

[7] Rodriguez J J, Diez-Pastor J F, Arnaiz-Gonzalez A, et al. Random Balance ensembles for multiclass imbalance learning. Knowledge-Based Systems, 2020, 193: 105434.

[8] Dong Y, Xiao H, Dong Y. SA-CGAN: An oversampling method based on single attribute guided conditional GAN for multi-class imbalanced learning. Neurocomputing, 2022, 472: 326-337.

[9] Li Y, Zhang J, Zhang S, et al. Multi-objective optimization-based adaptive class-specific cost extreme learning machine for imbalanced classification. Neurocomputing, 2022, 496: 107-120.

[10] Gao X, He Y, Zhang M, et al. A multiclass classification using one-versus-all approach with the differential partition sampling ensemble. Engineering Applications of Artificial Intelligence, 2021, 97: 104034.

[11] Koziarski M, Woźniak M, Krawczyk B. Combined cleaning and resampling algorithm for multi-class imbalanced data with label noise. Knowledge-Based Systems, 2020, 204: 106223.

[12] Zhang L, Wang K, Xu L, et al. Evolving ensembles using multi-objective genetic programming for imbalanced classification. Knowledge-based Systems, 2022, 255: 109611.

[13] Gao Z, Fang S C, Gao X, et al. A novel kernel-free least squares twin support vector machine for fast and accurate multi-class classification. Knowledge-Based Systems, 2021, 226: 107123.

[14] Sun L, Wang X, Ding W, et al. TSFNFR: Two-stage fuzzy neighborhood-based feature reduction with binary whale optimization algorithm for imbalanced data classification. Knowledge-Based Systems, 2022, 256: 109849.

[15] Raghuwanshi B S, Shukla S. Minimum variance-embedded kernelized extension of extreme learning machine for imbalance learning. Pattern Recognition, 2021, 119: 108069.

[16] Wang S, Luo H, Huang S, et al. Counterfactual-based minority oversampling for imbalanced classification. Engineering Applications of Artificial Intelligence, 2023, 122: 106024.

[17] Raghuwanshi B S, Shukla S. SMOTE based class-specific extreme learning machine for imbalanced learning. Knowledge-Based Systems, 2020, 187: 104814.

[18] Wang Z, Wang B, Cheng Y, et al. Cost-sensitive fuzzy multiple kernel learning for imbalanced problem. Neurocomputing, 2019, 366: 178-193.

[19] Meng D, Li Y. An imbalanced learning method by combining SMOTE with Center Offset Factor. Applied Soft Computing, 2022, 120: 108618.

[20] Ri J H, Kim H. G-mean based extreme learning machine for imbalance learning. Digital Signal Processing, 2020, 98: 102637.

[21] Tanveer M, Sharma A, Suganthan P N. Least squares KNN-based weighted multiclass twin SVM. Neurocomputing, 2021, 459: 454-464.

[22] Jimenez-Castano C, Alvarez-Meza A, Orozco-Gutierrez A. Enhanced automatic twin support vector machine for imbalanced data classification. Pattern recognition, 2020, 107: 107442.

[23] Raghuwanshi B S, Shukla S. Class imbalance learning using UnderBagging based kernelized extreme learning machine. Neurocomputing, 2019, 329: 172-187.

[24] Ali-Gombe A, Elyan E. MFC-GAN: Class-imbalanced dataset classification using multiple fake class generative adversarial network. Neurocomputing, 2019, 361: 212-221.

[25] Xie Y, Peng L, Chen Z, et al. Generative learning for imbalanced data using the Gaussian mixed model. Applied Soft Computing, 2019, 79: 439-451.

[26] He Y L, Xu S S, Huang J Z. Creating synthetic minority class samples based on autoencoder extreme learning machine. Pattern Recognition, 2022, 121: 108191.

[27] Jiang H, Wei Z, Liu L, et al. A Novel Multi-class Classification Architecture Combining Population-based Sampling and Multi-expert Classifier for Imbalanced Data//2021 IEEE International Conference on Systems, Man, and Cybernetics (SMC). IEEE, 2021: 2164-2169.

[28] Arshad A, Riaz S, Jiao L. Semi-supervised deep fuzzy C-mean clustering for imbalanced multi-class classification. IEEE Access, 2019, 7: 28100-28112.

[29] Krawczyk B, Bellinger C, Corizzo R, et al. Undersampling with support vectors for multi-class imbalanced data classification.2021 International Joint Conference on Neural Networks (IJCNN). IEEE, 2021: 1-7.

[30] Arafat M Y, Hoque S, Xu S, et al. An under-sampling method with support vectors in multi-class imbalanced data classification.2019 13th International Conference on Software, Knowledge, Information Management and Applications (SKIMA). IEEE, 2019: 1-6.

[31] Krawczyk B, Koziarski M, Woźniak M. Radial-based oversampling for multiclass imbalanced data classification. IEEE transactions on neural networks and learning systems, 2019, 31(8): 2818-2831.

[32] Arumugam G. Handling Class Imbalance in Multiclass Datasets by using a Neighborhood based Adaptive Heterogeneous Oversampling Ensemble Classifier.2022 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS). IEEE, 2022: 1498-1501.

[33] Alam T, Ahmed C F, Zahin S A, et al. An effective recursive technique for multi-class classification and regression for imbalanced data. IEEE Access, 2019, 7: 127615-127630.

[34] Sridhar S, Kalaivani A. A Two Tier Iterative Ensemble Method To Tackle Imbalance In Multiclass Classification//2020 International Conference on Decision Aid Sciences and Application (DASA). IEEE, 2020: 1248-1254.

[35] Di Z, Kang Q, Peng D, et al. Density peak-based pre-clustering support vector machine for multi-class imbalanced classification.2019 IEEE International Conference on Systems, Man and Cybernetics (SMC). IEEE, 2019: 27-32.

[36] Fernandes E R Q, de Carvalho A C, Yao X. Ensemble of classifiers based on multiobjective genetic sampling for imbalanced data. IEEE Transactions on Knowledge and Data Engineering, 2019, 32(6): 1104-1115.

[37] Li L, He H, Li J. Entropy-based sampling approaches for multi-class imbalanced problems. IEEE Transactions on Knowledge and Data Engineering, 2019, 32(11): 2159-2170.

[38] Zhang W, Peng P, Zhang H. Using Bidirectional GAN with Improved Training Architecture for Imbalanced Tasks.2021 IEEE 24th International Conference on Computer Supported Cooperative Work in Design (CSCWD). IEEE, 2021: 714-719.

[39] Zheng Z, Yan Y, Zhang Y, et al. Combating Mutuality with Difficulty Factors in Multi-class Imbalanced Data: A Similarity-based Hybrid Sampling//2022 IEEE 9th International Conference on Data Science and Advanced Analytics (DSAA). IEEE, 2022: 1-10.

[40] Datta S, Nag S, Das S. Boosting with lexicographic programming: Addressing class imbalance without cost tuning. IEEE Transactions on Knowledge and Data Engineering, 2019, 32(5): 883-897.

[41] Sun L, Si S, Ding W, et al. TFSFB: Two-stage feature selection via fusing fuzzy multi-neighborhood rough set with binary whale optimization for imbalanced data. Information Fusion, 2023, 95: 91-108.

[42] Hartono H, Ongko E. Hybrid Approach with Distance Feature for Multi-Class Imbalanced Datasets. JOIV: International Journal on Informatics Visualization, 2023, 7(1): 131-138.

[43] Liu Y, Liu Y, Bruce X B, et al. Noise-robust oversampling for imbalanced data classification. Pattern Recognition, 2023, 133: 109008.

[44] Sun Y, Gong J, Zhang Y. A Multi-Classification Method Based on Optimized Binary Tree Mahalanobis-Taguchi System for Imbalanced Data. Applied Sciences, 2022, 12(19): 10179.

[45] Xia S, Chen B, Wang G, et al. mCRF and mRD: Two classification methods based on a novel multiclass label noise filtering learning framework. IEEE Transactions on Neural Networks and Learning Systems, 2021, 33(7): 2916-2930.

[46] Farou Z, Kopeikina L, Horváth T. Solving Multi-class Imbalance Problems Using Improved Tabular GANs.International Conference on Intelligent Data Engineering and Automated Learning. Cham: Springer International Publishing, 2022: 527-539.

[47] More A S, Rana D P. Novel Oversampling Algorithm for Handling Imbalanced Data Classification. International Journal of Advanced Computer Science and Applications, 2022, 13(8).

[48] Panthong, Rattanawadee. Combining SMOTE and OVA with Deep Learning and Ensemble Classifiers for Multi-class Imbalanced. Journal of Computer Science, 2022, 18 (8): 732.742.

[49] Liu Y, Cao B, Fan J. Improving the accuracy of learning example weights for imbalance classification.International Conference on Learning Representations. 2021.

[50] Grina F, Elouedi Z, Lefevre E. Evidential hybrid re-sampling for multi-class imbalanced data.International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems. Cham: Springer International Publishing, 2022: 612-623.

[51] Zhu T, Liu X, Zhu E. Oversampling with reliably expanding minority class regions for imbalanced data learning. IEEE Transactions on Knowledge and Data Engineering, 2022.

[52] Pavan Kumar M R, Jayagopal P. A preprocessing method combined with an ensemble framework for the multiclass imbalanced data classification. International Journal of Computers and Applications, 2022, 44(12): 1178-1185.

[53] Ibrahim M H. ODBOT: Outlier detection-based oversampling technique for imbalanced datasets learning. Neural Computing and Applications, 2021, 33(22): 15781-15806.

[54] Chen X, Zhang L, Wei X, et al. An effective method using clustering-based adaptive decomposition and editing-based diversified oversamping for multi-class imbalanced datasets. Applied Intelligence, 2021, 51: 1918-1933.

[55] Janicka M, Lango M, Stefanowski J. Using information on class interrelations to improve classification of multiclass imbalanced data: a new resampling algorithm. International Journal of Applied Mathematics and Computer Science, 2019, 29(4): 769-781.

[56] Datta S, Das S. Multiobjective support vector machines: handling class imbalance with pareto optimality. IEEE transactions on neural networks and learning systems, 2018, 30(5): 1602-1608.

[57] Devi D, Biswas S K, Purkayastha B. Learning in presence of class imbalance and class overlapping by using one-class SVM and undersampling technique. Connection Science, 2019, 31(2): 105-142.

[58] Sreeja N K. A weighted pattern matching approach for classification of imbalanced data with a fireworks-based algorithm for feature selection. Connection Science, 2019, 31(2): 143-168.

[59] Xu M, Yu Y. Two-Stage Weighted Regularized Extreme Learning Machine for Class Imbalanced Learning.International Conference on Cognitive Systems and Signal Processing. Singapore: Springer Singapore, 2018: 358-369.

[60] Liao C, Dong M. ACWGAN: AN AUXILIARY CLASSIFIER WASSERSTEIN GAN-BASED OVERSAMPLING APPROACH FOR MULTI-CLASS IMBALANCED LEARNING. International Journal of Innovative Computing, Information and Control, 2022, 18(3): 703-721.

[61] Xu C, Zhu G. Semi-supervised learning algorithm based on linear lie group for imbalanced multi-class classification. Neural Processing Letters, 2020, 52: 869-889.

[62] Raghuwanshi B S, Shukla S. Generalized class-specific kernelized extreme learning machine for multiclass imbalanced learning. Expert Systems with Applications, 2019, 121: 244-255.

[63] Li Q, Song Y, Zhang J, et al. Multiclass imbalanced learning with one-versus-one decomposition and spectral clustering. Expert Systems with Applications, 2020, 147: 113152.

[64] Fernandes E R Q, de Carvalho A C. Evolutionary inversion of class distribution in overlapping areas for multi-class imbalanced learning. Information Sciences, 2019, 494: 141-154.

[65] Vong C M, Du J. Accurate and efficient sequential ensemble learning for highly imbalanced multi-class data. Neural Networks, 2020, 128: 268-278.

[66] Raghuwanshi B S, Shukla S. Classifying multiclass imbalanced data using generalized class-specific extreme learning machine. Progress in Artificial Intelligence, 2021, 10: 259-281.

[67] Grina F, Elouedi Z, Lefevre E. Re-sampling of multi-class imbalanced data using belief function theory and ensemble learning. International Journal of Approximate Reasoning, 2023, 156: 1-15.

[68] Yu H, Chen C, Yang H. Two-stage game strategy for multiclass imbalanced data online prediction. Neural Processing Letters, 2020, 52: 2493-2512.

[69] Ri J H, Tian G, Liu Y, et al. Extreme learning machine with hybrid cost function of G-mean and probability for imbalance learning. International Journal of Machine Learning and Cybernetics, 2020, 11: 2007-2020.

[70] Ding S F, An Y X. Multiple Birth Support Vector Machine with Triplet Loss Function. Journal of Information Science & Engineering, 2019, 35(6).

[71] Li M, Sun Q, Liu X. Data Distribution Based Weighted Extreme Learning Machine.Proceedings of the 2019 4th International Conference on Machine Learning Technologies. 2019: 1-6.

[72] Mehmood Z, Asghar S. Customizing SVM as a base learner with AdaBoost ensemble to learn from multi-class problems: A hybrid approach AdaBoost-MSVM. Knowledge-Based Systems, 2021, 217: 106845.

[73] Zhang T, Li Y, Chen R. Evolutionary-based weighted broad learning system for imbalanced learning.2019 IEEE 14th International Conference on Intelligent Systems and Knowledge Engineering (ISKE). IEEE, 2019: 607-615.

[74] Raghuwanshi B S, Shukla S. Classifying imbalanced data using SMOTE based class-specific kernelized ELM. International Journal of Machine Learning and Cybernetics, 2021, 12: 1255-1280.

[75] Sun L, Li M, Ding W, et al. AFNFS: Adaptive fuzzy neighborhood-based feature selection with adaptive synthetic over-sampling for imbalanced data. Information Sciences, 2022, 612: 724-744.

[76] Sun L, Zhang J, Ding W, et al. Feature reduction for imbalanced data classification using similarity-based feature clustering with adaptive weighted K-nearest neighbors. Information Sciences, 2022, 593: 591-613.

[77] Raghuwanshi B S, Shukla S. Classifying imbalanced data using BalanceCascade-based kernelized extreme learning machine. Pattern Analysis and Applications, 2020, 23: 1157-1182.

[78] Raghuwanshi B S, Shukla S. Classifying imbalanced data using ensemble of reduced kernelized weighted extreme learning machine. International Journal of Machine Learning and Cybernetics, 2019, 10: 3071-3097.

[79] Arafat M Y, Hoque S, Xu S, et al. Advanced data balancing method with svm decision boundary and bagging.2019 IEEE Asia-Pacific Conference on Computer Science and Data Engineering (CSDE). IEEE, 2019: 1-7.

[80] Deng J, Sun J, Peng W, et al. Imbalanced multiclass classification with active learning in strip rolling process. Knowledge-Based Systems, 2022, 255: 109754.

[81] Sleeman IV W C, Krawczyk B. Multi-class imbalanced big data classification on spark. Knowledge-Based Systems, 2021, 212: 106598.

[82] [100] Liu W, Zhang H, Ding Z, et al. A comprehensive active learning method for multiclass imbalanced data streams with concept drift. Knowledge-Based Systems, 2021, 215: 106778.

[83] Zhang H, Huang L, Wu C Q, et al. An effective convolutional neural network based on SMOTE and Gaussian mixture model for intrusion detection in imbalanced dataset. Computer Networks, 2020, 177: 107315.

[84] Priyadarsini K, Hemakesavulu O, Karthik S, et al. Towards Effective Time Series Classification of Multi-Class Imbalanced Learning.2021 International Conference on Artificial Intelligence and Smart Systems (ICAIS). IEEE, 2021: 1576-1582.

[85] Li Y, Wang X, Ren C, et al. Research on diagnosis method based on multi-class sample imbalanced data.2019 International Conference on Sensing, Diagnostics, Prognostics, and Control (SDPC). IEEE, 2019: 821-825.

[86] Vafaie P, Viktor H, Michalowski W. Multi-class imbalanced semi-supervised learning from streams through online ensembles.2020 International Conference on Data Mining Workshops (ICDMW). IEEE, 2020: 867-874.

[87] Saini M, Susan S. Cervical Cancer Screening on Multi-class Imbalanced Cervigram Dataset using Transfer Learning.2022 15th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics (CISP-BMEI). IEEE, 2022: 1-6.

[88] Zhong X, Quan Y, Feng W, et al. Imbalanced Multi-Class Classification of Hyperspectral Image Based on Smote and Deep Rotation Forest.2021 IEEE International Geoscience and Remote Sensing Symposium IGARSS. IEEE, 2021: 2516-2519.

[89] Lv Q, Feng W, Quan Y, et al. Enhanced-random-feature-subspace-based ensemble CNN for the imbalanced hyperspectral image classification. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2021, 14: 3988-3999.

[90] Lai Z, Wang C, Cheung S, et al. SAR: Self-adaptive refinement on pseudo labels for multiclass-imbalanced semi-supervised learning.Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition. 2022: 4091-4100.

[91] Sleeman IV W C, Krawczyk B. Bagging using instance-level difficulty for multi-class imbalanced big data classification on spark.2019 IEEE international conference on big data (big data). IEEE, 2019: 2484-2493.

[92] Feng W, Huang W, Bao W. Imbalanced hyperspectral image classification with an adaptive ensemble method based on SMOTE and rotation forest with differentiated sampling rates. IEEE Geoscience and Remote Sensing Letters, 2019, 16(12): 1879-1883.

[93] Korycki Ł, Krawczyk B. Online oversampling for sparsely labeled imbalanced and non-stationary data streams.2020 international joint conference on neural networks (IJCNN). IEEE, 2020: 1-8.

[94] Feng W, Dauphin G, Huang W, et al. Dynamic synthetic minority over-sampling technique-based rotation forest for the classification of imbalanced hyperspectral data. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12(7): 2159-2169.

[95] Luo Y, Feng H, Weng X, et al. A novel oversampling method based on SeqGAN for imbalanced text classification.2019 IEEE International Conference on Big Data (Big Data). IEEE, 2019: 2891-2894.

[96] Barot P, Jethva H. MiNB: Minority Sensitive Naïve Bayesian Algorithm for Multi-Class Classification of Unbalanced Data. Yeast, 2022, 8(10): 1484.

[97] Qin W, Zhuang Z, Guo L, et al. A hybrid multi-class imbalanced learning method for predicting the quality level of diesel engines. Journal of Manufacturing Systems, 2022, 62: 846-856.

[98] Zhuang Z, Guo L, Huang Z, et al. DyS-IENN: a novel multiclass imbalanced learning method for early warning of tardiness in rocket final assembly process. Journal of Intelligent Manufacturing, 2021, 32: 2197-2207.

[99] Yao L, Lin T B. Evolutionary mahalanobis distance-based oversampling for multi-class imbalanced data classification. Sensors, 2021, 21(19): 6616.

[100] Korycki Ł, Krawczyk B. Concept drift detection from multi-class imbalanced data streams.2021 IEEE 37th International Conference on Data Engineering (ICDE). IEEE, 2021: 1068-1079.

[101] Sevastyanov L A, Shchetinin E Y. On methods for improving the accuracy of multi-class classification on imbalanced data. ITTMM, 2020, 20: 70-82.

[102] Bhattacharya A R, Liu J, Chakraborty S. A Generic Active Learning Framework for Class Imbalance Applications.BMVC. 2019: 121.

[103] Susan S, Kaushik A. Localized Metric Learning for Large Multi-class Extremely Imbalanced Face Database.International Conference on Database Systems for Advanced Applications. Cham: Springer International Publishing, 2022: 64-78.

[104] Saini M, Susan S. Bag-of-Visual-Words codebook generation using deep features for effective classification of imbalanced multi-class image datasets. Multimedia Tools and Applications, 2021, 80: 20821-20847.

[105] Shi M, Tang Y, Zhu X, et al. Multi-class imbalanced graph convolutional network learning.Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence (IJCAI-20). 2020.

[106] Pavan Kumar M R, Jayagopal P. Multi-class imbalanced image classification using conditioned GANs. International Journal of Multimedia Information Retrieval, 2021, 10(3): 143-153.

[107] Du J, Zhou Y, Liu P, et al. Parameter-free loss for class-imbalanced deep learning in image classification. IEEE Transactions on Neural Networks and Learning Systems, 2021.

[108] Chen X, Zhang L, Wei X, et al. An effective method using clustering-based adaptive decomposition and editing-based diversified oversamping for multi-class imbalanced datasets. Applied Intelligence, 2021, 51: 1918-1933.

[109] Alhudhaif A. A novel multi-class imbalanced EEG signals classification based on the adaptive synthetic sampling (ADASYN) approach. PeerJ Computer Science, 2021, 7: e523.

[110] Dentamaro V, Impedovo D, Pirlo G. LICIC: Less important components for imbalanced multiclass classification. Information, 2018, 9(12): 317.

[111] Ding, Hao et al. Plankton Image Classification via Multi-Class Imbalanced Learning. OCEANS - MTS/IEEE Kobe Techno-Oceans (OTO), 2018: 1-6.

[112] Dhanalakshmi D, Vijendran A S. Adaptive Data Structure Based Oversampling Algorithm for Ordinal Classification. Indonesian Journal of Electrical Engineering and Computer Science, 2018, 12(3): 1063-1070.

[113] Wang, Tianlei et al. Deep Weighted Extreme Learning Machine Cognitive Computation 2018: 890-907.

[114] Vong C M, Du J, Wong C M, et al. Postboosting using extended G-mean for online sequential multiclass imbalance learning. IEEE transactions on neural networks and learning systems, 2018, 29(12): 6163-6177.

[115] Kurniawati Y E, Permanasari A E, Fauziati S. Adaptive synthetic-nominal (ADASYN-N) and adaptive synthetic-KNN (ADASYN-KNN) for multiclass imbalance learning on laboratory test data//2018 4th International Conference on Science and Technology (ICST). IEEE, 2018: 1-6.

[116] Pant H, Soman S, Sharma M. Twin neural networks for efficient eeg signal classification.2018 International Joint Conference on Neural Networks (IJCNN). IEEE, 2018: 1-7.

[117] Krawczyk B, Cano A, Woźniak M. Selecting local ensembles for multi-class imbalanced data classification//2018 International joint conference on neural networks (IJCNN). IEEE, 2018: 1-8.

[118] Endah S N, Kusumaningrum R. The study of synthetic minority over-sampling technique (SMOTE) and weighted extreme learning machine for handling imbalance problem on multiclass microarray classification//2018 2nd International Conference on Informatics and Computational Sciences (ICICoS). IEEE, 2018: 1-6.

[119] Yang X, Kuang Q, Zhang W, et al. AMDO: An over-sampling technique for multi-class imbalanced problems. IEEE Transactions on Knowledge and Data Engineering, 2017, 30(9): 1672-1685.

[120] Kang Q, Shi L, Zhou M C, et al. A distance-based weighted undersampling scheme for support vector machines and its application to imbalanced classification. IEEE transactions on neural networks and learning systems, 2017, 29(9): 4152-4165.

[121] Rayhan F, Ahmed S, Mahbub A, et al. Cusboost: Cluster-based under-sampling with boosting for imbalanced classification.2017 2nd international conference on computational systems and information technology for sustainable solution (csitss). IEEE, 2017: 1-5.

[122] Pouyanfar, Samira et al. Deep Spatio-Temporal Representation Learning for Multi-Class Imbalanced Data Classification 2018 IEEE International Conference on Information Reuse and Integration (IRI) 2018: 386-393.

[123] Ri J H, Liu L, Liu Y, et al. Optimal weighted extreme learning machine for imbalanced learning with differential evolution . IEEE Computational Intelligence Magazine, 2018, 13(3): 32-47.

[124] Khan S H, Hayat M, Bennamoun M, et al. Cost-sensitive learning of deep feature representations from imbalanced data. IEEE transactions on neural networks and learning systems, 2017, 29(8): 3573-3587.

[125] Kumari A, Thakar U. Hellinger distance based oversampling method to solve multi-class imbalance problem.2017 7th International Conference on Communication Systems and Network Technologies (CSNT). IEEE, 2017: 137-141.

[126] Vluymans S, Fernández A, Saeys Y, et al. Dynamic affinity-based classification of multi-class imbalanced data with one-versus-one decomposition: a fuzzy rough set approach. Knowledge and Information Systems, 2018, 56: 55-84.

[127] García S, Zhang Z L, Altalhi A, et al. Dynamic ensemble selection for multi-class imbalanced datasets. Information Sciences, 2018, 445: 22-37.

[128] Krawczyk B, McInnes B T. Local ensemble learning from imbalanced and noisy data for word sense disambiguation. Pattern recognition, 2018, 78: 103-119.

[129] Yu H, Sun C, Yang X, et al. LW-ELM: a fast and flexible cost-sensitive learning framework for classifying imbalanced data. IEEE Access, 2018, 6: 28488-28500.

[130] Yuan X, Xie L, Abouelenien M. A regularized ensemble framework of deep learning for cancer detection from multi-class, imbalanced training data. Pattern Recognition, 2018, 77: 160-172.

[131] Pristyanto Y, Pratama I, Nugraha A F. Data level approach for imbalanced class handling on educational data mining multiclass classification.2018 International Conference on Information and Communications Technology (ICOIACT). IEEE, 2018: 310-314.

[132] Roy A, Cruz R M O, Sabourin R, et al. A study on combining dynamic selection and data preprocessing for imbalance learning. Neurocomputing, 2018, 286: 179-192.

[133] Zhang Z L, Luo X G, González S, et al. DRCW-ASEG: One-versus-one distance-based relative competence weighting with adaptive synthetic example generation for multi-class imbalanced datasets. Neurocomputing, 2018, 285: 176-187.

[134] Wu Z, Lin W, Ji Y. An integrated ensemble learning model for imbalanced fault diagnostics and prognostics. IEEE Access, 2018, 6: 8394-8402.

[135] Arafat M Y, Hoque S, Farid D M. Cluster-based under-sampling with random forest for multi-class imbalanced classification.2017 11th International Conference on Software, Knowledge, Information Management and Applications (SKIMA). IEEE, 2017: 1-6.

[136] Ding S, Mirza B, Lin Z, et al. Kernel based online learning for imbalance multiclass classification. Neurocomputing, 2018, 277: 139-148.

[137] Lango M, Stefanowski J. Multi-class and feature selection extensions of roughly balanced bagging for imbalanced data. Journal of Intelligent Information Systems, 2018, 50: 97-127.

[138] Collell G, Prelec D, Patil K R. A simple plug-in bagging ensemble based on threshold-moving for classifying binary and multiclass imbalanced data. Neurocomputing, 2018, 275: 330-340.

[139] Olaitan O M, Viktor H L. SCUT-DS: Learning from multi-class imbalanced canadian weather data.Foundations of Intelligent Systems: 24th International Symposium, ISMIS 2018, Limassol, Cyprus, October 29–31, 2018, Proceedings 24. Springer International Publishing, 2018: 291-301.

[140] Alam T, Ahmed C F, Zahin S A, et al. An effective ensemble method for multi-class classification and regression for imbalanced data.Advances in Data Mining. Applications and Theoretical Aspects: 18th Industrial Conference, ICDM 2018, New York, NY, USA, July 11-12, 2018, Proceedings 18. Springer International Publishing, 2018: 59-74.

[141] Sáez J A, Quintián H, Krawczyk B, et al. Multi-class Imbalanced Data Oversampling for Vertebral Column Pathologies Classification.Hybrid Artificial Intelligent Systems: 13th International Conference, HAIS 2018, Oviedo, Spain, June 20-22, 2018, Proceedings 13. Springer International Publishing, 2018: 131-142.

[142] Tran D, Mac H, Tong V, et al. A LSTM based framework for handling multiclass imbalance in DGA botnet detection. Neurocomputing, 2018, 275: 2401-2413.

[143] Tanha J. MSSBoost: A new multiclass boosting to semi-supervised learning. Neurocomputing, 2018, 314: 251-266.

[144] Katuwal R, Suganthan P N, Zhang L. An ensemble of decision trees with random vector functional link networks for multi-class classification. Applied Soft Computing, 2018, 70: 1146-1153.

[145] Raghuwanshi B S, Shukla S. Underbagging based reduced kernelized weighted extreme learning machine for class imbalance learning. Engineering Applications of Artificial Intelligence, 2018, 74: 252-270.

[146] Shi H, Li H, Zhang D, et al. An efficient feature generation approach based on deep learning and feature selection techniques for traffic classification. Computer Networks, 2018, 132: 81-98.

[147] Mathew J, Pang C K, Luo M, et al. Classification of imbalanced data by oversampling in kernel space of support vector machines. IEEE transactions on neural networks and learning systems, 2017, 29(9): 4065-4076.