REST API v1.0.0

Climate Threat & Resistance Tracker

API Documentation

A living registry of environmental threats and the grassroots movements opposing them.

FastAPI | PostgreSQL | JWT Auth | Rate Limited | OpenAPI 3.1

Live endpoint: https://web-production-20ec6.up.railway.app

Interactive docs: /docs | OpenAPI spec: /openapi.json

Generated: March 2026 | Module: COMP3011 Web Services and Web Data

API Documentation

The **Climate Threat & Resistance Tracker API** is a RESTful web service built with **FastAPI** and **PostgreSQL**. It provides structured, queryable access to a living registry of environmental threats — oil pipelines, deforestation actors, air polluters — and the civil society organisations mounting opposition to them. The API is designed to support researchers, journalists, activists, and developers who need programmatic access to climate accountability data.

All endpoints return **JSON**. Write operations (POST, PUT, DELETE) require authentication via **Bearer token (JWT)**. Read operations are publicly accessible without authentication. Rate limiting is enforced on all endpoints.

Quick Reference

Property	Value
Base URL	`https://web-production-20ec6.up.railway.app`
Interactive Docs	`/docs (Swagger UI)`
OpenAPI Spec	`/openapi.json`
Authentication	`Bearer JWT (Authorization: Bearer )`
Data Format	`application/json`
API Version	1.0.0
Framework	FastAPI (Python 3.14)
Database	PostgreSQL 18 (Railway-hosted)

Endpoint Groups

Group	Prefix	Description	Auth Required
Authentication	`/auth`	Register, login, profile, update user	Write only
Threats	`/threats`	Environmental threat CRUD + filtering	Write only
Companies	`/companies`	Corporate actor CRUD + filtering	Write only
Organisations	`/organisations`	Resistance org CRUD + campaign listing	Write only
Campaigns	`/campaigns`	Opposition campaign CRUD	Write only
Analytics	`/analytics`	Aggregations, risk scores, dashboards	Public
Search	`/search`	Full-text search across all entities	Public

Authentication

The API uses **JSON Web Tokens (JWT)** for stateless authentication. Tokens are issued on successful login and must be included in the **Authorization** header of every write request. Tokens expire after 30 minutes by default. Read endpoints (GET) are publicly accessible without any token.

Authentication Flow

Step	Actor	Endpoint	Request	Response
1	Client	POST /auth/register	`{"email": "...", "username": "...", "password": "..."}`	201 — UserResponse (id, email, role, …)
2	Client	POST /auth/token	`{"username": "...", "password": "..."}`	200 — {"access_token": "eyJ…", "token_type": "bearer"}
3	Client	Any write endpoint	`Header: Authorization: Bearer eyJ…`	200/201/204 — operation result
4	Server	(token expiry)	`Token lifetime: 30 minutes`	401 Unauthorized — re-authenticate at step 2

Step 1 — Register a new user

Send a POST request to **/auth/register** with your credentials. The **role** field accepts READER, CONTRIBUTOR, or ADMIN. New accounts default to READER.

```
POST /auth/register
Content-Type: application/json
```

```
{
  "email":    "analyst@example.com",
  "username": "analyst01",
  "password": "Secure#Pass99",
  "role":     "READER"
}
```

*Successful response — **201 Created**:*

```
{
  "id":         "3f8a1b2c-…",
  "email":      "analyst@example.com",
  "username":   "analyst01",
  "role":       "READER",
  "is_active":  true,
  "created_at": "2026-03-20T10:00:00Z"
}
```

Step 2 — Obtain a JWT token

Send a POST request to **/auth/token** with your username and password as a JSON body. The returned **access_token** must be stored securely client-side — it is a signed JWT and contains your user ID and expiry.

```
POST /auth/token
Content-Type: application/json
```

```
{
  "username": "analyst01",
  "password": "Secure#Pass99"
}
```

*Successful response — **200 OK**:*

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIzZjhh…",
  "token_type":   "bearer",
  "username":     "analyst01",
  "role":         "READER"
}
```

Step 3 — Authenticate requests

Include the token in the **Authorization** HTTP header on every write request. GET endpoints do not require this header. In Swagger UI, click the **Authorize** ■ button at the top of the page, paste the token value (without the word 'Bearer'), and click Authorize — all subsequent Try-it-out calls will include the header automatically.

```
# Example: creating a new threat record
POST /threats/
Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9…
Content-Type: application/json
```

```
{
  "name":         "Rosebank Oilfield Development",
  "threat_type":  "OFFSHORE_DRILLING",
  "status":       "APPROVED",
  "country":      "United Kingdom",
  "region":       "North Sea",
  "estimated_co2_impact_tonnes": 200000000
}
```

User Roles & Permissions

Role	GET (read)	POST (create)	PUT (update)	DELETE	Admin actions
READER	✓	✗	✗	✗	✗
CONTRIBUTOR	✓	✓	Own records	Own records	✗
ADMIN	✓	✓	✓ All	✓ All	✓

Rate Limiting

All endpoints are protected by rate limiting using **slowapi**. Limits are applied per IP address. When a limit is exceeded the API returns **HTTP 429 Too Many Requests**. Limits reset on a rolling one-minute window.

Endpoint Type	Methods	Limit	Rationale
Read — core data	`GET`	100 / minute	High-frequency browsing and integrations supported
Write — core data	`POST / PUT / DELETE`	20 / minute	Prevents bulk automated mutations
Analytics	`GET`	60 / minute	Aggregation queries are heavier; moderate limit applied
Search	`GET`	60 / minute	Full-text ILIKE queries balanced against DB load
Authentication	`POST`	20 / minute	Brute-force login mitigation

Error Codes & Responses

All error responses follow a consistent structure. Client errors (4xx) include a human-readable **detail** field. Validation errors (422) include a structured array indicating which field failed and why.

Standard error body:

```
{ "detail": "Human-readable error message" }
```

HTTP Code	Status	Trigger	Example detail message	Endpoints
200	OK	Successful read or update	—	GET, PUT
201	Created	Resource successfully created	—	POST
204	No Content	Resource successfully deleted	—	DELETE
400	Bad Request	Business rule violation; e.g. duplicate name or query too short	"Company with this name already exists" / "Search query must be at least 2 characters"	POST /companies, POST /organisations, GET /search
401	Unauthorized	Missing, invalid, or expired JWT token on a protected endpoint	"Could not validate credentials" / "Incorrect username or password"	All write endpoints, GET /auth/me
403	Forbidden	Valid token but insufficient role (e.g. non-admin attempting admin action)	"Admin access required"	PUT /auth/users/{id}
404	Not Found	Requested resource does not exist in the database	"Threat not found" / "Company not found" / "Organisation not found"	GET/PUT/DELETE /{resource}/{id}
422	Unprocessable Entity	Request body or query parameter failed Pydantic schema validation	{"detail": [{"loc": ["body","email"], "msg": "value is not a valid email address"}]}	All endpoints with request bodies
429	Too Many Requests	Rate limit exceeded for the caller's IP address	"Rate limit exceeded: 20 per 1 minute"	All endpoints

500	Internal Server Error	Unexpected server-side error; should not occur in normal operation	"Internal Server Error"	Any

422 Validation Error — detailed structure

When request body fields fail schema validation, the response body contains a **detail** array. Each element describes one failed field:

```
{
  "detail": [
    {
      "loc":   ["body", "email"],
      "msg":   "value is not a valid email address",
      "type":  "value_error.email",
      "input": "not-an-email"
    }
  ]
}
```

Authentication error — structure

```
HTTP/1.1 401 Unauthorized
WWW-Authenticate: Bearer
```

```
{ "detail": "Could not validate credentials" }
```

Core Data Models

The API manages six primary relational entities. The diagram below illustrates their relationships. All IDs are UUIDs.

Model	Table	Key Fields	Relationships
Threat	`threats`	name, threat_type, status, country, estimated_co2_impact_tonnes, latitude, longitude	Many-to-many with Company via ThreatCompany; one-to-many with Campaign
Company	`companies`	name, sector, country_of_registration, esg_score, annual_emissions_mtonnes, is_paris_signatory	Many-to-many with Threat via ThreatCompany
ThreatCompany	`threat_companies`	threat_id (FK), company_id (FK), role (OPERATOR | INVESTOR | CONTRACTOR)	Junction table — composite primary key
Organisation	`organisations`	name, org_type, country, founding_date, member_count	One-to-many with Campaign
Campaign	`campaigns`	campaign_name, campaign_type, status, organisation_id (FK), threat_id (FK), signatures_count	Belongs to one Organisation and one Threat
User	`users`	email, username, hashed_password, role, is_active, last_login	No foreign keys — authentication entity only

Enumerated Values Reference

Several fields accept only a fixed set of string values. Swagger UI exposes these as dropdowns. The full set is listed below.

Field	Model	Accepted Values
threat_type	Threat	`PIPELINE` | `DEFORESTATION` | `AIR_POLLUTION` | `MINING` | `OFFSHORE_DRILLING`
status (Threat)	Threat	`PROPOSED` | `APPROVED` | `UNDER_CONSTRUCTION` | `OPERATIONAL` | `SUSPENDED` | `CANCELLED`
sector	Company	`OIL_GAS` | `AGRICULTURE` | `MINING` | `AVIATION` | `SHIPPING` | `ENERGY` | `MANUFACTURING`
org_type	Organisation	`GRASSROOTS` | `NGO` | `LEGAL_COALITION` | `INDIGENOUS_GROUP` | `INTERNATIONAL` | `POLITICAL_PARTY`
campaign_type	Campaign	`LEGAL_CHALLENGE` | `PROTEST` | `PETITION` | `LOBBYING` | `DIRECT_ACTION` | `MEDIA_CAMPAIGN`
status (Campaign)	Campaign	`ACTIVE` | `WON` | `LOST` | `ONGOING` | `SUSPENDED`
role	ThreatCompany	`OPERATOR` | `INVESTOR` | `CONTRACTOR` | `FINANCIER`
role (User)	User	`ADMIN` | `CONTRIBUTOR` | `READER`
risk_band	RiskScore (analytics)	`LOW` | `MEDIUM` | `HIGH` | `CRITICAL`

Analytics Endpoints

The analytics section provides aggregated intelligence across the database. All analytics endpoints are **publicly accessible** (no authentication required) and are rate-limited to 60 requests per minute. They are read-only and perform no mutations.

Endpoint	Description	Key Response Fields
`GET /analytics/summary`	Top-level dashboard — total threats, CO2, campaigns, organisations, petition signatures	threats.total, threats.total_co2_at_risk_megatonnes, resistance.active_campaigns
`GET /analytics/threats/by-type`	Threat count and projected CO2 grouped by threat type	threat_type, count, total_co2_tonnes, avg_co2_tonnes
`GET /analytics/threats/by-status`	Threat pipeline breakdown by approval stage	status, count, total_co2_tonnes
`GET /analytics/threats/hotspots`	Countries ranked by threat density and CO2 at risk	country, threat_count, total_co2_tonnes, total_land_affected_km2
`GET /analytics/threats/co2-at-risk`	Total projected CO2 across all non-cancelled threats with status breakdown	total_co2_at_risk_megatonnes, active_threat_count, breakdown_by_status
`GET /analytics/threats/{id}/risk-score`	Composite 0–100 risk score for a single threat (see methodology below)	risk_score, risk_band, breakdown, methodology
`GET /analytics/companies/worst-offenders`	Companies ranked by active threat count, with ESG and emissions data	rank, company, sector, esg_score, active_threat_count
`GET /analytics/campaigns/success-rate`	Win/loss/ongoing breakdown per campaign type	campaign_type, outcomes, total_signatures
`GET /analytics/resistance/coverage`	% of active threats with organised opposition — the resistance gap	coverage_percentage, threats_without_opposition, gap_analysis
`GET /analytics/resistance/most-active-organisations`	Organisations ranked by number of campaigns and petition signatures	rank, organisation, campaign_count, total_signatures
`GET /analytics/resistance/wins`	All campaigns with status WON — historical victories	campaign, organisation, threat, outcome_summary, end_date

Risk Score Methodology

The **GET /analytics/threats/{id}/risk-score** endpoint synthesises four independent dimensions into a single 0–100 score. The methodology is returned in the response body itself, making the scoring transparent and reproducible.

Component	Weight	Calculation	Rationale
CO2 Impact	40 pts	`min(co2 / 500Mt, 1.0) × 40`	Climate harm is the primary risk dimension; 500Mt = worst case (Amazon deforestation)
Corporate Exposure	25 pts	`min(companies / 5, 1.0) × 25`	More corporate actors = more entrenched financial interests = harder to stop

Resistance Gap	25 pts	`max(0, 1 – min(active_campaigns/3, 1)) × 25`	Absence of organised opposition increases risk; each active campaign reduces score
Geographic Risk	10 pts	`country_multiplier × 10 (0.5–0.95)`	Weaker regulatory environments (e.g. Uganda 0.95) score higher than strong ones (Norway 0.5)

Band	Score Range	Interpretation
LOW	0 – 24	Limited impact, well-opposed, or strong regulatory environment
MEDIUM	25 – 49	Moderate threat — some opposition or moderate CO2 impact
HIGH	50 – 74	Significant threat with limited opposition or high emissions
CRITICAL	75 – 100	Severe climate impact, multiple corporate actors, weak resistance

Climate Threat & Resistance Tracker API

1.0.0 OAS 3.1

/openapi.json

A living registry of environmental threats and the movements opposing them.

Authorize

Authentication

POST /auth/register Register

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "email": "user@example.com",
  "username": "string",
  "password": "string",
  "role": "READER"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header.	*No links*

Code	Description	Links

Example Value Schema


```
{
  "id": "string",
  "email": "string",
  "username": "string",
  "role": "ADMIN",
  "is_active": true,
  "created_at": "2026-03-20T18:15:36.278Z"
}
```


400 Bad Request *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": "Not found"
}
```


422 Validation Error *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/auth/token` Login

Parameters Try it out

No parameters

Request body required **application/json**

Example Value Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "access_token": "string", "token_type": "string", "username": "string", "role": "ADMIN" }`	*No links*
401	Unauthorized Media type **application/json** **Example Value** Schema `{ "detail": "Not found" }`	*No links*

Code	Description	Links
422	Validation Error	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/auth/me` Get Me

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "id": "string",
  "email": "string",
  "username": "string",
  "role": "ADMIN",
  "is_active": true,
  "created_at": "2026-03-20T18:15:36.287Z"
}
```

401	Unauthorized	*No links*

Media type

Code	Description	Links

application/json

Example Value Schema

```
{
  "detail": "Not found"
}
```

PUT /auth/users/{user_id} Update User

Parameters

Try it out

Name	Description
user_id * required string (path)	user_id

Request body required

application/json

Example Value Schema

```
{
  "email": "user@example.com",
  "username": "string",
  "role": "ADMIN",
  "is_active": true
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema { "id": "string", "email": "string",	*No links*

Code	Description	Links


```
  "username": "string",
  "role": "ADMIN",
  "is_active": true,
  "created_at": "2026-03-20T18:15:36.290Z"
}
```


401 Unauthorized

No links

Media type

application/json

Example Value Schema


```
{
  "detail": "Not found"
}
```


403 Forbidden

No links

Media type

application/json

Example Value Schema


```
{
  "detail": "Not found"
}
```


404 Not Found

No links

Media type

application/json

Example Value Schema


```
{
  "detail": "Not found"
}
```


422 Validation Error

No links

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
```

Code	Description	Links
	] }	

Threats

GET /threats/ Get Threats

Parameters Try it out

Name	Description
status string | (string | null) *(query)*	*Available values* : PROPOSED, APPROVED, UNDER_CONSTRUCTION, OPERATIONAL, SUSPENDED, CANCELLED --
country string | (string | null) *(query)*	country
threat_type string | (string | null) *(query)*	*Available values* : PIPELINE, DEFORESTATION, AIR_POLLUTION, MINING, OFFSHORE_DRILLING --
min_co2 number | (number | null) *(query)*	min_co2
max_co2 number | (number | null) *(query)*	max_co2
skip integer *(query)*	*Default value* : 0 0
limit integer *(query)*	*Default value* : 100 100

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
[
  {
    "name": "string",
    "threat_type": "PIPELINE",
    "status": "PROPOSED",
    "country": "string",
    "region": "string",
    "description": "string",
    "estimated_co2_impact_tonnes": 0,
    "land_area_affected_km2": 0,
    "latitude": 0,
    "longitude": 0,
    "source_url": "string",
    "id": "string",
    "created_at": "2026-03-20T18:15:36.299Z",
    "updated_at": "2026-03-20T18:15:36.299Z"
  }
]
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/threats/` Create Threat

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "name": "string",
  "threat_type": "PIPELINE",
  "status": "PROPOSED",
  "country": "string",
  "region": "string",
  "description": "string",
  "estimated_co2_impact_tonnes": 0,
  "land_area_affected_km2": 0,
  "latitude": 0,
  "longitude": 0,
  "source_url": "string"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header.	*No links*
401	Unauthorized Media type application/json	*No links*

Example Value Schema

```
{
  "name": "string",
  "threat_type": "PIPELINE",
  "status": "PROPOSED",
  "country": "string",
  "region": "string",
  "description": "string",
  "estimated_co2_impact_tonnes": 0,
  "land_area_affected_km2": 0,
  "latitude": 0,
  "longitude": 0,
  "source_url": "string",
  "id": "string",
  "created_at": "2026-03-20T18:15:36.302Z",
  "updated_at": "2026-03-20T18:15:36.302Z"
}
```

Example Value Schema

```
{
  "detail": "Not found"
}
```

Code	Description	Links
422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/threats/{threat_id}` Get Threat

Parameters Try it out

Name	Description
threat_id * required `string` *(path)*	threat_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "name": "string",
  "threat_type": "PIPELINE",
  "status": "PROPOSED",
```

Code	Description	Links


```
  "country": "string",
  "region": "string",
  "description": "string",
  "estimated_co2_impact_tonnes": 0,
  "land_area_affected_km2": 0,
  "latitude": 0,
  "longitude": 0,
  "source_url": "string",
  "id": "string",
  "created_at": "2026-03-20T18:15:36.305Z",
  "updated_at": "2026-03-20T18:15:36.305Z"
}
```


404 Not Found *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": "Not found"
}
```


422 Validation Error *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


PUT `/threats/{threat_id}` Update Threat

Parameters Try it out

Name	Description
threat_id * required `string` *(path)*	threat_id

Request body required

application/json

Example Value Schema


```
{
  "name": "string",
  "threat_type": "PIPELINE",
  "status": "PROPOSED",
  "country": "string",
  "region": "string",
  "description": "string",
  "estimated_co2_impact_tonnes": 0,
  "land_area_affected_km2": 0,
  "latitude": 0,
  "longitude": 0,
  "source_url": "string"
}
```


Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*
401	Unauthorized Media type application/json **Example Value** Schema	*No links*


```
{
  "name": "string",
  "threat_type": "PIPELINE",
  "status": "PROPOSED",
  "country": "string",
  "region": "string",
  "description": "string",
  "estimated_co2_impact_tonnes": 0,
  "land_area_affected_km2": 0,
  "latitude": 0,
  "longitude": 0,
  "source_url": "string",
  "id": "string",
  "created_at": "2026-03-20T18:15:36.309Z",
  "updated_at": "2026-03-20T18:15:36.309Z"
}
```



```
{
  "detail": "Not found"
}
```

Code	Description	Links
404	Not Found Media type application/json **Example Value** Schema	*No links*

```
{
  "detail": "Not found"
}
```

422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/threats/{threat_id}` Delete Threat

Parameters Try it out

Name	Description
threat_id * required `string` *(path)*	threat_id

Responses

Code	Description	Links
204	Successful Response	*No links*
401	Unauthorized	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": "Not found"
}
```

404	Not Found	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": "Not found"
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Companies

GET `/companies/` Get Companies

Parameters Try it out

Name	Description
sector `string	(string | null)` *(query)*	*Available values* : OIL_GAS, AGRICULTURE, MINING, AVIATION, SHIPPING, ENERGY, MANUFACTURING --
country `string	(string | null)` *(query)*	country
is_paris_signatory `boolean	(boolean | null)` *(query)*	--
max_esg_score `number	(number | null)` *(query)*	max_esg_score
min_emissions `number	(number | null)` *(query)*	min_emissions
skip `integer` *(query)*	*Default value* : 0 0
limit `integer` *(query)*	*Default value* : 100 100

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
[
  {
    "name": "string",
    "sector": "OIL_GAS",
```

Code	Description	Links


```
    "country_of_registration": "string",
    "description": "string",
    "esg_score": 0,
    "annual_emissions_mtonnes": 0,
    "is_paris_signatory": false,
    "website": "string",
    "id": "string",
    "created_at": "2026-03-20T18:15:36.326Z",
    "updated_at": "2026-03-20T18:15:36.326Z"
  }
]
```


422 Validation Error *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/companies/` Create Company

Parameters **Try it out**

No parameters

Request body required **application/json**

Example Value Schema


```
{
  "name": "string",
  "sector": "OIL_GAS",
  "country_of_registration": "string",
  "description": "string",
  "esg_score": 0,
  "annual_emissions_mtonnes": 0,
  "is_paris_signatory": false,
  "website": "string"
}
```

Responses

Code	Description	Links
201	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "name": "string",
  "sector": "OIL_GAS",
  "country_of_registration": "string",
  "description": "string",
  "esg_score": 0,
  "annual_emissions_mtonnes": 0,
  "is_paris_signatory": false,
  "website": "string",
  "id": "string",
  "created_at": "2026-03-20T18:15:36.329Z",
  "updated_at": "2026-03-20T18:15:36.329Z"
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/companies/{company_id}` Get Company

Parameters

Try it out

Name	Description
company_id * required `string` *(path)*	company_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header.	*No links*
422	Validation Error Media type **application/json**	*No links*

Example Value Schema

```
{
  "name": "string",
  "sector": "OIL_GAS",
  "country_of_registration": "string",
  "description": "string",
  "esg_score": 0,
  "annual_emissions_mtonnes": 0,
  "is_paris_signatory": false,
  "website": "string",
  "id": "string",
  "created_at": "2026-03-20T18:15:36.332Z",
  "updated_at": "2026-03-20T18:15:36.332Z"
}
```

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PUT /companies/{company_id} Update Company

Parameters

Try it out

Name	Description
company_id * required string *(path)*	company_id

Request body required

application/json

Example Value Schema

```
{
  "name": "string",
  "sector": "OIL_GAS",
  "country_of_registration": "string",
  "description": "string",
  "esg_score": 0,
  "annual_emissions_mtonnes": 0,
  "is_paris_signatory": false,
  "website": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** Schema	*No links*

```
{
  "name": "string",
  "sector": "OIL_GAS",
  "country_of_registration": "string",
  "description": "string",
  "esg_score": 0,
  "annual_emissions_mtonnes": 0,
  "is_paris_signatory": false,
  "website": "string",
  "id": "string",
  "created_at": "2026-03-20T18:15:36.335Z",
  "updated_at": "2026-03-20T18:15:36.335Z"
}
```

Code	Description	Links
422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


DELETE `/companies/{company_id}` Delete Company

Parameters

Try it out

Name	Description
company_id * required `string` *(path)*	company_id

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
```

Code	Description	Links


```
            "string",
            0
          ],
          "msg": "string",
          "type": "string",
          "input": "string",
          "ctx": {}
        }
      ]
    }
```


GET `/companies/{company_id}/threats` Get Company Threats

Parameters Try it out

Name	Description
company_id * required `string` *(path)*	company_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
[
  {
    "additionalProp1": {}
  }
]
```


422	Validation Error Media type **application/json** **Example Value** Schema	*No links*


```
{
  "detail": [
    {
```

Code	Description	Links


```
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


Organisations

GET `/organisations/` Get Organisations

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
[
  {
    "name": "string",
    "org_type": "GRASSROOTS",
    "country": "string",
    "description": "string",
    "founding_date": "2026-03-20",
    "website": "string",
    "member_count": 0,
    "is_active": true,
    "id": "string",
    "created_at": "2026-03-20T18:15:36.341Z",
    "updated_at": "2026-03-20T18:15:36.341Z"
  }
]
```


POST `/organisations/` Create Organisation

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "name": "string",
  "org_type": "GRASSROOTS",
  "country": "string",
  "description": "string",
  "founding_date": "2026-03-20",
  "website": "string",
  "member_count": 0,
  "is_active": true
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*
422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "name": "string",
  "org_type": "GRASSROOTS",
  "country": "string",
  "description": "string",
  "founding_date": "2026-03-20",
  "website": "string",
  "member_count": 0,
  "is_active": true,
  "id": "string",
  "created_at": "2026-03-20T18:15:36.347Z",
  "updated_at": "2026-03-20T18:15:36.347Z"
}
```

```
{
  "detail": [
    {
```

Code	Description	Links


```
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/organisations/{org_id}` Get Organisation

Parameters Try it out

Name	Description
org_id * required `string` *(path)*	org_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "name": "string",
  "org_type": "GRASSROOTS",
  "country": "string",
  "description": "string",
  "founding_date": "2026-03-20",
  "website": "string",
  "member_count": 0,
  "is_active": true,
  "id": "string",
  "created_at": "2026-03-20T18:15:36.349Z",
  "updated_at": "2026-03-20T18:15:36.349Z"
}
```


422	Validation Error Media type	*No links*

Code	Description	Links

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


PUT /organisations/{org_id} Update Organisation

Parameters

Try it out

Name	Description
org_id * required string *(path)*	org_id

Request body required

application/json

Example Value Schema


```
{
  "name": "string",
  "org_type": "GRASSROOTS",
  "country": "string",
  "description": "string",
  "founding_date": "2026-03-20",
  "website": "string",
  "member_count": 0,
  "is_active": true
}
```


Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "name": "string",
  "org_type": "GRASSROOTS",
  "country": "string",
  "description": "string",
  "founding_date": "2026-03-20",
  "website": "string",
  "member_count": 0,
  "is_active": true,
  "id": "string",
  "created_at": "2026-03-20T18:15:36.352Z",
  "updated_at": "2026-03-20T18:15:36.352Z"
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


DELETE `/organisations/{org_id}` Delete Organisation

Parameters Try it out

Name	Description
org_id * required `string` *(path)*	org_id

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/organisations/{org_id}/campaigns` Get Organisation Campaigns

Parameters

Try it out

Name	Description
org_id * required `string` *(path)*	org_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

Code	Description	Links
	application/json Controls `Accept` header. **Example Value** Schema `[ { "additionalProp1": {} } ]`	
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

Campaigns

GET `/campaigns/` Get Campaigns

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json**	*No links*

Code	Description	Links
	Controls `Accept` header.	

Example Value Schema


```
[
  {
    "campaign_name": "string",
    "campaign_type": "LEGAL_CHALLENGE",
    "status": "ACTIVE",
    "organisation_id": "string",
    "threat_id": "string",
    "start_date": "2026-03-20",
    "end_date": "2026-03-20",
    "outcome_summary": "string",
    "signatures_count": 0,
    "id": "string",
    "created_at": "2026-03-20T18:15:36.359Z",
    "updated_at": "2026-03-20T18:15:36.359Z"
  }
]
```


POST `/campaigns/` Create Campaign

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema


```
{
  "campaign_name": "string",
  "campaign_type": "LEGAL_CHALLENGE",
  "status": "ACTIVE",
  "organisation_id": "string",
  "threat_id": "string",
  "start_date": "2026-03-20",
  "end_date": "2026-03-20",
  "outcome_summary": "string",
  "signatures_count": 0
}
```


Responses

Code	Description	Links
201	Successful Response Media type application/json	*No links*

Code	Description	Links
	Controls `Accept` header.	

Example Value Schema


```
{
  "campaign_name": "string",
  "campaign_type": "LEGAL_CHALLENGE",
  "status": "ACTIVE",
  "organisation_id": "string",
  "threat_id": "string",
  "start_date": "2026-03-20",
  "end_date": "2026-03-20",
  "outcome_summary": "string",
  "signatures_count": 0,
  "id": "string",
  "created_at": "2026-03-20T18:15:36.362Z",
  "updated_at": "2026-03-20T18:15:36.362Z"
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/campaigns/{campaign_id}` Get Campaign

Parameters Try it out

Name	Description
campaign_id * required `string` *(path)*	campaign_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "campaign_name": "string",
  "campaign_type": "LEGAL_CHALLENGE",
  "status": "ACTIVE",
  "organisation_id": "string",
  "threat_id": "string",
  "start_date": "2026-03-20",
  "end_date": "2026-03-20",
  "outcome_summary": "string",
  "signatures_count": 0,
  "id": "string",
  "created_at": "2026-03-20T18:15:36.365Z",
  "updated_at": "2026-03-20T18:15:36.365Z"
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


PUT `/campaigns/{campaign_id}` Update Campaign

Parameters Try it out

Name	Description
campaign_id * required `string` *(path)*	campaign_id

Request body required

application/json

Example Value Schema


```
{
  "campaign_name": "string",
  "campaign_type": "LEGAL_CHALLENGE",
  "status": "ACTIVE",
  "organisation_id": "string",
  "threat_id": "string",
  "start_date": "2026-03-20",
  "end_date": "2026-03-20",
  "outcome_summary": "string",
  "signatures_count": 0
}
```


Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*
422	Validation Error Media type application/json **Example Value** Schema	*No links*


```
{
  "campaign_name": "string",
  "campaign_type": "LEGAL_CHALLENGE",
  "status": "ACTIVE",
  "organisation_id": "string",
  "threat_id": "string",
  "start_date": "2026-03-20",
  "end_date": "2026-03-20",
  "outcome_summary": "string",
  "signatures_count": 0,
  "id": "string",
  "created_at": "2026-03-20T18:15:36.369Z",
  "updated_at": "2026-03-20T18:15:36.369Z"
}
```



```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
```

Code	Description	Links

```
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/campaigns/{campaign_id}` Delete Campaign

Parameters Try it out

Name	Description
campaign_id * required `string` *(path)*	campaign_id

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Analytics

GET `/analytics/threats/by-type` Threats By Type

Count of threats and total projected CO2 impact grouped by threat type.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*


```
[
  {
    "threat_type": "PIPELINE",
    "count": 0,
    "total_co2_tonnes": 0,
    "avg_co2_tonnes": 0
  }
]
```


GET `/analytics/threats/by-status` Threats By Status

Count of threats at each stage of the approval/construction pipeline.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
[
  {
    "status": "PROPOSED",
    "count": 0,
    "total_co2_tonnes": 0
  }
]
```

GET `/analytics/threats/hotspots` Threat Hotspots

Countries ranked by number of active threats and total CO2 at risk.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
[
  {
    "country": "string",
    "threat_count": 0,
    "total_co2_tonnes": 0,
    "total_land_affected_km2": 0
  }
]
```

GET `/analytics/threats/co2-at-risk` Co2 At Risk

Total projected CO2 from all non-cancelled threats — the headline number.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "total_co2_at_risk_tonnes": 0,
  "total_co2_at_risk_megatonnes": 0,
  "active_threat_count": 0,
  "breakdown_by_status": [
    {
      "status": "PROPOSED",
      "co2_tonnes": 0,
      "threat_count": 0
    }
  ]
}
```


GET `/analytics/companies/worst-offenders` Worst Offenders

Companies ranked by number of active threats they are linked to.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
[
  {
    "rank": 0,
    "company": "string",
    "sector": "OIL_GAS",
    "country": "string",
    "annual_emissions_mtonnes": 0,
    "esg_score": 0,
    "is_paris_signatory": true,
    "active_threat_count": 0
  }
]
```


GET `/analytics/campaigns/success-rate` Campaign Success Rate

Win/loss/ongoing breakdown by campaign type.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
[
  {
    "campaign_type": "LEGAL_CHALLENGE",
    "outcomes": [
      {
        "status": "ACTIVE",
```

Code	Description	Links


```
            "count": 0
          }
        ],
        "total_signatures": 0
      }
    ]
```


GET `/analytics/resistance/coverage` Resistance Coverage

What percentage of tracked threats have active opposition campaigns?

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header.	*No links*

Example Value Schema


```
{
  "total_active_threats": 0,
  "threats_with_active_opposition": 0,
  "threats_without_opposition": 0,
  "coverage_percentage": 0,
  "gap_analysis": "string"
}
```


GET `/analytics/resistance/most-active-organisations` Most Active Organisations

Organisations ranked by number of campaigns and total petition signatures.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
[
  {
    "rank": 0,
    "organisation": "string",
    "org_type": "GRASSROOTS",
    "country": "string",
    "member_count": 0,
    "campaign_count": 0,
    "total_signatures": 0
  }
]
```


GET `/analytics/resistance/wins` Resistance Wins

All campaigns that have been won.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header.	*No links*

Code	Description	Links
	Example Value Schema	


```
[
  {
    "campaign": "string",
    "organisation": "string",
    "threat": "string",
    "campaign_type": "LEGAL_CHALLENGE",
    "outcome_summary": "string",
    "end_date": "2026-03-20",
    "signatures": 0
  }
]
```


GET `/analytics/summary` Summary

High-level dashboard summary — the full story at a glance.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "threats": {
    "total": 0,
    "total_co2_at_risk_megatonnes": 0
  },
  "corporate_actors": {
    "total_companies": 0
  },
  "resistance": {
    "total_organisations": 0,
    "total_campaigns": 0,
    "active_campaigns": 0,
    "campaigns_won": 0,
    "total_petition_signatures": 0
  }
}
```


GET `/analytics/threats/{threat_id}/risk-score` Composite risk score for a specific threat

Synthesises CO2 impact, number of linked corporate actors, active resistance campaign coverage, and geographic regulatory context into a single weighted risk score out of 100.

Parameters Try it out

Name	Description
threat_id * required `string` *(path)*	threat_id

Responses

Code	Description	Links
200	Successful Response Media type	*No links*

Code	Description	Links

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "threat_id": "string",
  "threat_name": "string",
  "risk_score": 0,
  "risk_band": "string",
  "breakdown": {
    "co2_score": 0,
    "corporate_exposure_score": 0,
    "resistance_gap_score": 0,
    "geographic_score": 0
  },
  "methodology": "string"
}
```

404 Not Found *No links*

Media type

application/json

Example Value Schema

```
{
  "detail": "Not found"
}
```

422 Validation Error *No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Search

GET `/search/` Full-text search across threats, organisations and campaigns

Search across all major entities in the database. Returns matching threats, organisations and campaigns for a given query string. Minimum 2 characters required.

Parameters

Try it out

Name	Description
q * required string *(query)*	q

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "query": "string",
  "total_results": 0,
  "threats": [
    {
      "id": "string",
      "name": "string",
      "threat_type": "PIPELINE",
      "status": "PROPOSED",
      "country": "string",
      "estimated_co2_impact_tonnes": 0,
      "result_type": "threat"
    }
  ],
  "organisations": [
    {
      "id": "string",
      "name": "string",
      "org_type": "GRASSROOTS",
      "country": "string",
      "description": "string",
      "result_type": "organisation"
    }
  ],
  "campaigns": [
    {
      "id": "string",
      "campaign_name": "string",
```


400	Bad Request	*No links*

Code	Description	Links
	Media type **application/json** **Example Value** Schema `{ "detail": "Not found" }`	
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

default

GET / Root

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json**	*No links*

Code	Description	Links
	Controls `Accept` header. **Example Value** Schema `"string"`	

Schemas

CO2AtRiskResponse Collapse all `object`

- `total_co2_at_risk_tonnes*` `number`
- `total_co2_at_risk_megatonnes*` `number`
- `active_threat_count*` `integer`
- `breakdown_by_status*` Expand all `array<object>`

CO2BreakdownItem Collapse all `object`

- `status*` Expand all `string`
- `co2_tonnes*` `number`
- `threat_count*` `integer`

CampaignCreate Collapse all `object`

- `campaign_name*` `string`
- `campaign_type*` Expand all `string`
- `status` Expand all `string`
- `organisation_id*` `string`
- `threat_id*` `string`
- `start_date` Expand all `(string | null)`
- `end_date` Expand all `(string | null)`
- `outcome_summary` Expand all `(string | null)`
- `signatures_count` Expand all `(integer | null)`

CampaignOutcomeItem Collapse all `object`

- `status*` Expand all `string`
- `count*` `integer`

CampaignResponse ^ Collapse all object

campaign_name* string

campaign_type* > Expand all string

status > Expand all string

organisation_id* string

threat_id* string

start_date > Expand all (string | null)

end_date > Expand all (string | null)

outcome_summary > Expand all (string | null)

signatures_count > Expand all (integer | null)

id* string

created_at* string date-time

updated_at* string date-time

CampaignSearchResult ^ Collapse all object

id* string

campaign_name* string

campaign_type* > Expand all string

status* > Expand all string

outcome_summary > Expand all (string | null)

result_type > Expand all string

CampaignStatus ^ Collapse all string

Enum > Expand all array

CampaignSuccessRateResponse ^ Collapse all object

campaign_type* > Expand all string

outcomes* > Expand all array<object>

total_signatures* integer

CampaignType ^ Collapse all string

Enum > Expand all array

CampaignUpdate ^ Collapse all object

campaign_name* string

campaign_type* > Expand all string

status > Expand all string

organisation_id* string

threat_id* string

start_date > Expand all (string | null)

end_date > Expand all (string | null)

outcome_summary > Expand all (string | null)

signatures_count > Expand all (integer | null)

CompanyCreate ^ Collapse all object

name* string

sector* > Expand all string

country_of_registration* string

description > Expand all (string | null)

esg_score > Expand all (number | null)

annual_emissions_mtonnes > Expand all (number | null)

is_paris_signatory > Expand all boolean

website > Expand all (string | null)

CompanyResponse ^ Collapse all object

name* string

sector* > Expand all string

country_of_registration* string

description > Expand all (string | null)

esg_score > Expand all (number | null)

annual_emissions_mtonnes > Expand all (number | null)

is_paris_signatory > Expand all boolean

website > Expand all (string | null)

id* string

created_at* string date-time

updated_at* string date-time

CompanySector ^ Collapse all string

Enum > Expand all array

CompanyUpdate ^ Collapse all object

name* string

sector* > Expand all string

country_of_registration* string

description > Expand all (string | null)

esg_score > Expand all (number | null)

annual_emissions_mtonnes > Expand all (number | null)

is_paris_signatory > Expand all boolean

website > Expand all (string | null)

CorporateSummary ^ Collapse all object

total_companies* integer

ErrorResponse ^ Collapse all object

detail* string

Examples > Expand all array

HTTPValidationError ^ Collapse all object

detail > Expand all array<object>

MostActiveOrgResponse ^ Collapse all object

rank* integer

organisation* string

org_type* > Expand all string

country* string

member_count > Expand all (integer | null)

campaign_count* integer

total_signatures* integer

OrgType ^ Collapse all string

Enum > Expand all array

OrganisationCreate ^ Collapse all object

name* string

org_type* > Expand all string

country* string

description > Expand all (string | null)

founding_date > Expand all (string | null)

website > Expand all (string | null)

member_count > Expand all (integer | null)

is_active > Expand all boolean

OrganisationResponse ^ Collapse all object

name* string

org_type* > Expand all string

country* string

description > Expand all (string | null)

founding_date > Expand all (string | null)

website > Expand all (string | null)

member_count > Expand all (integer | null)

is_active > Expand all boolean

id* string

created_at* string date-time

updated_at* string date-time

OrganisationSearchResult ^ Collapse all object

id* string

name* string

org_type* > Expand all string

country* string

description > Expand all (string | null)

result_type > Expand all string

OrganisationUpdate ^ Collapse all object

name* string

org_type* > Expand all string

country* string

description > Expand all (string | null)

founding_date > Expand all (string | null)

website > Expand all (string | null)

member_count > Expand all (integer | null)

is_active > Expand all boolean

ResistanceCoverageResponse ^ Collapse all object

total_active_threats* integer

threats_with_active_opposition* integer

threats_without_opposition* integer

coverage_percentage* number

gap_analysis* string

ResistanceSummary ^ Collapse all object

total_organisations* integer

total_campaigns* integer

active_campaigns* integer

campaigns_won* integer

total_petition_signatures* integer

ResistanceWinResponse ^ Collapse all object

campaign* string

organisation* string

threat* string

campaign_type* > Expand all string

outcome_summary > Expand all (string | null)

end_date > Expand all (string | null)

signatures > Expand all (integer | null)

RiskScoreBreakdown ^ Collapse all object

co2_score* number

corporate_exposure_score* number

resistance_gap_score* number

geographic_score* number

SearchResponse ^ Collapse all object

query* string

total_results* integer

threats* > Expand all array<object>

organisations* > Expand all array<object>

campaigns* > Expand all array<object>

SummaryResponse ^ Collapse all object

threats* > Expand all object

corporate_actors* > Expand all object

resistance* > Expand all object

ThreatByStatusResponse ^ Collapse all object

status* > Expand all string

count* integer

total_co2_tonnes* number

ThreatByTypeResponse ^ Collapse all object

threat_type* > Expand all string

count* integer

total_co2_tonnes* number

avg_co2_tonnes* number

ThreatCreate ^ Collapse all object

name* string

threat_type* > Expand all string

status* > Expand all string

country* string

region > Expand all (string | null)

description > Expand all (string | null)

estimated_co2_impact_tonnes > Expand all (number | null)

land_area_affected_km2 > Expand all (number | null)

latitude > Expand all (number | null)

longitude > Expand all (number | null)

source_url > Expand all (string | null)

ThreatHotspotResponse ^ Collapse all object

country* string

threat_count* integer

total_co2_tonnes* number

total_land_affected_km2* number

ThreatResponse ^ Collapse all object

name* string

threat_type* > Expand all string

status* > Expand all string

country* string

region > Expand all (string | null)

description > Expand all (string | null)

estimated_co2_impact_tonnes > Expand all (number | null)

land_area_affected_km2 > Expand all (number | null)

latitude > Expand all (number | null)

longitude > Expand all (number | null)

source_url > Expand all (string | null)

id* string

created_at* string date-time

updated_at* string date-time

ThreatRiskScoreResponse ^ Collapse all object

threat_id* string

threat_name* string

risk_score* number

risk_band* string

breakdown* > Expand all object

methodology* string

ThreatSearchResult ^ Collapse all object

id* string

name* string

threat_type* > Expand all string

status* > Expand all string

country* string

estimated_co2_impact_tonnes > Expand all (number | null)

result_type > Expand all string

ThreatStatus ^ Collapse all string

Enum > Expand all array

ThreatSummary ^ Collapse all object

total* integer

total_co2_at_risk_megatonnes* number

ThreatType ^ Collapse all string

Enum > Expand all array

ThreatUpdate ^ Collapse all object

name* string

threat_type* > Expand all string

status* > Expand all string

country* string

region > Expand all (string | null)

description > Expand all (string | null)

estimated_co2_impact_tonnes > Expand all (number | null)

land_area_affected_km2 > Expand all (number | null)

latitude > Expand all (number | null)

longitude > Expand all (number | null)

source_url > Expand all (string | null)

TokenResponse ^ Collapse all object

access_token* string

token_type* string

username* string

role* > Expand all string

UserCreate ^ Collapse all object

email* string email

username* string

password* string

role > Expand all string

UserLogin ^ Collapse all object

username* string

password* string

UserResponse ^ Collapse all object

id* string

email* string

username* string

role* > Expand all string

is_active* boolean

created_at* string date-time

UserRole ^ Collapse all string

Enum > Expand all `array`

UserUpdate ^ Collapse all `object`

`email` > Expand all `(string | null)`

`username` > Expand all `(string | null)`

`role` > Expand all `(string | null)`

`is_active` > Expand all `(boolean | null)`

ValidationError ^ Collapse all `object`

`loc*` > Expand all `array<(string | integer)>`

`msg*` `string`

`type*` `string`

`input` `any`

`ctx` `object`

WorstOffenderResponse ^ Collapse all `object`

`rank*` `integer`

`company*` `string`

`sector*` > Expand all `string`

`country*` `string`

`annual_emissions_mtonnes` > Expand all `(number | null)`

`esg_score` > Expand all `(number | null)`

`is_paris_signatory*` `boolean`

`active_threat_count*` `integer`