② **<div>**

1) Block Element
2) supports align Attribute, div tag displayed in new line.
3) this tag is used to wrap a section for highlighting that section.

<span>

1) Inline Element.
2) No Align attribute, does not begin a new line.
3) this tag is used to wrap any specific words that we want to highlight in our webpage.

Ex:-
```
<body>
    <div> Ashu </div>
    <div> AshuX </div>
    <div> XAshuX </div>
</body>
```

O/P.

Ashu	
AshuX	
XAshuX	

Ex:-
```
<body>
    <P>Abs<span>Ashu
    </span>ent</P>
</body>
```

Ex:-
```
<body>
    <P> <span style="back
    ground-color;green">
    Ashu </span>tosh
    </P>
```

O/P.
Ashutosh

Green ←
color.

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <div style="background-color:red;"> Ashu </div>
    <div style="background-color:aqua;">x Ashu </div>
    <div style="background-color:blueviolet;"> X Ashu X </div>
    <div style="background-color:green;"> ashutosh </div>
</body>
</html>
```

Ashu
x Ashu
X Ashu X
ashutosh

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <p>Ashu<span style="background-color: cyan;">Tosh</span> Sahoo</p>
</body>
</html>
```

AshuTosh Sahoo