



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49



50–89



90–100



METRICS

[Expand view](#)

- First Contentful Paint

0.8 s

- Total Blocking Time

190 ms


- Speed Index

- Largest Contentful Paint

1.1 s

- Cumulative Layout Shift

0

3.7 s

Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

[Go back to audits](#)

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

▲ Document request latency — Est savings of 1,160 ms ^

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. [LCP](#) [FCP](#)

✓ Avoids redirects

✓ Applies text compression

✗ Server responded slowly (observed 1257 ms)

▲ Render blocking requests — Est savings of 300 ms ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#)

URL

Transfer Size

Duration

URL	Transfer Size	Duration
netlify.app 1st Party	3.3 KiB	180 ms
/css/style.css (ticktock-jiro.netlify.app)	3.3 KiB	180 ms

▲ Network dependency tree ^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [LCP](#)

Maximum critical path latency: 3,874 ms

Initial Navigation



```
...es2022/previousTuesday.mjs (esm.sh) - 3,201 ms, 0.53 KiB
...es2022/getDecade.mjs (esm.sh) - 2,897 ms, 0.56 KiB
...es2022/endOfMinute.mjs (esm.sh) - 2,831 ms, 0.55 KiB
...es2022/addDays.mjs (esm.sh) - 2,823 ms, 0.59 KiB
...es2022/startOfWeek.mjs (esm.sh) - 3,186 ms, 0.65 KiB
...es2022/setWeek.mjs (esm.sh) - 3,205 ms, 0.57 KiB
...es2022/formatISO.mjs (esm.sh) - 2,884 ms, 0.89 KiB
...es2022/differenceInMinutes.mjs (esm.sh) - 2,711 ms, 0.61 KiB
...es2022/getISOWeeksInYear.mjs (esm.sh) - 2,904 ms, 0.61 KiB
...es2022/startOfYesterday.mjs (esm.sh) - 3,262 ms, 0.60 KiB
...es2022/fromUnixTime.mjs (esm.sh) - 2,895 ms, 0.54 KiB
...es2022/formatDistanceToNow.mjs (esm.sh) - 2,884 ms, 0.55 KiB
...es2022/transpose.mjs (esm.sh) - 3,266 ms, 0.64 KiB
...es2022/clamp.mjs (esm.sh) - 2,711 ms, 0.64 KiB
...es2022/eachDayOfInterval.mjs (esm.sh) - 2,712 ms, 0.70 KiB
..._lib/normalizeInterval.mjs (esm.sh) - 3,275 ms, 0.55 KiB
...es2022/milliseconds.mjs (esm.sh) - 2,992 ms, 0.66 KiB
...es2022/getMilliseconds.mjs (esm.sh) - 2,902 ms, 0.54 KiB
...es2022/isDate.mjs (esm.sh) - 2,915 ms, 0.55 KiB
...es2022/yearsToDays.mjs (esm.sh) - 3,271 ms, 0.54 KiB
...es2022/add.mjs (esm.sh) - 2,876 ms, 0.70 KiB
...es2022/intlFormat.mjs (esm.sh) - 2,913 ms, 0.60 KiB
...es2022/monthsToQuarters.mjs (esm.sh) - 2,997 ms, 0.55 KiB
...es2022/isAfter.mjs (esm.sh) - 2,912 ms, 0.53 KiB
...es2022/compareDesc.mjs (esm.sh) - 2,704 ms, 0.55 KiB
...es2022/isToday.mjs (esm.sh) - 2,973 ms, 0.57 KiB
...es2022/isSameMinute.mjs (esm.sh) - 2,966 ms, 0.54 KiB
...es2022/getWeekOfMonth.mjs (esm.sh) - 2,907 ms, 0.69 KiB
...es2022/isTuesday.mjs (esm.sh) - 2,978 ms, 0.54 KiB
...es2022/isSaturday.mjs (esm.sh) - 2,979 ms, 0.54 KiB
...es2022/startOfDay.mjs (esm.sh) - 3,265 ms, 0.55 KiB
...es2022/getYear.mjs (esm.sh) - 2,905 ms, 0.54 KiB
...es2022/isSameISOWeekYear.mjs (esm.sh) - 2,985 ms, 0.63 KiB
...es2022/formatRFC7231.mjs (esm.sh) - 2,897 ms, 0.86 KiB
...es2022/endOfWeek.mjs (esm.sh) - 2,880 ms, 0.66 KiB
...es2022/endOfToday.mjs (esm.sh) - 2,878 ms, 0.54 KiB
...es2022/subYears.mjs (esm.sh) - 3,208 ms, 0.53 KiB
```


- ...es2022/isThisMonth.mjs (esm.sh) - **2,998 ms**, 0.57 KiB
- ...es2022/secondsToMinutes.mjs (esm.sh) - **3,175 ms**, 0.55 KiB
- ...es2022/subMonths.mjs (esm.sh) - **3,210 ms**, 0.53 KiB
- ...es2022/isLastDayOfMonth.mjs (esm.sh) - **2,978 ms**, 0.58 KiB
- ...es2022/addISOWeekYears.mjs (esm.sh) - **2,703 ms**, 0.55 KiB
- ...es2022/differenceInDays.mjs (esm.sh) - **2,712 ms**, 0.73 KiB
- ...es2022/getWeeksInMonth.mjs (esm.sh) - **2,905 ms**, 0.61 KiB
- ...es2022/isMonday.mjs (esm.sh) - **2,964 ms**, 0.54 KiB
- ...es2022/differenceInYears.mjs (esm.sh) - **2,797 ms**, 0.65 KiB
- ...es2022/formatDuration.mjs (esm.sh) - **2,885 ms**, 0.76 KiB
- ...es2022/startOfToday.mjs (esm.sh) - **3,182 ms**, 0.54 KiB
- ...es2022/previousFriday.mjs (esm.sh) - **3,183 ms**, 0.53 KiB
- ...es2022/lastDayOfISOWeek.mjs (esm.sh) - **2,995 ms**, 0.55 KiB
- ...es2022/minutesToSeconds.mjs (esm.sh) - **2,995 ms**, 0.55 KiB
- ...es2022/addBusinessDays.mjs (esm.sh) - **2,670 ms**, 0.75 KiB
- ...es2022/getISOWeekYear.mjs (esm.sh) - **2,906 ms**, 0.66 KiB
- ...es2022/isSameYear.mjs (esm.sh) - **2,997 ms**, 0.57 KiB
- ...es2022/previousWednesday.mjs (esm.sh) - **3,168 ms**, 0.53 KiB
- ...es2022/getUnixTime.mjs (esm.sh) - **2,907 ms**, 0.54 KiB
- ...es2022/endOfMonth.mjs (esm.sh) - **2,830 ms**, 0.59 KiB
- ...es2022/millisecondsToHours.mjs (esm.sh) - **2,999 ms**, 0.55 KiB
- ...es2022/endOfYear.mjs (esm.sh) - **2,883 ms**, 0.58 KiB
- ...es2022/hoursToMinutes.mjs (esm.sh) - **2,886 ms**, 0.55 KiB
- ...es2022/quartersToMonths.mjs (esm.sh) - **3,165 ms**, 0.54 KiB
- ...es2022/eachMonthOfInterval.mjs (esm.sh) - **2,803 ms**, 0.70 KiB
- ...es2022/subQuarters.mjs (esm.sh) - **3,213 ms**, 0.53 KiB
- ...es2022/getHours.mjs (esm.sh) - **2,906 ms**, 0.54 KiB
- ...es2022/isSameHour.mjs (esm.sh) - **2,974 ms**, 0.58 KiB
- ...es2022/isPast.mjs (esm.sh) - **2,970 ms**, 0.53 KiB
- ...es2022/interval.mjs (esm.sh) - **2,911 ms**, 0.64 KiB
- ...es2022/startOfTomorrow.mjs (esm.sh) - **3,201 ms**, 0.62 KiB
- ...es2022/differenceInCalendarISOWeekYears.mjs (esm.sh) - **2,706 ms**, 0.63 KiB
- ...es2022/isSameMonth.mjs (esm.sh) - **2,969 ms**, 0.58 KiB
- ...es2022/differenceInHours.mjs (esm.sh) - **2,711 ms**, 0.62 KiB
- ...es2022/sub.mjs (esm.sh) - **3,186 ms**, 0.66 KiB
- ...es2022/subBusinessDays.mjs (esm.sh) - **3,271 ms**, 0.53 KiB
- ...es2022/isSameDay.mjs (esm.sh) - **2,971 ms**, 0.58 KiB

```
...es2022/startOfHour.mjs (esm.sh) - 3,276 ms, 0.55 KiB
...es2022/min.mjs (esm.sh) - 3,005 ms, 0.63 KiB
...es2022/minutesToMilliseconds.mjs (esm.sh) - 2,996 ms, 0.55 KiB
...es2022/differenceInBusinessDays.mjs (esm.sh) - 2,705 ms, 0.77 KiB
...es2022/isEqual.mjs (esm.sh) - 2,913 ms, 0.53 KiB
...es2022/formatDistanceToNowStrict.mjs (esm.sh) - 2,880 ms, 0.56 KiB
...es2022/isWithinInterval.mjs (esm.sh) - 2,974 ms, 0.59 KiB
...es2022/previousSaturday.mjs (esm.sh) - 3,265 ms, 0.53 KiB
...es2022/subDays.mjs (esm.sh) - 3,207 ms, 0.53 KiB
...es2022/startOfQuarter.mjs (esm.sh) - 3,202 ms, 0.58 KiB
...es2022/formatDistanceStrict.mjs (esm.sh) - 2,881 ms, 1.34 KiB
...locale/en-US.mjs (esm.sh) - 3,269 ms, 0.83 KiB
..._lib/buildFormatLongFn.mjs (esm.sh) - 3,364 ms, 0.56 KiB
..._lib/match.mjs (esm.sh) - 3,365 ms, 1.39 KiB
..._lib/buildMatchFn.mjs (esm.sh) - 3,476 ms, 0.76 KiB
..._lib/buildMatchPatternFn.mjs (esm.sh) - 3,475 ms, 0.62 KiB
..._lib/localize.mjs (esm.sh) - 3,367 ms, 1.32 KiB
..._lib/buildLocalizeFn.mjs (esm.sh) - 3,476 ms, 0.66 KiB
..._lib/formatRelative.mjs (esm.sh) - 3,370 ms, 0.60 KiB
..._lib/formatDistance.mjs (esm.sh) - 3,323 ms, 0.96 KiB
...es2022/isValid.mjs (esm.sh) - 2,990 ms, 0.56 KiB
...es2022/max.mjs (esm.sh) - 2,987 ms, 0.63 KiB
...es2022/endOfISOWeekYear.mjs (esm.sh) - 2,832 ms, 0.64 KiB
...es2022/lastDayOfWeek.mjs (esm.sh) - 3,014 ms, 0.64 KiB
...es2022/lastDayOfISOWeekYear.mjs (esm.sh) - 2,988 ms, 0.64 KiB
...es2022/isSameWeek.mjs (esm.sh) - 2,971 ms, 0.58 KiB
...es2022/endOfHour.mjs (esm.sh) - 2,816 ms, 0.55 KiB
...es2022/isFuture.mjs (esm.sh) - 2,965 ms, 0.53 KiB
...es2022/parse.mjs (esm.sh) - 3,194 ms, 5.62 KiB
...es2022/formatDistance.mjs (esm.sh) - 2,879 ms, 1.27 KiB
...es2022/isThisWeek.mjs (esm.sh) - 2,976 ms, 0.58 KiB
...es2022/differenceInCalendarDays.mjs (esm.sh) - 2,706 ms, 0.67 KiB
..._lib/getTimezoneOffsetInMilliseconds.mjs (esm.sh) - 3,269 ms, 0.61 KiB
..._lib/normalizeDates.mjs (esm.sh) - 3,267 ms, 0.57 KiB
...es2022/previousThursday.mjs (esm.sh) - 3,270 ms, 0.53 KiB
...es2022/setDefaultOptions.mjs (esm.sh) - 3,206 ms, 0.61 KiB
...es2022/getDaysInYear.mjs (esm.sh) - 2,899 ms, 0.58 KiB
```

- ...es2022/secondsToHours.mjs (esm.sh) - **3,178 ms**, 0.55 KiB
- ...es2022/differenceInISOWeekYears.mjs (esm.sh) - **2,708 ms**, 0.72 KiB
- ...es2022/isWeekend.mjs (esm.sh) - **3,008 ms**, 0.55 KiB
- ...es2022/eachQuarterOfInterval.mjs (esm.sh) - **2,828 ms**, 0.78 KiB
- ...es2022/previousDay.mjs (esm.sh) - **3,175 ms**, 0.57 KiB
- ...es2022/eachWeekendOfInterval.mjs (esm.sh) - **2,816 ms**, 0.73 KiB
- ...es2022/isThisQuarter.mjs (esm.sh) - **3,001 ms**, 0.58 KiB
- ...es2022/addHours.mjs (esm.sh) - **2,606 ms**, 0.56 KiB
- ...es2022/constructNow.mjs (esm.sh) - **2,704 ms**, 0.53 KiB
- ...es2022/getWeek.mjs (esm.sh) - **2,900 ms**, 0.62 KiB
- ...es2022/isThisYear.mjs (esm.sh) - **3,001 ms**, 0.57 KiB
- ...es2022/endOfISOWeek.mjs (esm.sh) - **2,817 ms**, 0.54 KiB
- ...es2022/getSeconds.mjs (esm.sh) - **2,905 ms**, 0.54 KiB
- ...es2022/millisecondsToMinutes.mjs (esm.sh) - **3,000 ms**, 0.56 KiB
- ...es2022/isYesterday.mjs (esm.sh) - **3,002 ms**, 0.60 KiB
- ...es2022/previousSunday.mjs (esm.sh) - **3,208 ms**, 0.53 KiB
- ...es2022/getDefaultOptions.mjs (esm.sh) - **2,900 ms**, 0.53 KiB
- ...es2022/closestIndexTo.mjs (esm.sh) - **2,702 ms**, 0.63 KiB
- ...es2022/isFriday.mjs (esm.sh) - **2,967 ms**, 0.54 KiB
- ...es2022/setMilliseconds.mjs (esm.sh) - **3,203 ms**, 0.55 KiB
- ...es2022/startOfISOWeek.mjs (esm.sh) - **3,202 ms**, 0.55 KiB
- ...es2022/setMonth.mjs (esm.sh) - **3,208 ms**, 0.65 KiB
- ...es2022/subISOWeekYears.mjs (esm.sh) - **3,204 ms**, 0.54 KiB
- ...es2022/eachWeekOfInterval.mjs (esm.sh) - **2,877 ms**, 0.75 KiB
- ...es2022/isSameSecond.mjs (esm.sh) - **2,988 ms**, 0.54 KiB
- ...es2022/getOverlappingDaysInIntervals.mjs (esm.sh) - **2,902 ms**, 0.76 KiB
- ...es2022/setYear.mjs (esm.sh) - **3,275 ms**, 0.59 KiB
- ...es2022/lastDayOfMonth.mjs (esm.sh) - **3,009 ms**, 0.59 KiB
- ...es2022/getTime.mjs (esm.sh) - **2,904 ms**, 0.52 KiB
- ...es2022/setWeekYear.mjs (esm.sh) - **3,206 ms**, 0.72 KiB
- ...es2022/subWeeks.mjs (esm.sh) - **3,204 ms**, 0.53 KiB
- ...es2022/yearsToQuarters.mjs (esm.sh) - **3,265 ms**, 0.54 KiB
- ...es2022/differenceInCalendarISOWeeks.mjs (esm.sh) - **2,709 ms**, 0.78 KiB
- ...es2022/toDate.mjs (esm.sh) - **3,207 ms**, 0.53 KiB
- ...es2022/setDay.mjs (esm.sh) - **3,165 ms**, 0.67 KiB
- ...es2022/addQuarters.mjs (esm.sh) - **2,606 ms**, 0.54 KiB
- ...es2022/endOfDay.mjs (esm.sh) - **2,830 ms**, 0.55 KiB

```
...es2022/formatISO9075.mjs (esm.sh) - 2,885 ms, 0.81 KiB
...es2022/differenceInSeconds.mjs (esm.sh) - 2,709 ms, 0.59 KiB
..._lib/getRoundingMethod.mjs (esm.sh) - 3,268 ms, 0.53 KiB
...es2022/differenceInMilliseconds.mjs (esm.sh) - 2,712 ms, 0.54 KiB
...es2022/yearsToMonths.mjs (esm.sh) - 3,204 ms, 0.54 KiB
...es2022/subMinutes.mjs (esm.sh) - 3,203 ms, 0.53 KiB
...es2022/subHours.mjs (esm.sh) - 3,277 ms, 0.53 KiB
...es2022/setISOWeekYear.mjs (esm.sh) - 3,202 ms, 0.67 KiB
...es2022/nextFriday.mjs (esm.sh) - 3,014 ms, 0.53 KiB
...es2022/differenceInCalendarQuarters.mjs (esm.sh) - 2,705 ms, 0.65 KiB
...es2022/formatISODuration.mjs (esm.sh) - 2,895 ms, 0.59 KiB
...es2022/isWednesday.mjs (esm.sh) - 3,010 ms, 0.54 KiB
...es2022/nextThursday.mjs (esm.sh) - 3,080 ms, 0.53 KiB
...es2022/setHours.mjs (esm.sh) - 3,271 ms, 0.54 KiB
...es2022/intlFormatDistance.mjs (esm.sh) - 2,915 ms, 1.17 KiB
...es2022/lastDayOfDecade.mjs (esm.sh) - 2,989 ms, 0.60 KiB
...es2022/roundToNearestHours.mjs (esm.sh) - 3,167 ms, 0.73 KiB
...es2022/isThisISOWeek.mjs (esm.sh) - 3,003 ms, 0.58 KiB
...es2022/addSeconds.mjs (esm.sh) - 2,700 ms, 0.54 KiB
...es2022/startOfYear.mjs (esm.sh) - 3,183 ms, 0.57 KiB
...es2022/setSeconds.mjs (esm.sh) - 3,182 ms, 0.54 KiB
...es2022/addWeeks.mjs (esm.sh) - 2,672 ms, 0.53 KiB
...es2022/subMilliseconds.mjs (esm.sh) - 3,208 ms, 0.54 KiB
...es2022/startOfWeekYear.mjs (esm.sh) - 3,212 ms, 0.67 KiB
...es2022/startOfMinute.mjs (esm.sh) - 3,266 ms, 0.55 KiB
...es2022/addMinutes.mjs (esm.sh) - 2,603 ms, 0.58 KiB
...es2022/constants.mjs (esm.sh) - 3,213 ms, 0.82 KiB
...es2022/getDayOfYear.mjs (esm.sh) - 2,898 ms, 0.59 KiB
...es2022/areIntervalsOverlapping.mjs (esm.sh) - 2,699 ms, 0.61 KiB
...es2022/set.mjs (esm.sh) - 3,169 ms, 0.69 KiB
...es2022/endOfDecade.mjs (esm.sh) - 2,823 ms, 0.60 KiB
...es2022/differenceInQuarters.mjs (esm.sh) - 2,709 ms, 0.58 KiB
...es2022/getQuarter.mjs (esm.sh) - 2,903 ms, 0.56 KiB
...es2022/getMinutes.mjs (esm.sh) - 2,901 ms, 0.54 KiB
...es2022/minutesToHours.mjs (esm.sh) - 3,012 ms, 0.55 KiB
...es2022/nextMonday.mjs (esm.sh) - 2,993 ms, 0.53 KiB
...es2022/setDayOfYear.mjs (esm.sh) - 3,171 ms, 0.56 KiB
```

- ...es2022/addMonths.mjs (esm.sh) - **2,693 ms**, 0.66 KiB
- ...es2022/nextDay.mjs (esm.sh) - **3,013 ms**, 0.56 KiB
- ...es2022/eachWeekendOfYear.mjs (esm.sh) - **2,815 ms**, 0.59 KiB
- ...es2022/intervalToDuration.mjs (esm.sh) - **2,909 ms**, 0.81 KiB
- ...es2022/getDay.mjs (esm.sh) - **2,899 ms**, 0.53 KiB
- ...es2022/parseISO.mjs (esm.sh) - **3,174 ms**, 1.90 KiB
- ...es2022/hoursToMilliseconds.mjs (esm.sh) - **2,894 ms**, 0.55 KiB
- ...es2022/nextSunday.mjs (esm.sh) - **3,081 ms**, 0.53 KiB
- ...es2022/isTomorrow.mjs (esm.sh) - **2,994 ms**, 0.57 KiB
- ...es2022/getISODay.mjs (esm.sh) - **2,898 ms**, 0.55 KiB
- ...es2022/weeksToDays.mjs (esm.sh) - **3,214 ms**, 0.55 KiB
- ...es2022/nextSaturday.mjs (esm.sh) - **2,999 ms**, 0.53 KiB
- ...es2022/getDate.mjs (esm.sh) - **2,895 ms**, 0.53 KiB
- ...es2022/lastDayOfYear.mjs (esm.sh) - **2,986 ms**, 0.57 KiB
- ...es2022/millisecondsToSeconds.mjs (esm.sh) - **3,005 ms**, 0.55 KiB
- ...es2022/getDaysInMonth.mjs (esm.sh) - **2,898 ms**, 0.61 KiB
- ...es2022/startOfDecade.mjs (esm.sh) - **3,273 ms**, 0.59 KiB
- ...es2022/getMonth.mjs (esm.sh) - **2,906 ms**, 0.54 KiB
- ...es2022/constructFrom.mjs (esm.sh) - **2,709 ms**, 0.59 KiB
- ...es2022/eachYearOfInterval.mjs (esm.sh) - **2,804 ms**, 0.71 KiB
- ...es2022/endOfQuarter.mjs (esm.sh) - **2,878 ms**, 0.58 KiB
- ...es2022/setMinutes.mjs (esm.sh) - **3,173 ms**, 0.55 KiB
- ...es2022/hoursToSeconds.mjs (esm.sh) - **2,914 ms**, 0.54 KiB
- ...es2022/daysToWeeks.mjs (esm.sh) - **2,704 ms**, 0.55 KiB
- ...es2022/roundToNearestMinutes.mjs (esm.sh) - **3,173 ms**, 0.72 KiB
- ...es2022/formatRelative.mjs (esm.sh) - **2,905 ms**, 0.81 KiB
- ...es2022/differenceInCalendarYears.mjs (esm.sh) - **2,705 ms**, 0.62 KiB
- ...es2022/nextWednesday.mjs (esm.sh) - **3,266 ms**, 0.53 KiB
- ...es2022/endOfTomorrow.mjs (esm.sh) - **2,885 ms**, 0.61 KiB
- ...es2022/isSameISOWeek.mjs (esm.sh) - **2,979 ms**, 0.55 KiB
- ...es2022/isSameQuarter.mjs (esm.sh) - **2,980 ms**, 0.62 KiB
- ...es2022/eachHourOfInterval.mjs (esm.sh) - **2,796 ms**, 0.69 KiB
- ...es2022/isThisMinute.mjs (esm.sh) - **3,011 ms**, 0.55 KiB
- ...es2022/secondsToMilliseconds.mjs (esm.sh) - **3,164 ms**, 0.54 KiB
- ...es2022/differenceInCalendarMonths.mjs (esm.sh) - **2,711 ms**, 0.59 KiB
- ...es2022/isThisHour.mjs (esm.sh) - **2,972 ms**, 0.57 KiB
- ...es2022/setQuarter.mjs (esm.sh) - **3,266 ms**, 0.59 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first

request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

■ Use efficient cache lifetimes — Est savings of 3 KiB ^

A long cache lifetime can speed up repeat visits to your page. [Learn more](#). [LCP](#) [FCP](#)

Request	Cache TTL	Transfer Size
ESM>CDN Cdn		4 KiB
/date-fns@%5E4.1.0?target=es2022 (esm.sh)	1h	2 KiB
/date-fns@%5E4.1.0/format?target=es2022 (esm.sh)	1h	1 KiB
/date-fns-tz (esm.sh)	1h	1 KiB

■ Improve image delivery — Est savings of 4,595 KiB ^

Reducing the download time of images can improve the perceived load time of the page and LCP.


[Learn more about optimizing image size](#) [LCP](#) [FCP](#)

URL	Resource Size	Est Savings
netlify.app 1st Party	4,888.3 KiB	4,595.0 KiB
...img/quicksilver_480x200.gif (ticktock-jiro.netlify.app)	4,888.3 KiB	4,595.0 KiB
Using video formats instead of GIFs can improve the download size of animated content.		4,595.0 KiB

○ LCP breakdown ^

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. [LCP](#)

Subpart	Duration
Time to first byte	0 ms
Element render delay	2,110 ms



TickTock
`<h1 class="header__title">`

3rd parties

^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

3rd party	Transfer size	Main thread time
esm.sh	188 KiB	0 ms
...es2022/parse.mjs (esm.sh)	6 KiB	0 ms
...es2022/format.mjs (esm.sh)	3 KiB	0 ms
...es2022/toDate.mjs (esm.sh)	3 KiB	0 ms
...es2022/format.mjs (esm.sh)	3 KiB	0 ms
/date-fns@%5E4.1.0?target=es2022 (esm.sh)	2 KiB	0 ms
...es2022/date-fns.mjs (esm.sh)	2 KiB	0 ms
...es2022/parseISO.mjs (esm.sh)	2 KiB	0 ms
...tzParseTimezone/index.mjs (esm.sh)	2 KiB	0 ms
..._lib/match.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistanceStrict.mjs (esm.sh)	1 KiB	0 ms
..._lib/localize.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistance.mjs (esm.sh)	1 KiB	0 ms
...es2022/intlFormatDistance.mjs (esm.sh)	1 KiB	0 ms
..._lib/formatDistance.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatISO.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatRFC3339.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatRFC7231.mjs (esm.sh)	1 KiB	0 ms
...es2022/lightFormat.mjs (esm.sh)	1 KiB	0 ms
...locale/en-US.mjs (esm.sh)	1 KiB	0 ms
...es2022/constants.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatRelative.mjs (esm.sh)	1 KiB	0 ms
...es2022/intervalToDuration.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatISO9075.mjs (esm.sh)	1 KiB	0 ms
...format/lightFormatters.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
..._lib/protectedTokens.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarISOWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachQuarterOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInBusinessDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/getOverlappingDaysInIntervals.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachMinuteOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDuration.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildMatchFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/addBusinessDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekOfInterval.mjs (esm.sh)	1 KiB	0 ms
/date-fns@%5E4.1.0/format?target=es2022 (esm.sh)	1 KiB	0 ms
...format/longFormatters.mjs (esm.sh)	1 KiB	0 ms
...es2022/roundToNearestHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekendOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/setWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/roundToNearestMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachYearOfInterval.mjs (esm.sh)	1 KiB	0 ms
/date-fns-tz (esm.sh)	1 KiB	0 ms
...es2022/fromZonedDateTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachMonthOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachDayOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/add.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachHourOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeekOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/set.mjs (esm.sh)	1 KiB	0 ms
...es2022/parseJSON.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/closestTo.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/differenceInCalendarWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/setISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/sub.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/addMonths.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildLocalizeFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/milliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/toZonedDateTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/setMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/interval.mjs (esm.sh)	1 KiB	0 ms
...es2022/clamp.mjs (esm.sh)	1 KiB	0 ms
...es2022 transpose.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/max.mjs (esm.sh)	1 KiB	0 ms
...es2022/min.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/closestIndexTo.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInHours.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildMatchPatternFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfTomorrow.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/getWeek.mjs (esm.sh)	1 KiB	0 ms
..._lib/getTimezoneOffsetInMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDaysInMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISOWeeksInYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfYesterday.mjs (esm.sh)	1 KiB	0 ms
...es2022/areIntervalsOverlapping.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfTomorrow.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDefaultOptions.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeeksInMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/date-fns-tz.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfYesterday.mjs (esm.sh)	1 KiB	0 ms
...es2022/intlFormat.mjs (esm.sh)	1 KiB	0 ms
..._lib/formatRelative.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/isYesterday.mjs (esm.sh)	1 KiB	0 ms
...es2022/constructFrom.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekendOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatISODuration.mjs (esm.sh)	1 KiB	0 ms
...es2022/setQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekendOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/addDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/isWithinInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDayOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/setYear.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/endOfQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDaysInYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/addMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameHour.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/setISODay.mjs (esm.sh)	1 KiB	0 ms
...es2022/isLastDayOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/setISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatInTimeZone.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisHour.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/setWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isTomorrow.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/isToday.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isLeapYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameYear.mjs (esm.sh)	1 KiB	0 ms
..._lib/normalizeDates.mjs (esm.sh)	1 KiB	0 ms
...es2022/isValid.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/nextDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/addHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistanceToNowStrict.mjs (esm.sh)	1 KiB	0 ms
...es2022/addMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/getQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/millisecondsToMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDayOfYear.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildFormatLongFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfHour.mjs (esm.sh)	1 KiB	0 ms
...newDateUTC/index.mjs (esm.sh)	1 KiB	0 ms
...es2022/daysToWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfHour.mjs (esm.sh)	1 KiB	0 ms
...es2022/millisecondsToHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/millisecondsToSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfMinute.mjs (esm.sh)	1 KiB	0 ms
..._lib/normalizeInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfMinute.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistanceToNow.mjs (esm.sh)	1 KiB	0 ms
...es2022/isDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/monthsToQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/isWeekend.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisMinute.mjs (esm.sh)	1 KiB	0 ms
...es2022/isMatch.mjs (esm.sh)	1 KiB	0 ms
...es2022/addISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/compareAsc.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISODay.mjs (esm.sh)	1 KiB	0 ms
...es2022/minutesToMilliseconds.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/minutesToHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/compareDesc.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/minutesToSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/monthsToYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/secondsToMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/secondsToHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/setMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/hoursToMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/isFirstDayOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/exists.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/hoursToMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/setMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/weeksToDays.mjs (esm.sh)	1 KiB	0 ms
...tzPattern/index.mjs (esm.sh)	1 KiB	0 ms
...es2022/hoursToSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/quartersToMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/quartersToYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/setSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/yearsToQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/yearsToMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/getUnixTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThursday.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/yearsToDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/setHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSaturday.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/isWednesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/getMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/secondsToMilliseconds.mjs (esm.sh)	1 KiB	0 ms
..._lib/addLeadingZeros.mjs (esm.sh)	1 KiB	0 ms
...es2022/getYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/getHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/isMonday.mjs (esm.sh)	1 KiB	0 ms
...es2022/addSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameMinute.mjs (esm.sh)	1 KiB	0 ms
...es2022/isFriday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSunday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isTuesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfToday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/getTimezoneOffset.mjs (esm.sh)	1 KiB	0 ms
...es2022/addQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfToday.mjs (esm.sh)	1 KiB	0 ms
...es2022/fromUnixTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/subISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/subMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/addYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextSunday.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextWednesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subBusinessDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/constructNow.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextMonday.mjs (esm.sh)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...es2022/nextThursday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousWednesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subQuarters.mjs (esm.sh)	1 KiB	0 ms
..._lib/getRoundingMethod.mjs (esm.sh)	1 KiB	0 ms
...es2022/addWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/isFuture.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextFriday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousFriday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousTuesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextTuesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousSaturday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousThursday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDefaultOptions.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextSaturday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousSunday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousMonday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/toDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/subHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/isBefore.mjs (esm.sh)	1 KiB	0 ms
...es2022/isAfter.mjs (esm.sh)	1 KiB	0 ms
...es2022/isPast.mjs (esm.sh)	1 KiB	0 ms
...es2022/isEqual.mjs (esm.sh)	1 KiB	0 ms
...es2022/subDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/subYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/getTime.mjs (esm.sh)	1 KiB	0 ms
..._lib/defaultOptions.mjs (esm.sh)	1 KiB	0 ms
..._lib/defaultLocale.mjs (esm.sh)	1 KiB	0 ms
ipapi.co	1 KiB	0 ms

3rd party	Transfer size	Main thread time
/json/ (ipapi.co)	1 KiB	0 ms
timezonedb.com	8 KiB	0 ms
/v2.1/list-time-zone?key=BERT7APVT6E5&format=json (api.timezonedb.com)	8 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce initial server response time — Root document took 670 ms ^

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) LCP FCP

URL	Time Spent
netlify.app 1st Party	670 ms
https://ticktock-jiro.netlify.app	670 ms

■ Use video formats for animated content — Est savings of 4,595 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP FCP

URL	Resource Size	Est Savings
netlify.app 1st Party	4,888.3 KiB	4,595.0 KiB
...img/quicksilver_480x200.gif (ticktock-jiro.netlify.app)	4,888.3 KiB	4,595.0 KiB

■ Avoid enormous network payloads — Total size was 7,424 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

Show 3rd-party resources (4)

URL	Transfer Size
netlify.app 1st Party	7,220.3 KiB
...img/quicksilver_480x200.gif (ticktock-jiro.netlify.app)	4,888.7 KiB
...audio/Jim%20Croce%20-%20Time%20In%20A%20Bottle.mp3 (ticktock-jiro.netlify.app)	2,284.0 KiB
...fonts/roboto-v48-latin-700.woff2 (ticktock-jiro.netlify.app)	20.9 KiB
...fonts/roboto-v48-latin-regular.woff2 (ticktock-jiro.netlify.app)	20.5 KiB
/css/style.css (ticktock-jiro.netlify.app)	3.3 KiB
https://ticktock-jiro.netlify.app	2.9 KiB
ESM>CDN Cdn	11.8 KiB
...es2022/parse.mjs (esm.sh)	5.6 KiB
...es2022/format.mjs (esm.sh)	3.1 KiB
...es2022/toDate.mjs (esm.sh)	3.1 KiB
timezonedb.com	7.5 KiB
/v2.1/list-time-zone?key=BERT7APVT6E5&format=json (api.timezonedb.com)	7.5 KiB

■ Serve static assets with an efficient cache policy — 3 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

URL	Cache TTL	Transfer Size
ESM>CDN Cdn		4 KiB
/date-fns@%5E4.1.0?target=es2022 (esm.sh)	1h	2 KiB
/date-fns@%5E4.1.0/format?target=es2022 (esm.sh)	1h	1 KiB
/date-fns-tz (esm.sh)	1h	1 KiB

○ Avoid long main-thread tasks — 3 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
Unattributable		266 ms
Unattributable	906 ms	193 ms
Unattributable	1,336 ms	73 ms
netlify.app 1st Party		102 ms
https://ticktock-jiro.netlify.app	38,798 ms	102 ms

○ Avoid chaining critical requests — 270 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **3,424.129 ms**

Initial Navigation



```
...es2022/getMonth.mjs (esm.sh) - 103.517 ms, 0.54 KiB
...es2022/parseJSON.mjs (esm.sh) - 174.124 ms, 0.69 KiB
...es2022/getDay.mjs (esm.sh) - 104.271 ms, 0.53 KiB
...es2022/subMilliseconds.mjs (esm.sh) - 160.52 ms, 0.54 KiB
...es2022/endOfDecade.mjs (esm.sh) - 57.806 ms, 0.60 KiB
...es2022/isFirstDayOfMonth.mjs (esm.sh) - 121.894 ms, 0.55 KiB
...es2022/startOfMonth.mjs (esm.sh) - 156.46 ms, 0.56 KiB
...es2022/isThisISOWeek.mjs (esm.sh) - 176.478 ms, 0.58 KiB
...es2022/monthsToYears.mjs (esm.sh) - 164.887 ms, 0.55 KiB
...es2022/isSameMonth.mjs (esm.sh) - 159.574 ms, 0.58 KiB
...es2022/startOfTomorrow.mjs (esm.sh) - 158.472 ms, 0.62 KiB
...es2022/isSameWeek.mjs (esm.sh) - 159.972 ms, 0.58 KiB
...es2022/date-fns.mjs (esm.sh) - 162.39 ms, 1.94 KiB
...es2022/interval.mjs (esm.sh) - 197.775 ms, 0.64 KiB
...es2022/endOfISOWeekYear.mjs (esm.sh) - 55.758 ms, 0.64 KiB
...es2022/addBusinessDays.mjs (esm.sh) - 22.46 ms, 0.75 KiB
...es2022/addMilliseconds.mjs (esm.sh) - 18.429 ms, 0.56 KiB
...es2022/differenceInSeconds.mjs (esm.sh)
  ..._lib/getRoundingMethod.mjs (esm.sh) - 171.51 ms, 0.53 KiB
...es2022/yearsToDays.mjs (esm.sh) - 167.39 ms, 0.54 KiB
...es2022/lastDayOfQuarter.mjs (esm.sh) - 175.572 ms, 0.58 KiB
...es2022/previousSaturday.mjs (esm.sh) - 176.034 ms, 0.53 KiB
...es2022/subHours.mjs (esm.sh) - 172.711 ms, 0.53 KiB
...es2022/isSameMinute.mjs (esm.sh) - 159.168 ms, 0.54 KiB
...es2022/differenceInISOWeekYears.mjs (esm.sh) - 23.536 ms, 0.72 KiB
...es2022/lastDayOfDecade.mjs (esm.sh) - 163.369 ms, 0.60 KiB
...es2022/nextFriday.mjs (esm.sh) - 167.992 ms, 0.53 KiB
...es2022/isSameSecond.mjs (esm.sh) - 166.259 ms, 0.54 KiB
...es2022/compareDesc.mjs (esm.sh) - 31.762 ms, 0.55 KiB
...es2022/differenceInCalendarISOWeeks.mjs (esm.sh) - 30.263 ms, 0.78 KiB
...es2022/startOfDecade.mjs (esm.sh) - 173.856 ms, 0.59 KiB
...es2022/isSunday.mjs (esm.sh) - 162.148 ms, 0.54 KiB
...es2022/constructNow.mjs (esm.sh) - 29.244 ms, 0.53 KiB
...es2022 transpose.mjs (esm.sh) - 164.959 ms, 0.64 KiB
...es2022/isBefore.mjs (esm.sh) - 197.822 ms, 0.53 KiB
...es2022/addHours.mjs (esm.sh) - 19.882 ms, 0.56 KiB
...es2022/differenceInCalendarDays.mjs (esm.sh)
```



```
...es2022/differenceInQuarters.mjs (esm.sh) - 22.166 ms, 0.58 KiB
...es2022/millisecondsToSeconds.mjs (esm.sh) - 167.481 ms, 0.55 KiB
...es2022/getOverlappingDaysInIntervals.mjs (esm.sh) - 101.233 ms, 0.76 KiB
...es2022/startOfISOWeekYear.mjs (esm.sh) - 165.382 ms, 0.61 KiB
...es2022/parseISO.mjs (esm.sh) - 163.694 ms, 1.90 KiB
...es2022/eachDayOfInterval.mjs (esm.sh)
  ..._lib/normalizeInterval.mjs (esm.sh) - 176.308 ms, 0.55 KiB
...es2022/lastDayOfMonth.mjs (esm.sh) - 174.629 ms, 0.59 KiB
...es2022/differenceInWeeks.mjs (esm.sh) - 72.426 ms, 0.58 KiB
...es2022/isThisQuarter.mjs (esm.sh) - 175.659 ms, 0.58 KiB
...es2022/isMatch.mjs (esm.sh) - 166.088 ms, 0.55 KiB
...es2022/lastDayOfYear.mjs (esm.sh) - 161.689 ms, 0.57 KiB
...es2022/addQuarters.mjs (esm.sh) - 16.615 ms, 0.54 KiB
...es2022/quartersToYears.mjs (esm.sh) - 157.039 ms, 0.54 KiB
...es2022/differenceInDays.mjs (esm.sh) - 29.409 ms, 0.73 KiB
...es2022/eachWeekendOfInterval.mjs (esm.sh) - 64.529 ms, 0.73 KiB
...es2022/differenceInMonths.mjs (esm.sh) - 28.975 ms, 0.73 KiB
...es2022/hoursToSeconds.mjs (esm.sh) - 201.568 ms, 0.54 KiB
...es2022/isDate.mjs (esm.sh) - 207.932 ms, 0.55 KiB
...es2022/isThisSecond.mjs (esm.sh) - 158.598 ms, 0.55 KiB
...es2022/eachMonthOfInterval.mjs (esm.sh) - 63.154 ms, 0.70 KiB
...es2022/roundToNearestHours.mjs (esm.sh) - 158.799 ms, 0.73 KiB
...es2022/yearsToMonths.mjs (esm.sh) - 156.225 ms, 0.54 KiB
...es2022/previousFriday.mjs (esm.sh) - 164.885 ms, 0.53 KiB
...es2022/secondsToMilliseconds.mjs (esm.sh) - 157.253 ms, 0.54 KiB
...es2022/previousDay.mjs (esm.sh) - 163.707 ms, 0.57 KiB
...es2022/addSeconds.mjs (esm.sh) - 33.938 ms, 0.54 KiB
...es2022/getDate.mjs (esm.sh) - 94.702 ms, 0.53 KiB
...es2022/endOfYear.mjs (esm.sh) - 73.21 ms, 0.58 KiB
...es2022/daysToWeeks.mjs (esm.sh) - 29.286 ms, 0.55 KiB
...es2022/setDay.mjs (esm.sh) - 156.897 ms, 0.67 KiB
...es2022/getDefaultOptions.mjs (esm.sh) - 103.922 ms, 0.53 KiB
...es2022/setWeek.mjs (esm.sh) - 163.507 ms, 0.57 KiB
...es2022/isFuture.mjs (esm.sh) - 160.111 ms, 0.53 KiB
...es2022/lastDayOfWeek.mjs (esm.sh) - 176.147 ms, 0.64 KiB
...es2022/formatRFC7231.mjs (esm.sh) - 97.519 ms, 0.86 KiB
...es2022/subQuarters.mjs (esm.sh) - 162.653 ms, 0.53 KiB
```

- ...es2022/setISOWeek.mjs (esm.sh) - **155.367 ms**, 0.58 KiB
- ...es2022/formatISODuration.mjs (esm.sh) - **94.677 ms**, 0.59 KiB
- ...es2022/getISOWeeksInYear.mjs (esm.sh) - **102.55 ms**, 0.61 KiB
- ...es2022/isToday.mjs (esm.sh) - **159.345 ms**, 0.57 KiB
- ...es2022/add.mjs (esm.sh) - **106.948 ms**, 0.70 KiB
- ...es2022/setMilliseconds.mjs (esm.sh) - **164.296 ms**, 0.55 KiB
- ...es2022/endOfISOWeek.mjs (esm.sh) - **56.636 ms**, 0.54 KiB
- ...es2022/differenceInCalendarQuarters.mjs (esm.sh) - **24.21 ms**, 0.65 KiB
- ...es2022/lastDayOfISOWeek.mjs (esm.sh) - **167.41 ms**, 0.55 KiB
- ...es2022/isMonday.mjs (esm.sh) - **158.755 ms**, 0.54 KiB
- ...es2022/differenceInBusinessDays.mjs (esm.sh) - **29.901 ms**, 0.77 KiB
- ...es2022/startOfWeek.mjs (esm.sh) - **155.989 ms**, 0.65 KiB
- ...es2022/isYesterday.mjs (esm.sh) - **174.044 ms**, 0.60 KiB
- ...es2022/getISOWeek.mjs (esm.sh) - **104.278 ms**, 0.62 KiB
- ...es2022/nextThursday.mjs (esm.sh) - **158.34 ms**, 0.53 KiB
- ...es2022/getQuarter.mjs (esm.sh) - **101.487 ms**, 0.56 KiB
- ...es2022/isThisHour.mjs (esm.sh) - **159.91 ms**, 0.57 KiB
- ...es2022/getMinutes.mjs (esm.sh) - **101.04 ms**, 0.54 KiB
- ...es2022/getUnixTime.mjs (esm.sh) - **103.953 ms**, 0.54 KiB
- ...es2022/formatISO9075.mjs (esm.sh) - **32.026 ms**, 0.81 KiB
- ...es2022/eachYearOfInterval.mjs (esm.sh) - **62.725 ms**, 0.71 KiB
- ...es2022/isSameDay.mjs (esm.sh) - **161.14 ms**, 0.58 KiB
- ...es2022/differenceInHours.mjs (esm.sh) - **26.823 ms**, 0.62 KiB
- ...es2022/isThisMinute.mjs (esm.sh) - **177.805 ms**, 0.55 KiB
- ...es2022/hoursToMilliseconds.mjs (esm.sh) - **183.421 ms**, 0.55 KiB
- ...es2022/setSeconds.mjs (esm.sh) - **157.91 ms**, 0.54 KiB
- ...es2022/previousThursday.mjs (esm.sh) - **178.781 ms**, 0.53 KiB
- ...es2022/addDays.mjs (esm.sh) - **101.756 ms**, 0.59 KiB
- ...es2022/subYears.mjs (esm.sh) - **159.996 ms**, 0.53 KiB
- ...es2022/setHours.mjs (esm.sh) - **178.506 ms**, 0.54 KiB
- ...es2022/isValid.mjs (esm.sh) - **165.114 ms**, 0.56 KiB
- ...es2022/isEqual.mjs (esm.sh) - **198.602 ms**, 0.53 KiB
- ...es2022/differenceInMilliseconds.mjs (esm.sh) - **28.815 ms**, 0.54 KiB
- ...es2022/parse.mjs (esm.sh) - **168.263 ms**, 5.62 KiB
- ...es2022/getDecade.mjs (esm.sh) - **93.538 ms**, 0.56 KiB
- ...es2022/fromUnixTime.mjs (esm.sh) - **94.448 ms**, 0.54 KiB
- ...es2022/secondsToMinutes.mjs (esm.sh) - **161.588 ms**, 0.55 KiB

- ...es2022/clamp.mjs (esm.sh) - **38.913 ms**, 0.64 KiB
- ...es2022/isWeekend.mjs (esm.sh) - **175.85 ms**, 0.55 KiB
- ...es2022/formatDistanceToNowStrict.mjs (esm.sh) - **70.193 ms**, 0.56 KiB
- ...es2022/monthsToQuarters.mjs (esm.sh) - **164.099 ms**, 0.55 KiB
- ...es2022/nextSunday.mjs (esm.sh) - **159.02 ms**, 0.53 KiB
- ...es2022/startOfMinute.mjs (esm.sh) - **169.056 ms**, 0.55 KiB
- ...es2022/formatDistance.mjs (esm.sh) - **67.779 ms**, 1.27 KiB
- ...es2022/isSameISOWeekYear.mjs (esm.sh) - **165.556 ms**, 0.63 KiB
- ...es2022/getHours.mjs (esm.sh) - **108.166 ms**, 0.54 KiB
- ...es2022/startOfToday.mjs (esm.sh) - **154.36 ms**, 0.54 KiB
- ...es2022/setISOWeekYear.mjs (esm.sh) - **164.206 ms**, 0.67 KiB
- ...es2022/startOfWeekYear.mjs (esm.sh) - **163.894 ms**, 0.67 KiB
- ...es2022/differenceInCalendarWeeks.mjs (esm.sh) - **24.126 ms**, 0.67 KiB
- ...es2022/getDaysInYear.mjs (esm.sh) - **103.755 ms**, 0.58 KiB
- ...es2022/roundToNearestMinutes.mjs (esm.sh) - **161.39 ms**, 0.72 KiB
- ...es2022/isSameQuarter.mjs (esm.sh) - **164.755 ms**, 0.62 KiB
- ...es2022/isExists.mjs (esm.sh) - **161.151 ms**, 0.55 KiB
- ...es2022/isThursday.mjs (esm.sh) - **168.663 ms**, 0.54 KiB
- ...es2022/toDate.mjs (esm.sh) - **158.546 ms**, 0.53 KiB
- ...es2022/millisecondsToHours.mjs (esm.sh) - **166.222 ms**, 0.55 KiB
- ...es2022/eachWeekOfInterval.mjs (esm.sh) - **68.468 ms**, 0.75 KiB
- ...es2022/setMinutes.mjs (esm.sh) - **155.908 ms**, 0.55 KiB
- ...es2022/nextWednesday.mjs (esm.sh) - **177.765 ms**, 0.53 KiB
- ...es2022/startOfYear.mjs (esm.sh) - **154.494 ms**, 0.57 KiB
- ...es2022/addISOWeekYears.mjs (esm.sh) - **42.9 ms**, 0.55 KiB
- ...es2022/isFriday.mjs (esm.sh) - **160.981 ms**, 0.54 KiB
- ...es2022/constructFrom.mjs (esm.sh) - **34.718 ms**, 0.59 KiB
- ...es2022/differenceInCalendarISOWeekYears.mjs (esm.sh) - **29.921 ms**, 0.63 KiB
- ...es2022/isWednesday.mjs (esm.sh) - **176.44 ms**, 0.54 KiB
- ...es2022/secondsToHours.mjs (esm.sh) - **162.395 ms**, 0.55 KiB
- ...es2022/getWeekOfMonth.mjs (esm.sh) - **103.97 ms**, 0.69 KiB
- ...es2022/addWeeks.mjs (esm.sh) - **17.43 ms**, 0.53 KiB
- ...es2022/intlFormatDistance.mjs (esm.sh) - **201.413 ms**, 1.17 KiB
- ...es2022/isThisYear.mjs (esm.sh) - **175.58 ms**, 0.57 KiB
- ...es2022/endOfDay.mjs (esm.sh) - **65.706 ms**, 0.55 KiB
- ...es2022/getDaysInMonth.mjs (esm.sh) - **103.749 ms**, 0.61 KiB
- ...es2022/nextSaturday.mjs (esm.sh) - **163.557 ms**, 0.53 KiB

```
...es2022/previousSunday.mjs (esm.sh) - 171.603 ms, 0.53 KiB
...es2022/subMinutes.mjs (esm.sh) - 157.412 ms, 0.53 KiB
...es2022/max.mjs (esm.sh) - 161.604 ms, 0.63 KiB
...es2022/endOfQuarter.mjs (esm.sh) - 57.012 ms, 0.58 KiB
...es2022/format.mjs (esm.sh) - 67.513 ms, 3.10 KiB
...es2022/minutesToHours.mjs (esm.sh) - 168.42 ms, 0.55 KiB
...es2022/milliseconds.mjs (esm.sh) - 164.569 ms, 0.66 KiB
...es2022/nextDay.mjs (esm.sh) - 167.977 ms, 0.56 KiB
...es2022/getMilliseconds.mjs (esm.sh) - 101.402 ms, 0.54 KiB
...es2022/differenceInCalendarMonths.mjs (esm.sh) - 33.231 ms, 0.59 KiB
...es2022/nextTuesday.mjs (esm.sh) - 172.479 ms, 0.53 KiB
...es2022/weeksToDays.mjs (esm.sh) - 162.404 ms, 0.55 KiB
...es2022/minutesToMilliseconds.mjs (esm.sh) - 164.104 ms, 0.55 KiB
...es2022/endOfTomorrow.mjs (esm.sh) - 85.422 ms, 0.61 KiB
...es2022/eachWeekendOfMonth.mjs (esm.sh) - 67.227 ms, 0.59 KiB
...es2022/isSameISOWeek.mjs (esm.sh) - 164.587 ms, 0.55 KiB
...es2022/isTuesday.mjs (esm.sh) - 161.958 ms, 0.54 KiB
...es2022/getISOWeekYear.mjs (esm.sh) - 105.803 ms, 0.66 KiB
...es2022/isThisWeek.mjs (esm.sh) - 161.758 ms, 0.58 KiB
...es2022/formatDuration.mjs (esm.sh) - 74.55 ms, 0.76 KiB
...es2022/differenceInMinutes.mjs (esm.sh) - 23.118 ms, 0.61 KiB
...es2022/getWeeksInMonth.mjs (esm.sh) - 101.113 ms, 0.61 KiB
...es2022/compareAsc.mjs (esm.sh) - 30.583 ms, 0.55 KiB
...es2022/millisecondsToMinutes.mjs (esm.sh) - 166.397 ms, 0.56 KiB
...es2022/setISODay.mjs (esm.sh) - 162.958 ms, 0.58 KiB
...es2022/startOfSecond.mjs (esm.sh) - 160.79 ms, 0.55 KiB
...es2022/endOfYesterday.mjs (esm.sh) - 69.545 ms, 0.61 KiB
...es2022/startOfYesterday.mjs (esm.sh) - 165.167 ms, 0.60 KiB
...es2022/yearsToQuarters.mjs (esm.sh) - 163.07 ms, 0.54 KiB
...es2022/subBusinessDays.mjs (esm.sh) - 170.036 ms, 0.53 KiB
...es2022/setDefaultOptions.mjs (esm.sh) - 167.892 ms, 0.61 KiB
...es2022/previousWednesday.mjs (esm.sh) - 159.385 ms, 0.53 KiB
...es2022/isSameHour.mjs (esm.sh) - 162.73 ms, 0.58 KiB
...es2022/addMinutes.mjs (esm.sh)
    ...es2022/constants.mjs (esm.sh) - 160.087 ms, 0.82 KiB
    ...es2022/formatRFC3339.mjs (esm.sh) - 95.708 ms, 0.89 KiB
    ...es2022/getTime.mjs (esm.sh) - 101.281 ms, 0.52 KiB
```

- ...es2022/subISOWeekYears.mjs (esm.sh) - **158.42 ms**, 0.54 KiB
- ...es2022/isPast.mjs (esm.sh) - **160.84 ms**, 0.53 KiB
- ...es2022/isLastDayOfMonth.mjs (esm.sh) - **164.901 ms**, 0.58 KiB
- ...es2022/hoursToMinutes.mjs (esm.sh) - **181.774 ms**, 0.55 KiB
- ...es2022/formatRelative.mjs (esm.sh) - **109.184 ms**, 0.81 KiB
- ...es2022/formatDistanceToNow.mjs (esm.sh) - **77.69 ms**, 0.55 KiB
- ...es2022/endOfWeek.mjs (esm.sh) - **71.292 ms**, 0.66 KiB
- ...es2022/areIntervalsOverlapping.mjs (esm.sh) - **27.139 ms**, 0.61 KiB
- ...es2022/startOfISOWeek.mjs (esm.sh) - **160.784 ms**, 0.55 KiB
- ...es2022/previousMonday.mjs (esm.sh) - **171.01 ms**, 0.53 KiB
- ...es2022/getSeconds.mjs (esm.sh) - **101.791 ms**, 0.54 KiB
- ...es2022/getWeek.mjs (esm.sh) - **99.434 ms**, 0.62 KiB
- ...es2022/eachWeekendOfYear.mjs (esm.sh) - **63.214 ms**, 0.59 KiB
- ...es2022/endOfHour.mjs (esm.sh) - **55.872 ms**, 0.55 KiB
- ...es2022/isThisMonth.mjs (esm.sh) - **174.574 ms**, 0.57 KiB
- ...es2022/startOfQuarter.mjs (esm.sh) - **159.105 ms**, 0.58 KiB
- ...es2022/sub.mjs (esm.sh) - **155.68 ms**, 0.66 KiB
- ...es2022/min.mjs (esm.sh) - **167.109 ms**, 0.63 KiB
- ...es2022/getWeekYear.mjs (esm.sh) - **101.49 ms**, 0.73 KiB
- ...es2022/getYear.mjs (esm.sh) - **100.411 ms**, 0.54 KiB
- ...es2022/closestIndexTo.mjs (esm.sh) - **30.283 ms**, 0.63 KiB
- ...es2022/differenceInCalendarYears.mjs (esm.sh) - **22.24 ms**, 0.62 KiB
- ...es2022/endOfMinute.mjs (esm.sh) - **55.144 ms**, 0.55 KiB
- ...es2022/isTomorrow.mjs (esm.sh) - **168.735 ms**, 0.57 KiB
- ...es2022/setQuarter.mjs (esm.sh) - **172.75 ms**, 0.59 KiB
- ...es2022/subSeconds.mjs (esm.sh) - **169.083 ms**, 0.53 KiB

/date-fns@%5E4.1.0/format?target=es2022 (esm.sh)


- ..._lib/protectedTokens.mjs (esm.sh) - **153.238 ms**, 0.79 KiB
- ...format/longFormatters.mjs (esm.sh) - **158.644 ms**, 0.73 KiB
- ..._lib/defaultOptions.mjs (esm.sh) - **152.52 ms**, 0.52 KiB
- ..._lib/defaultLocale.mjs (esm.sh) - **152.862 ms**, 0.51 KiB
- ...format/lightFormatters.mjs (esm.sh) - **159.737 ms**, 0.80 KiB
- ..._lib/addLeadingZeros.mjs (esm.sh) - **168.743 ms**, 0.54 KiB

...es2022/formatInTimeZone.mjs (esm.sh) - **91.87 ms**, 0.58 KiB

...es2022/fromZonedDateTime.mjs (esm.sh)

...newDateUTC/index.mjs (esm.sh) - **48.048 ms**, 0.55 KiB

...tzPattern/index.mjs (esm.sh) - **47.132 ms**, 0.54 KiB



○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
ESM>CDN Cdn	188 KiB	0 ms
...es2022/parse.mjs (esm.sh)	6 KiB	0 ms
...es2022/format.mjs (esm.sh)	3 KiB	0 ms
...es2022/toDate.mjs (esm.sh)	3 KiB	0 ms
...es2022/format.mjs (esm.sh)	3 KiB	0 ms
/date-fns@%5E4.1.0?target=es2022 (esm.sh)	2 KiB	0 ms
...es2022/date-fns.mjs (esm.sh)	2 KiB	0 ms
...es2022/parseISO.mjs (esm.sh)	2 KiB	0 ms
...tzParseTimezone/index.mjs (esm.sh)	2 KiB	0 ms
..._lib/match.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistanceStrict.mjs (esm.sh)	1 KiB	0 ms
..._lib/localize.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistance.mjs (esm.sh)	1 KiB	0 ms
...es2022/intlFormatDistance.mjs (esm.sh)	1 KiB	0 ms
..._lib/formatDistance.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatISO.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatRFC3339.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatRFC7231.mjs (esm.sh)	1 KiB	0 ms
...es2022/lightFormat.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...locale/en-US.mjs (esm.sh)	1 KiB	0 ms
...es2022/constants.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatRelative.mjs (esm.sh)	1 KiB	0 ms
...es2022/intervalToDuration.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatISO9075.mjs (esm.sh)	1 KiB	0 ms
...format/lightFormatters.mjs (esm.sh)	1 KiB	0 ms
..._lib/protectedTokens.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarISOWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachQuarterOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInBusinessDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/getOverlappingDaysInIntervals.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachMinuteOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDuration.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildMatchFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/addBusinessDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekOfInterval.mjs (esm.sh)	1 KiB	0 ms
/date-fns@%5E4.1.0/format?target=es2022 (esm.sh)	1 KiB	0 ms
...format/longFormatters.mjs (esm.sh)	1 KiB	0 ms
...es2022/roundToNearestHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekendOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/setWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/roundToNearestMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachYearOfInterval.mjs (esm.sh)	1 KiB	0 ms
/date-fns-tz (esm.sh)	1 KiB	0 ms
...es2022/fromZonedDateTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachMonthOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachDayOfInterval.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/add.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachHourOfInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeekOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/set.mjs (esm.sh)	1 KiB	0 ms
...es2022/parseJSON.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/closestTo.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/setISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/sub.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/addMonths.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildLocalizeFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/milliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/toZonedDateTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/setMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/interval.mjs (esm.sh)	1 KiB	0 ms
...es2022/clamp.mjs (esm.sh)	1 KiB	0 ms
...es2022 transpose.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/max.mjs (esm.sh)	1 KiB	0 ms
...es2022/min.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/isSameISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/closestIndexTo.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInHours.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildMatchPatternFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfTomorrow.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeek.mjs (esm.sh)	1 KiB	0 ms
..._lib/getTimezoneOffsetInMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDaysInMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfISOWeekYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISOWeeksInYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfYesterday.mjs (esm.sh)	1 KiB	0 ms
...es2022/areIntervalsOverlapping.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfTomorrow.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDefaultOptions.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/getWeeksInMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/date-fns-tz.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfYesterday.mjs (esm.sh)	1 KiB	0 ms
...es2022/intlFormat.mjs (esm.sh)	1 KiB	0 ms
..._lib/formatRelative.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/isYesterday.mjs (esm.sh)	1 KiB	0 ms
...es2022/constructFrom.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInCalendarMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekendOfMonth.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/formatISODuration.mjs (esm.sh)	1 KiB	0 ms
...es2022/setQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/eachWeekendOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/addDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/isWithinInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDayOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/setYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDaysInYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/addMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameHour.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/setISODay.mjs (esm.sh)	1 KiB	0 ms
...es2022/isLastDayOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/setISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatInTimeZone.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisHour.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/lastDayOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/setWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/isTomorrow.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/isToday.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isLeapYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameYear.mjs (esm.sh)	1 KiB	0 ms
..._lib/normalizeDates.mjs (esm.sh)	1 KiB	0 ms
...es2022/isValid.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/addHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistanceToNowStrict.mjs (esm.sh)	1 KiB	0 ms
...es2022/addMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDecade.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/getQuarter.mjs (esm.sh)	1 KiB	0 ms
...es2022/millisecondsToMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDayOfYear.mjs (esm.sh)	1 KiB	0 ms
..._lib/buildFormatLongFn.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfHour.mjs (esm.sh)	1 KiB	0 ms
...newDateUTC/index.mjs (esm.sh)	1 KiB	0 ms
...es2022/daysToWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfHour.mjs (esm.sh)	1 KiB	0 ms
...es2022(millisecondsToHours.mjs (esm.sh))	1 KiB	0 ms
...es2022(millisecondsToSeconds.mjs (esm.sh))	1 KiB	0 ms
...es2022/startOfMinute.mjs (esm.sh)	1 KiB	0 ms
..._lib/normalizeInterval.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfMinute.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfSecond.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/endOfSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/formatDistanceToNow.mjs (esm.sh)	1 KiB	0 ms
...es2022/isDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisMinute.mjs (esm.sh)	1 KiB	0 ms
...es2022/isWeekend.mjs (esm.sh)	1 KiB	0 ms
...es2022/monthsToQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/isMatch.mjs (esm.sh)	1 KiB	0 ms
...es2022/addISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/compareAsc.mjs (esm.sh)	1 KiB	0 ms
...es2022/getISODay.mjs (esm.sh)	1 KiB	0 ms
...es2022/minutesToHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/minutesToMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/compareDesc.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThisSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/lastDayOfISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/minutesToSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/monthsToYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/secondsToHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/secondsToMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/setMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/hoursToMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/isExists.mjs (esm.sh)	1 KiB	0 ms
...es2022/isFirstDayOfMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/hoursToMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/setMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/weeksToDays.mjs (esm.sh)	1 KiB	0 ms
...tzPattern/index.mjs (esm.sh)	1 KiB	0 ms
...es2022/hoursToSeconds.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/quartersToMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfISOWeek.mjs (esm.sh)	1 KiB	0 ms
...es2022/quartersToYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/setSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/yearsToQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/yearsToMonths.mjs (esm.sh)	1 KiB	0 ms
...es2022/getUnixTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/isThursday.mjs (esm.sh)	1 KiB	0 ms
...es2022/setDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/setHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/yearsToDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSaturday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isWednesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/getMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/secondsToMilliseconds.mjs (esm.sh)	1 KiB	0 ms
..._lib/addLeadingZeros.mjs (esm.sh)	1 KiB	0 ms
...es2022/getHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/getYear.mjs (esm.sh)	1 KiB	0 ms
...es2022/isMonday.mjs (esm.sh)	1 KiB	0 ms
...es2022/addSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/differenceInMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getMonth.mjs (esm.sh)	1 KiB	0 ms
...es2022/getSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/isFriday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameMinute.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSunday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isTuesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/startOfToday.mjs (esm.sh)	1 KiB	0 ms
...es2022/isSameSecond.mjs (esm.sh)	1 KiB	0 ms
...es2022/getTimezoneOffset.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/addQuarters.mjs (esm.sh)	1 KiB	0 ms
...es2022/endOfToday.mjs (esm.sh)	1 KiB	0 ms
...es2022/fromUnixTime.mjs (esm.sh)	1 KiB	0 ms
...es2022/subISOWeekYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/subMilliseconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/addYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDay.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextSunday.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextWednesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subBusinessDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/constructNow.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextMonday.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextThursday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousWednesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subQuarters.mjs (esm.sh)	1 KiB	0 ms
..._lib/getRoundingMethod.mjs (esm.sh)	1 KiB	0 ms
...es2022/addWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/isFuture.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextFriday.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextTuesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousFriday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousSaturday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousThursday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousTuesday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subMinutes.mjs (esm.sh)	1 KiB	0 ms
...es2022/subSeconds.mjs (esm.sh)	1 KiB	0 ms
...es2022/getDefaultOptions.mjs (esm.sh)	1 KiB	0 ms
...es2022/nextSaturday.mjs (esm.sh)	1 KiB	0 ms
...es2022/previousSunday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subMonths.mjs (esm.sh)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...es2022/previousMonday.mjs (esm.sh)	1 KiB	0 ms
...es2022/subHours.mjs (esm.sh)	1 KiB	0 ms
...es2022/subWeeks.mjs (esm.sh)	1 KiB	0 ms
...es2022/toDate.mjs (esm.sh)	1 KiB	0 ms
...es2022/isAfter.mjs (esm.sh)	1 KiB	0 ms
...es2022/isBefore.mjs (esm.sh)	1 KiB	0 ms
...es2022/isPast.mjs (esm.sh)	1 KiB	0 ms
...es2022/isEqual.mjs (esm.sh)	1 KiB	0 ms
...es2022/subDays.mjs (esm.sh)	1 KiB	0 ms
...es2022/subYears.mjs (esm.sh)	1 KiB	0 ms
...es2022/getTime.mjs (esm.sh)	1 KiB	0 ms
..._lib/defaultOptions.mjs (esm.sh)	1 KiB	0 ms
..._lib/defaultLocale.mjs (esm.sh)	1 KiB	0 ms
timezonedb.com	8 KiB	0 ms
/v2.1/list-time-zone? key=BERT7APVT6E5&format=json (api.timezonedb.com)	8 KiB	0 ms
ipapi.co	1 KiB	0 ms
/json/ (ipapi.co)	1 KiB	0 ms

○ Largest Contentful Paint element — 1,090 ms

^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP



Phase	% of LCP	Timing
TTFB	55%	600 ms

Phase	% of LCP	Timing
Load Delay	0%	0 ms
Load Time	0%	0 ms
Render Delay	45%	490 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (37) Hide

● Layout shift culprits ^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

● Optimize DOM size ^

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#)

Statistic	Element	Value
Total elements		484
Most children	header.header > div.header__container > form#country-form > datalist#country-list <code><datalist id="country-list"></code>	418
DOM depth	g#SVGRepo_iconCarrier > defs > clippath#a > path <code><path fill="#ffffff" d="M0 0h24v24H0z"></code>	9

● Duplicated JavaScript ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. LCP FCP

● Font display ^

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

INP breakdown

Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

LCP request discovery

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#)

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

```
head > meta
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources](#). LCP FCP

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images](#). LCP FCP

● Defer offscreen images ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#). LCP FCP

● Minify CSS ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). LCP FCP

● Minify JavaScript ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). LCP FCP

● Reduce unused CSS ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). LCP FCP

● Reduce unused JavaScript ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). LCP FCP

● Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#). LCP FCP

● Serve images in next-gen formats ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats](#). LCP FCP

● Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) LCP FCP

● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

● Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. LCP FCP

● Avoid serving legacy JavaScript to modern browsers ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP

○ Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

● Avoids an excessive DOM size — 482 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) [TBT]

Statistic	Element	Value
Total DOM Elements		482
Maximum DOM Depth	g#SVGRepo_iconCarrier > defs > clippath#a > path <path fill="#ffffff" d="M0 0h24v24H0z">	9
Maximum Child Elements	header.header > div.header__container > form#country-form > datalist#country-list <datalist id="country-list">	418

>User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

JavaScript execution time — 0.1 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) [TBT]

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	852 ms	8 ms	0 ms
Unattributable	852 ms	8 ms	0 ms
netlify.app 1st Party	373 ms	105 ms	0 ms
https://ticktock-jiro.netlify.app	373 ms	105 ms	0 ms

Minimizes main-thread work — 1.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) [TBT]

Category	Time Spent
Other	1,128 ms

Category	Time Spent
Script Evaluation	146 ms
Style & Layout	133 ms
Parse HTML & CSS	62 ms
Script Parsing & Compilation	61 ms
Rendering	19 ms

● All text remains visible during webfont loads ^

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about `font-display`.](#)

○ Lazy load third-party resources with facades ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

○ Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

○ Avoid large layout shifts ^

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

● Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

○ Avoid non-composited animations ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

● Image elements have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements



undefined, undefined
<p class="clock_location">



body
<body>

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

○ HTML5 landmark elements are used to improve navigation ^

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

○ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with `display: none` or `aria-hidden=true`. [Learn how to properly hide offscreen content.](#)

○ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by `aria-label` or `aria-labelledby`. [Learn more about custom controls and labels.](#)

○ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21) Hide

● `[aria-*]` attributes match their roles ^

Each ARIA role supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles.](#)

● `[aria-hidden="true"]` is not present on the document `<body>` ^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn how aria-hidden affects the document body.](#)

● `[role]`s have all required `[aria-*]` attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers.

[Learn more about roles and required attributes.](#)

● [aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

● [aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

● Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

● [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

● ARIA attributes are used as specified for the element's role ^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

● [aria-hidden="true"] elements do not contain focusable descendants ^

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

● Elements use only permitted ARIA attributes ^

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

● `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

● `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

● `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

● Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

● Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

● Touch targets have sufficient size and spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

● Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

● Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

● Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

NOT APPLICABLE (35)

Hide

○ [accesskey] values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

- button, link, and menuitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- Elements with role="dialog" or role="alertdialog" have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA meter elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA progressbar elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with an ARIA [role] that require children to contain a specific [role] have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- [role]s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

- Elements with the role=text attribute do not have focusable descendants.

Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the role=text](#)

[attribute](#)

ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields](#).

ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements](#).

ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements](#).

The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks](#).

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly](#).

Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly](#).

ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs](#).

No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels](#).

○ <frame> or <iframe> elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

○ <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

○ Image elements do not have [alt] attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

○ Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

○ <input type="image"> elements have [alt] text ^

When an image is being used as an <input> button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

○ Lists contain only elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

○ List items (``) are contained within ``, `` or `<menu>` parent elements ^

Screen readers require list items (``) to be contained within a parent ``, `` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

○ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

○ [\[lang\] attributes have a valid value](#) ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

○ [<video> elements contain a <track> element with \[kind="captions"\]](#) ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)



Best Practices

GENERAL

▲ [Browser errors were logged to the console](#) ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
ipapi.co	
/json/:1:0 (ipapi.c o)	Failed to load resource: the server responded with a status of 429 (Too Many Requests)

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks.

[Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

○ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

○ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (14)

Hide

- Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

- Avoids deprecated APIs ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

- Avoids third-party cookies ^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

- Allows users to paste into input fields ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

- Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

- Avoids requesting the notification permission on page load ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

- Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

- Serves images with appropriate resolution ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

- Document uses legible font sizes — **100% legible text** ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more about legible font sizes.](#)

Source	Selector	% of Page Text	Font Size
Legible text		100.00%	$\geq 12\text{px}$

- Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

- Properly defines charset ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

- No issues in the [Issues](#) panel in Chrome Devtools ^

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

● Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

URL	Map URL
ESM>CDN Cdn	
...es2022/yearsToQuarters.mjs (esm.sh)	...es2022/yearsToQuarters.mjs.map (esm.sh)
...es2022/yearsToMonths.mjs (esm.sh)	...es2022/yearsToMonths.mjs.map (esm.sh)
...es2022/yearsToDays.mjs (esm.sh)	...es2022/yearsToDays.mjs.map (esm.sh)
...es2022/weeksToDays.mjs (esm.sh)	...es2022/weeksToDays.mjs.map (esm.sh)
...es2022transpose.mjs (esm.sh)	...es2022transpose.mjs.map (esm.sh)
...es2022toDate.mjs (esm.sh)	...es2022toDate.mjs.map (esm.sh)
...es2022subYears.mjs (esm.sh)	...es2022subYears.mjs.map (esm.sh)
...es2022subWeeks.mjs (esm.sh)	...es2022subWeeks.mjs.map (esm.sh)
...es2022subSeconds.mjs (esm.sh)	...es2022subSeconds.mjs.map (esm.sh)
...es2022subQuarters.mjs (esm.sh)	...es2022subQuarters.mjs.map (esm.sh)
...es2022subMonths.mjs (esm.sh)	...es2022subMonths.mjs.map (esm.sh)
...es2022subMinutes.mjs (esm.sh)	...es2022subMinutes.mjs.map (esm.sh)
...es2022subMilliseconds.mjs (esm.sh)	...es2022subMilliseconds.mjs.map (esm.sh)
...es2022subISOWeekYears.mjs (esm.sh)	...es2022subISOWeekYears.mjs.map (esm.sh)
...es2022subHours.mjs (esm.sh)	...es2022subHours.mjs.map (esm.sh)
...es2022subDays.mjs (esm.sh)	...es2022subDays.mjs.map (esm.sh)
...es2022subBusinessDays.mjs (esm.sh)	...es2022subBusinessDays.mjs.map (esm.sh)
...es2022sub.mjs (esm.sh)	...es2022sub.mjs.map (esm.sh)
...es2022startOfYesterday.mjs (esm.sh)	...es2022startOfYesterday.mjs.map (esm.sh)
...es2022startOfYear.mjs (esm.sh)	...es2022startOfYear.mjs.map (esm.sh)

URL	Map URL
...es2022/startOfWeekYear.mjs (esm.sh)	...es2022/startOfWeekYear.mjs.map (esm.sh)
...es2022/startOfWeek.mjs (esm.sh)	...es2022/startOfWeek.mjs.map (esm.sh)
...es2022/startOfTomorrow.mjs (esm.sh)	...es2022/startOfTomorrow.mjs.map (esm.sh)
...es2022/startOfToday.mjs (esm.sh)	...es2022/startOfToday.mjs.map (esm.sh)
...es2022/startOfSecond.mjs (esm.sh)	...es2022/startOfSecond.mjs.map (esm.sh)
...es2022/startOfQuarter.mjs (esm.sh)	...es2022/startOfQuarter.mjs.map (esm.sh)
...es2022/startOfMonth.mjs (esm.sh)	...es2022/startOfMonth.mjs.map (esm.sh)
...es2022/startOfMinute.mjs (esm.sh)	...es2022/startOfMinute.mjs.map (esm.sh)
...es2022/startOfISOWeekYear.mjs (esm.sh)	...es2022/startOfISOWeekYear.mjs.map (esm.sh)
...es2022/startOfISOWeek.mjs (esm.sh)	...es2022/startOfISOWeek.mjs.map (esm.sh)
...es2022/startOfHour.mjs (esm.sh)	...es2022/startOfHour.mjs.map (esm.sh)
...es2022/startOfDecade.mjs (esm.sh)	...es2022/startOfDecade.mjs.map (esm.sh)
...es2022/startOfDay.mjs (esm.sh)	...es2022/startOfDay.mjs.map (esm.sh)
...es2022/setYear.mjs (esm.sh)	...es2022/setYear.mjs.map (esm.sh)
...es2022/setWeekYear.mjs (esm.sh)	...es2022/setWeekYear.mjs.map (esm.sh)
...es2022/setWeek.mjs (esm.sh)	...es2022/setWeek.mjs.map (esm.sh)
...es2022/setSeconds.mjs (esm.sh)	...es2022/setSeconds.mjs.map (esm.sh)
...es2022/setQuarter.mjs (esm.sh)	...es2022/setQuarter.mjs.map (esm.sh)
...es2022/setMonth.mjs (esm.sh)	...es2022/setMonth.mjs.map (esm.sh)
...es2022/setMinutes.mjs (esm.sh)	...es2022/setMinutes.mjs.map (esm.sh)
...es2022/setMilliseconds.mjs (esm.sh)	...es2022/setMilliseconds.mjs.map (esm.sh)
...es2022/setISOWeekYear.mjs (esm.sh)	...es2022/setISOWeekYear.mjs.map (esm.sh)
...es2022/setISOWeek.mjs (esm.sh)	...es2022/setISOWeek.mjs.map (esm.sh)
...es2022/setISODay.mjs (esm.sh)	...es2022/setISODay.mjs.map (esm.sh)
...es2022/setHours.mjs (esm.sh)	...es2022/setHours.mjs.map (esm.sh)

URL	Map URL
...es2022/setDefaultOptions.mjs (esm.sh)	...es2022/setDefaultOptions.mjs.map (esm.sh)
...es2022/setDayOfYear.mjs (esm.sh)	...es2022/setDayOfYear.mjs.map (esm.sh)
...es2022/setDay.mjs (esm.sh)	...es2022/setDay.mjs.map (esm.sh)
...es2022/setDate.mjs (esm.sh)	...es2022 setDate.mjs.map (esm.sh)
...es2022/set.mjs (esm.sh)	...es2022 set.mjs.map (esm.sh)
...es2022/secondsToMinutes.mjs (esm.sh)	...es2022/secondsToMinutes.mjs.map (esm.sh)
...es2022/secondsToMilliseconds.mjs (esm.sh)	...es2022/secondsToMilliseconds.mjs.map (esm.sh)
...es2022/secondsToHours.mjs (esm.sh)	...es2022/secondsToHours.mjs.map (esm.sh)
...es2022/roundToNearestMinutes.mjs (esm.sh)	...es2022/roundToNearestMinutes.mjs.map (esm.sh)
...es2022/roundToNearestHours.mjs (esm.sh)	...es2022/roundToNearestHours.mjs.map (esm.sh)
...es2022/quartersToYears.mjs (esm.sh)	...es2022/quartersToYears.mjs.map (esm.sh)
...es2022/quartersToMonths.mjs (esm.sh)	...es2022/quartersToMonths.mjs.map (esm.sh)
...es2022/previousWednesday.mjs (esm.sh)	...es2022/previousWednesday.mjs.map (esm.sh)
...es2022/previousTuesday.mjs (esm.sh)	...es2022/previousTuesday.mjs.map (esm.sh)
...es2022/previousThursday.mjs (esm.sh)	...es2022/previousThursday.mjs.map (esm.sh)
...es2022/previousSunday.mjs (esm.sh)	...es2022/previousSunday.mjs.map (esm.sh)
...es2022/previousSaturday.mjs (esm.sh)	...es2022/previousSaturday.mjs.map (esm.sh)
...es2022/previousMonday.mjs (esm.sh)	...es2022/previousMonday.mjs.map (esm.sh)
...es2022/previousFriday.mjs (esm.sh)	...es2022/previousFriday.mjs.map (esm.sh)
...es2022/previousDay.mjs (esm.sh)	...es2022/previousDay.mjs.map (esm.sh)
...es2022/parseJSON.mjs (esm.sh)	...es2022/parseJSON.mjs.map (esm.sh)
...es2022/parseISO.mjs (esm.sh)	...es2022/parseISO.mjs.map (esm.sh)
...es2022/parse.mjs (esm.sh)	...es2022/parse.mjs.map (esm.sh)
...es2022/nextWednesday.mjs (esm.sh)	...es2022/nextWednesday.mjs.map (esm.sh)
...es2022/nextTuesday.mjs (esm.sh)	...es2022/nextTuesday.mjs.map (esm.sh)

URL	Map URL
...es2022/nextThursday.mjs (esm.sh)	...es2022/nextThursday.mjs.map (esm.sh)
...es2022/nextSunday.mjs (esm.sh)	...es2022/nextSunday.mjs.map (esm.sh)
...es2022/nextSaturday.mjs (esm.sh)	...es2022/nextSaturday.mjs.map (esm.sh)
...es2022/nextMonday.mjs (esm.sh)	...es2022/nextMonday.mjs.map (esm.sh)
...es2022/nextFriday.mjs (esm.sh)	...es2022/nextFriday.mjs.map (esm.sh)
...es2022/nextDay.mjs (esm.sh)	...es2022/nextDay.mjs.map (esm.sh)
...es2022/monthsToYears.mjs (esm.sh)	...es2022/monthsToYears.mjs.map (esm.sh)
...es2022/monthsToQuarters.mjs (esm.sh)	...es2022/monthsToQuarters.mjs.map (esm.sh)
...es2022/minutesToSeconds.mjs (esm.sh)	...es2022/minutesToSeconds.mjs.map (esm.sh)
...es2022/minutesToMilliseconds.mjs (esm.sh)	...es2022/minutesToMilliseconds.mjs.map (esm.sh)
...es2022/minutesToHours.mjs (esm.sh)	...es2022/minutesToHours.mjs.map (esm.sh)
...es2022/min.mjs (esm.sh)	...es2022/min.mjs.map (esm.sh)
...es2022/millisecondsToSeconds.mjs (esm.sh)	...es2022/millisecondsToSeconds.mjs.map (esm.sh)
...es2022/millisecondsToMinutes.mjs (esm.sh)	...es2022/millisecondsToMinutes.mjs.map (esm.sh)
...es2022/millisecondsToHours.mjs (esm.sh)	...es2022/millisecondsToHours.mjs.map (esm.sh)
...es2022/milliseconds.mjs (esm.sh)	...es2022/milliseconds.mjs.map (esm.sh)
...es2022/max.mjs (esm.sh)	...es2022/max.mjs.map (esm.sh)
..._lib/match.mjs (esm.sh)	..._lib/match.mjs.map (esm.sh)
..._lib/normalize.mjs (esm.sh)	..._lib/normalize.mjs.map (esm.sh)
..._lib/formatRelative.mjs (esm.sh)	..._lib/formatRelative.mjs.map (esm.sh)
..._lib/formatDistance.mjs (esm.sh)	..._lib/formatDistance.mjs.map (esm.sh)
...locale/en-US.mjs (esm.sh)	...locale/en-US.mjs.map (esm.sh)
..._lib/buildMatchPatternFn.mjs (esm.sh)	..._lib/buildMatchPatternFn.mjs.map (esm.sh)
..._lib/buildMatchFn.mjs (esm.sh)	..._lib/buildMatchFn.mjs.map (esm.sh)
..._lib/buildLocalizeFn.mjs (esm.sh)	..._lib/buildLocalizeFn.mjs.map (esm.sh)

URL	Map URL
..._lib/buildFormatLongFn.mjs (esm.sh)	..._lib/buildFormatLongFn.mjs.map (esm.sh)
...es2022/lightFormat.mjs (esm.sh)	...es2022/lightFormat.mjs.map (esm.sh)
...es2022/lastDayOfYear.mjs (esm.sh)	...es2022/lastDayOfYear.mjs.map (esm.sh)
...es2022/lastDayOfWeek.mjs (esm.sh)	...es2022/lastDayOfWeek.mjs.map (esm.sh)
...es2022/lastDayOfQuarter.mjs (esm.sh)	...es2022/lastDayOfQuarter.mjs.map (esm.sh)
...es2022/lastDayOfMonth.mjs (esm.sh)	...es2022/lastDayOfMonth.mjs.map (esm.sh)
...es2022/lastDayOfISOWeekYear.mjs (esm.sh)	...es2022/lastDayOfISOWeekYear.mjs.map (esm.sh)
...es2022/lastDayOfISOWeek.mjs (esm.sh)	...es2022/lastDayOfISOWeek.mjs.map (esm.sh)
...es2022/lastDayOfDecade.mjs (esm.sh)	...es2022/lastDayOfDecade.mjs.map (esm.sh)
...es2022/isYesterday.mjs (esm.sh)	...es2022/isYesterday.mjs.map (esm.sh)
...es2022/isWithinInterval.mjs (esm.sh)	...es2022/isWithinInterval.mjs.map (esm.sh)
...es2022/isWeekend.mjs (esm.sh)	...es2022/isWeekend.mjs.map (esm.sh)
...es2022/isWednesday.mjs (esm.sh)	...es2022/isWednesday.mjs.map (esm.sh)
...es2022/isValid.mjs (esm.sh)	...es2022/isValid.mjs.map (esm.sh)
...es2022/isTuesday.mjs (esm.sh)	...es2022/isTuesday.mjs.map (esm.sh)
...es2022/isTomorrow.mjs (esm.sh)	...es2022/isTomorrow.mjs.map (esm.sh)
...es2022/isToday.mjs (esm.sh)	...es2022/isToday.mjs.map (esm.sh)
...es2022/isThursday.mjs (esm.sh)	...es2022/isThursday.mjs.map (esm.sh)
...es2022/isThisYear.mjs (esm.sh)	...es2022/isThisYear.mjs.map (esm.sh)
...es2022/isThisWeek.mjs (esm.sh)	...es2022/isThisWeek.mjs.map (esm.sh)
...es2022/isThisSecond.mjs (esm.sh)	...es2022/isThisSecond.mjs.map (esm.sh)
...es2022/isThisQuarter.mjs (esm.sh)	...es2022/isThisQuarter.mjs.map (esm.sh)
...es2022/isThisMonth.mjs (esm.sh)	...es2022/isThisMonth.mjs.map (esm.sh)
...es2022/isThisMinute.mjs (esm.sh)	...es2022/isThisMinute.mjs.map (esm.sh)
...es2022/isThisISOWeek.mjs (esm.sh)	...es2022/isThisISOWeek.mjs.map (esm.sh)

URL	Map URL
...es2022/isThisHour.mjs (esm.sh)	...es2022/isThisHour.mjs.map (esm.sh)
...es2022/isSunday.mjs (esm.sh)	...es2022/isSunday.mjs.map (esm.sh)
...es2022/isSaturday.mjs (esm.sh)	...es2022/isSaturday.mjs.map (esm.sh)
...es2022/isSameYear.mjs (esm.sh)	...es2022/isSameYear.mjs.map (esm.sh)
...es2022/isSameWeek.mjs (esm.sh)	...es2022/isSameWeek.mjs.map (esm.sh)
...es2022/isSameSecond.mjs (esm.sh)	...es2022/isSameSecond.mjs.map (esm.sh)
...es2022/isSameQuarter.mjs (esm.sh)	...es2022/isSameQuarter.mjs.map (esm.sh)
...es2022/isSameMonth.mjs (esm.sh)	...es2022/isSameMonth.mjs.map (esm.sh)
...es2022/isSameMinute.mjs (esm.sh)	...es2022/isSameMinute.mjs.map (esm.sh)
...es2022/isSameISOWeekYear.mjs (esm.sh)	...es2022/isSameISOWeekYear.mjs.map (esm.sh)
...es2022/isSameISOWeek.mjs (esm.sh)	...es2022/isSameISOWeek.mjs.map (esm.sh)
...es2022/isSameHour.mjs (esm.sh)	...es2022/isSameHour.mjs.map (esm.sh)
...es2022/isSameDay.mjs (esm.sh)	...es2022/isSameDay.mjs.map (esm.sh)
...es2022/isPast.mjs (esm.sh)	...es2022/isPast.mjs.map (esm.sh)
...es2022/isMonday.mjs (esm.sh)	...es2022/isMonday.mjs.map (esm.sh)
...es2022/isMatch.mjs (esm.sh)	...es2022/isMatch.mjs.map (esm.sh)
...es2022/isLeapYear.mjs (esm.sh)	...es2022/isLeapYear.mjs.map (esm.sh)
...es2022/isLastDayOfMonth.mjs (esm.sh)	...es2022/isLastDayOfMonth.mjs.map (esm.sh)
...es2022/isFuture.mjs (esm.sh)	...es2022/isFuture.mjs.map (esm.sh)
...es2022/isFriday.mjs (esm.sh)	...es2022/isFriday.mjs.map (esm.sh)
...es2022/isFirstDayOfMonth.mjs (esm.sh)	...es2022/isFirstDayOfMonth.mjs.map (esm.sh)
...es2022/isExists.mjs (esm.sh)	...es2022/isExists.mjs.map (esm.sh)
...es2022/isEqual.mjs (esm.sh)	...es2022/isEqual.mjs.map (esm.sh)
...es2022/isDate.mjs (esm.sh)	...es2022/isDate.mjs.map (esm.sh)
...es2022/isBefore.mjs (esm.sh)	...es2022/isBefore.mjs.map (esm.sh)

URL	Map URL
...es2022/isAfter.mjs (esm.sh)	...es2022/isAfter.mjs.map (esm.sh)
...es2022/intlFormatDistance.mjs (esm.sh)	...es2022/intlFormatDistance.mjs.map (esm.sh)
...es2022/intlFormat.mjs (esm.sh)	...es2022/intlFormat.mjs.map (esm.sh)
...es2022/intervalToDuration.mjs (esm.sh)	...es2022/intervalToDuration.mjs.map (esm.sh)
...es2022/interval.mjs (esm.sh)	...es2022/interval.mjs.map (esm.sh)
...es2022/hoursToSeconds.mjs (esm.sh)	...es2022/hoursToSeconds.mjs.map (esm.sh)
...es2022/hoursToMinutes.mjs (esm.sh)	...es2022/hoursToMinutes.mjs.map (esm.sh)
...es2022/hoursToMilliseconds.mjs (esm.sh)	...es2022/hoursToMilliseconds.mjs.map (esm.sh)
...es2022/getYear.mjs (esm.sh)	...es2022/getYear.mjs.map (esm.sh)
...es2022/getWeekYear.mjs (esm.sh)	...es2022/getWeekYear.mjs.map (esm.sh)
...es2022/getWeeksInMonth.mjs (esm.sh)	...es2022/getWeeksInMonth.mjs.map (esm.sh)
...es2022/getWeekOfMonth.mjs (esm.sh)	...es2022/getWeekOfMonth.mjs.map (esm.sh)
...es2022/getWeek.mjs (esm.sh)	...es2022/getWeek.mjs.map (esm.sh)
...es2022/getUnixTime.mjs (esm.sh)	...es2022/getUnixTime.mjs.map (esm.sh)
...es2022/getTime.mjs (esm.sh)	...es2022/getTime.mjs.map (esm.sh)
...es2022/getSeconds.mjs (esm.sh)	...es2022/getSeconds.mjs.map (esm.sh)
...es2022/getQuarter.mjs (esm.sh)	...es2022/getQuarter.mjs.map (esm.sh)
...es2022/getOverlappingDaysInIntervals.mjs (esm.sh)	... es2022/getOverlappingDaysInIntervals.mjs.map (esm.sh)
...es2022/getMonth.mjs (esm.sh)	...es2022/getMonth.mjs.map (esm.sh)
...es2022/getMinutes.mjs (esm.sh)	...es2022/getMinutes.mjs.map (esm.sh)
...es2022/getMilliseconds.mjs (esm.sh)	...es2022/getMilliseconds.mjs.map (esm.sh)
...es2022/getISOWeekYear.mjs (esm.sh)	...es2022/getISOWeekYear.mjs.map (esm.sh)
...es2022/getISOWeeksInYear.mjs (esm.sh)	...es2022/getISOWeeksInYear.mjs.map (esm.sh)
...es2022/getISOWeek.mjs (esm.sh)	...es2022/getISOWeek.mjs.map (esm.sh)

URL	Map URL
...es2022/getISODay.mjs (esm.sh)	...es2022/getISODay.mjs.map (esm.sh)
...es2022/getHours.mjs (esm.sh)	...es2022/getHours.mjs.map (esm.sh)
...es2022/getDefaultOptions.mjs (esm.sh)	...es2022/getDefaultOptions.mjs.map (esm.sh)
...es2022/getDecade.mjs (esm.sh)	...es2022/getDecade.mjs.map (esm.sh)
...es2022/getDaysInYear.mjs (esm.sh)	...es2022/getDaysInYear.mjs.map (esm.sh)
...es2022/getDaysInMonth.mjs (esm.sh)	...es2022/getDaysInMonth.mjs.map (esm.sh)
...es2022/getDayOfYear.mjs (esm.sh)	...es2022/getDayOfYear.mjs.map (esm.sh)
...es2022/getDay.mjs (esm.sh)	...es2022/getDay.mjs.map (esm.sh)
...es2022/getDate.mjs (esm.sh)	...es2022/getDate.mjs.map (esm.sh)
...es2022/fromUnixTime.mjs (esm.sh)	...es2022/fromUnixTime.mjs.map (esm.sh)
...es2022/formatRFC7231.mjs (esm.sh)	...es2022/formatRFC7231.mjs.map (esm.sh)
...es2022/formatRFC3339.mjs (esm.sh)	...es2022/formatRFC3339.mjs.map (esm.sh)
...es2022/formatRelative.mjs (esm.sh)	...es2022/formatRelative.mjs.map (esm.sh)
...es2022/formatISODuration.mjs (esm.sh)	...es2022/formatISODuration.mjs.map (esm.sh)
...es2022/formatISO9075.mjs (esm.sh)	...es2022/formatISO9075.mjs.map (esm.sh)
...es2022/formatISO.mjs (esm.sh)	...es2022/formatISO.mjs.map (esm.sh)
...es2022/formatDuration.mjs (esm.sh)	...es2022/formatDuration.mjs.map (esm.sh)
...es2022/formatDistanceToNowStrict.mjs (esm.sh)	...es2022/formatDistanceToNowStrict.mjs.map (esm.sh)
...es2022/formatDistanceToNow.mjs (esm.sh)	...es2022/formatDistanceToNow.mjs.map (esm.sh)
...es2022/formatDistanceStrict.mjs (esm.sh)	...es2022/formatDistanceStrict.mjs.map (esm.sh)
...es2022/formatDistance.mjs (esm.sh)	...es2022/formatDistance.mjs.map (esm.sh)
...es2022/format.mjs (esm.sh)	...es2022/format.mjs.map (esm.sh)
...es2022/endOfYesterday.mjs (esm.sh)	...es2022/endOfYesterday.mjs.map (esm.sh)
...es2022/endOfYear.mjs (esm.sh)	...es2022/endOfYear.mjs.map (esm.sh)
...es2022/endOfWeek.mjs (esm.sh)	...es2022/endOfWeek.mjs.map (esm.sh)

URL	Map URL
...es2022/endOfTomorrow.mjs (esm.sh)	...es2022/endOfTomorrow.mjs.map (esm.sh)
...es2022/endOfToday.mjs (esm.sh)	...es2022/endOfToday.mjs.map (esm.sh)
...es2022/endOfSecond.mjs (esm.sh)	...es2022/endOfSecond.mjs.map (esm.sh)
...es2022/endOfQuarter.mjs (esm.sh)	...es2022/endOfQuarter.mjs.map (esm.sh)
...es2022/endOfMonth.mjs (esm.sh)	...es2022/endOfMonth.mjs.map (esm.sh)
...es2022/endOfMinute.mjs (esm.sh)	...es2022/endOfMinute.mjs.map (esm.sh)
...es2022/endOfISOWeekYear.mjs (esm.sh)	...es2022/endOfISOWeekYear.mjs.map (esm.sh)
...es2022/endOfISOWeek.mjs (esm.sh)	...es2022/endOfISOWeek.mjs.map (esm.sh)
...es2022/endOfHour.mjs (esm.sh)	...es2022/endOfHour.mjs.map (esm.sh)
...es2022/endOfDecade.mjs (esm.sh)	...es2022/endOfDecade.mjs.map (esm.sh)
...es2022/endOfDay.mjs (esm.sh)	...es2022/endOfDay.mjs.map (esm.sh)
...es2022/eachYearOfInterval.mjs (esm.sh)	...es2022/eachYearOfInterval.mjs.map (esm.sh)
...es2022/eachWeekOfInterval.mjs (esm.sh)	...es2022/eachWeekOfInterval.mjs.map (esm.sh)
...es2022/eachWeekendOfYear.mjs (esm.sh)	...es2022/eachWeekendOfYear.mjs.map (esm.sh)
...es2022/eachWeekendOfMonth.mjs (esm.sh)	...es2022/eachWeekendOfMonth.mjs.map (esm.sh)
...es2022/eachWeekendOfInterval.mjs (esm.sh)	...es2022/eachWeekendOfInterval.mjs.map (esm.sh)
...es2022/eachQuarterOfInterval.mjs (esm.sh)	...es2022/eachQuarterOfInterval.mjs.map (esm.sh)
...es2022/eachMonthOfInterval.mjs (esm.sh)	...es2022/eachMonthOfInterval.mjs.map (esm.sh)
...es2022/eachMinuteOfInterval.mjs (esm.sh)	...es2022/eachMinuteOfInterval.mjs.map (esm.sh)
...es2022/eachHourOfInterval.mjs (esm.sh)	...es2022/eachHourOfInterval.mjs.map (esm.sh)
...es2022/eachDayOfInterval.mjs (esm.sh)	...es2022/eachDayOfInterval.mjs.map (esm.sh)
...es2022/differenceInYears.mjs (esm.sh)	...es2022/differenceInYears.mjs.map (esm.sh)
...es2022/differenceInWeeks.mjs (esm.sh)	...es2022/differenceInWeeks.mjs.map (esm.sh)
...es2022/differenceInSeconds.mjs (esm.sh)	...es2022/differenceInSeconds.mjs.map (esm.sh)
...es2022/differenceInQuarters.mjs (esm.sh)	...es2022/differenceInQuarters.mjs.map (esm.sh)

URL	Map URL
...es2022/differenceInMonths.mjs (esm.sh)	...es2022/differenceInMonths.mjs.map (esm.sh)
...es2022/differenceInMinutes.mjs (esm.sh)	...es2022/differenceInMinutes.mjs.map (esm.sh)
...es2022/differenceInMilliseconds.mjs (esm.sh)	...es2022/differenceInMilliseconds.mjs.map (esm.sh)
...es2022/differenceInISOWeekYears.mjs (esm.sh)	...es2022/differenceInISOWeekYears.mjs.map (esm.sh)
...es2022/differenceInHours.mjs (esm.sh)	...es2022/differenceInHours.mjs.map (esm.sh)
...es2022/differenceInDays.mjs (esm.sh)	...es2022/differenceInDays.mjs.map (esm.sh)
...es2022/differenceInCalendarYears.mjs (esm.sh)	...es2022/differenceInCalendarYears.mjs.map (esm.sh)
...es2022/differenceInCalendarWeeks.mjs (esm.sh)	...es2022/differenceInCalendarWeeks.mjs.map (esm.sh)
...es2022/differenceInCalendarQuarters.mjs (esm.sh)	...es2022/differenceInCalendarQuarters.mjs.map (esm.sh)
...es2022/differenceInCalendarMonths.mjs (esm.sh)	...es2022/differenceInCalendarMonths.mjs.map (esm.sh)
...	...
...es2022/differenceInCalendarISOWeekYears.mjs (esm.sh)	...es2022/differenceInCalendarISOWeekYears.mjs.map (esm.sh)
...es2022/differenceInCalendarISOWeeks.mjs (esm.sh)	...es2022/differenceInCalendarISOWeeks.mjs.map (esm.sh)
...es2022/differenceInCalendarDays.mjs (esm.sh)	...es2022/differenceInCalendarDays.mjs.map (esm.sh)
...es2022/differenceInBusinessDays.mjs (esm.sh)	...es2022/differenceInBusinessDays.mjs.map (esm.sh)
...es2022/daysToWeeks.mjs (esm.sh)	...es2022/daysToWeeks.mjs.map (esm.sh)
...es2022/date-fns.mjs (esm.sh)	...es2022/date-fns.mjs.map (esm.sh)
...es2022/constructNow.mjs (esm.sh)	...es2022/constructNow.mjs.map (esm.sh)
...es2022/constructFrom.mjs (esm.sh)	...es2022/constructFrom.mjs.map (esm.sh)
...es2022/constants.mjs (esm.sh)	...es2022/constants.mjs.map (esm.sh)
...es2022/compareDesc.mjs (esm.sh)	...es2022/compareDesc.mjs.map (esm.sh)
...es2022/compareAsc.mjs (esm.sh)	...es2022/compareAsc.mjs.map (esm.sh)
...es2022/closestTo.mjs (esm.sh)	...es2022/closestTo.mjs.map (esm.sh)
...es2022/closestIndexTo.mjs (esm.sh)	...es2022/closestIndexTo.mjs.map (esm.sh)

URL	Map URL
...es2022/clamp.mjs (esm.sh)	...es2022/clamp.mjs.map (esm.sh)
...es2022/areIntervalsOverlapping.mjs (esm.sh)	...es2022/areIntervalsOverlapping.mjs.map (esm.sh)
...es2022/addYears.mjs (esm.sh)	...es2022/addYears.mjs.map (esm.sh)
...es2022/addWeeks.mjs (esm.sh)	...es2022/addWeeks.mjs.map (esm.sh)
...es2022/addSeconds.mjs (esm.sh)	...es2022/addSeconds.mjs.map (esm.sh)
...es2022/addQuarters.mjs (esm.sh)	...es2022/addQuarters.mjs.map (esm.sh)
...es2022/addMonths.mjs (esm.sh)	...es2022/addMonths.mjs.map (esm.sh)
...es2022/addMinutes.mjs (esm.sh)	...es2022/addMinutes.mjs.map (esm.sh)
...es2022/addMilliseconds.mjs (esm.sh)	...es2022/addMilliseconds.mjs.map (esm.sh)
...es2022/addISOWeekYears.mjs (esm.sh)	...es2022/addISOWeekYears.mjs.map (esm.sh)
...es2022/addHours.mjs (esm.sh)	...es2022/addHours.mjs.map (esm.sh)
...es2022/addDays.mjs (esm.sh)	...es2022/addDays.mjs.map (esm.sh)
...es2022/addBusinessDays.mjs (esm.sh)	...es2022/addBusinessDays.mjs.map (esm.sh)
...es2022/add.mjs (esm.sh)	...es2022/add.mjs.map (esm.sh)
..._lib/protectedTokens.mjs (esm.sh)	..._lib/protectedTokens.mjs.map (esm.sh)
..._lib/normalizeInterval.mjs (esm.sh)	..._lib/normalizeInterval.mjs.map (esm.sh)
..._lib/normalizeDates.mjs (esm.sh)	..._lib/normalizeDates.mjs.map (esm.sh)
..._lib/getTimezoneOffsetInMilliseconds.mjs (esm.sh)	..._lib/getTimezoneOffsetInMilliseconds.mjs.map (esm.sh)
..._lib/getRoundingMethod.mjs (esm.sh)	..._lib/getRoundingMethod.mjs.map (esm.sh)
...format/longFormatters.mjs (esm.sh)	...format/longFormatters.mjs.map (esm.sh)
...format/lightFormatters.mjs (esm.sh)	...format/lightFormatters.mjs.map (esm.sh)
..._lib/defaultOptions.mjs (esm.sh)	..._lib/defaultOptions.mjs.map (esm.sh)
..._lib/defaultLocale.mjs (esm.sh)	..._lib/defaultLocale.mjs.map (esm.sh)
..._lib/addLeadingZeros.mjs (esm.sh)	..._lib/addLeadingZeros.mjs.map (esm.sh)
...es2022/toZonedDateTime.mjs (esm.sh)	...es2022/toZonedDateTime.mjs.map (esm.sh)

URL	Map URL
...es2022/toDate.mjs (esm.sh)	...es2022/toDate.mjs.map (esm.sh)
...es2022/getTimezoneOffset.mjs (esm.sh)	...es2022/getTimezoneOffset.mjs.map (esm.sh)
...es2022/fromZonedDateTime.mjs (esm.sh)	...es2022/fromZonedDateTime.mjs.map (esm.sh)
...es2022/formatInTimeZone.mjs (esm.sh)	...es2022/formatInTimeZone.mjs.map (esm.sh)
...es2022/format.mjs (esm.sh)	...es2022/format.mjs.map (esm.sh)
...tzPattern/index.mjs (esm.sh)	...tzPattern/index.mjs.map (esm.sh)
...tzParseTimezone/index.mjs (esm.sh)	...tzParseTimezone/index.mjs.map (esm.sh)
...newDateUTC/index.mjs (esm.sh)	...newDateUTC/index.mjs.map (esm.sh)
...es2022/date-fns-tz.mjs (esm.sh)	...es2022/date-fns-tz.mjs.map (esm.sh)

NOT APPLICABLE (3)

Hide

 Redirects HTTP traffic to HTTPS ^

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#).

 Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy](#).

 Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#).



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on

[Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data](#).

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

● Page isn't blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

● Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

● Document has a meta description

^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

● Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

● Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

● Links are crawlable ^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered.

[Learn how to make links crawlable](#)

● Document has a valid `hreflang` ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

● Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

NOT APPLICABLE (2) Hide

○ robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

○ Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Captured at Sep 29, 2025, 9:01 PM Emulated Desktop with Lighthouse Single page session

GMT+8

12.8.2

 Initial page load Unknown Using HeadlessChromium

137.0.7151.119 with Ir

Generated by **Lighthouse** 12.8.2 | [File an issue](#)