



PLEX GAY MEDIA

ADULT AGENTS

MODERNIZED

Installation & Usage Guide



Muscle Daddies

2017

1 hr 47 min · Unplayed

DIRECTED BY

STUDIO

VIDEO

AUDIO

SUBTITLES

Jason Mark

Titan Media

1080p (H.264)


Unknown (MP3 Stereo)

None


Older, Wiser, Harder. When it comes to the best seasonings, Watch TitanMen and Dallas Steele prove that age and experience are the best ingredients.

READ MORE


CAST



Dallas Steele



Jason Vorhe



Jason Jackson




Liam Knox

RELATED MOVIES




Big Brother

2017



Out

2016



Rough Trade


2016



Demolition

2017

MORE BY JASON MARK




Big Brother

2017




Demolition

2017



Hot House Flip...


2020



Making Moves


2020

MORE WITH DALLAS STEELE




Berkeley Supers...

2019




Daddy Likes It...

2019



Daddy's Forbidden...

2019



Fulfilling Daddy...

2019

TABLE OF CONTENTS

1. PLEX AND ITS AGENTS	3
2. INSTALLATION	4
3. LABELING YOUR FILES	13
4. AGENT SPECIFIC CONSIDERATIONS....	22
5. LANGUAGE TRANSLATION.....	31
6. CREATING CUSTOM COVER ART	33
7. COMBINING MULTI-PART SCENES INTO ONE MOVIE.....	34
8. FINAL THOUGHTS.....	40
9. Frequently Asked Questions	41

1. PLEX AND ITS AGENTS

What is Plex?

As Per PC Magazine: *if you have a vast personal library of TV shows and movies you want to watch or share access to on mobile devices or your TV, Plex is a must-have tool.*

If you have a collection of movies (blockbuster or porn) and TV shows in your personal library, there's hardly a better way to manage it than Plex.

Like the similar library app Kodi, Plex gives you an attractive interface to browse or search your shows to find something to watch. But its key feature is in letting you stream your own content from your computer to any device you own, and even share that library with others.

Plex is composed of two applications:

- **Plex Media Server**: This runs off the one device that stores all of your media; and manages the cataloging of all your media be it films, home videos, photos or music. The app downloads metadata from sites like TVDB, Movie DB, and IMDB and matches these to your library files.
- **Plex**: The client, which is used to play back the catalogued media managed by Plex Media Server. It, however, also gives the User options to change Plex Media Server settings rather than loading these settings via the default web browser page

Both Apps can be installed on just one device, however, Plex's most useful feature is streaming your media elsewhere, so you'll probably want to download more than one client.

Plex Media Server runs on a wide array of platforms including Windows, Mac OS, Linux, FreeBSD, and a bunch of niche NAS.

The Plex apps (or clients) come on a different, but no less varied, range of platforms, including Android, iOS, Windows, and Mac. However, you'll also find dedicated Plex apps for most smart TV platforms and boxes like Apple TV, Chromecast, and Fire TV, as well as consoles like the Xbox One and PlayStation 4. In other words, if there's a place you watch TV, there's a good chance Plex already has an app for it.

What is Plex Gay Media Adult Agents - Modernized?

Agents are the server component that's responsible for taking the information from Plex's built in scanner and then acting on it to help bring in the rich metadata (plot summary, cast info, cover art, etc.) that brings your media libraries to life.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Plex by default uses sites like IMDB, TVDB and MovieDB to fetch this rich metadata, however, most pornography has either no listing on these sites or lacking in poster art as an example due to their sexual content.

We created our Metadata Agents (or just “agents”) to bridge this gap. When doing this we realized as loads of you out there already have, that pornography comes in two forms:

- Full Films
- Scenes

Therefore, we tailored our approach and created agents to match both film indexing websites (e.g., AEBN, GEVI, IAFD) and/or scene indexing websites (e.g., WayBig, QueerClick, IAFD) to retrieve and populate this metadata in the same way as the default Plex agents do. The full film agent aptly named GayAdultFilms, the scene agent GayAdultScenes and the combination of the two GayAdult.

For an expanded discussion of Plex’s native Agent functionality, and their use [click here](#).

2. INSTALLATION

Installing the Plex Media Server

[Click here](#) for a Quick-Start and Step by Step Guides for installing PMS.

Planning your Approach

As described in the previous section, the PMS is a fantastic approach to streaming your home media content, both non-adult and adult.

Perhaps you already use PMS and are excited to add your gay adult content.

Some consideration should be given into how you want to structure your libraries. If there are folks in your house that you don’t want to see some of your content, you should carefully plan your approach.

You have options. You could install multiple PMS using multiple accounts (one for your non adult content, one for your adult content).

You could install everything on one PMS with one account, and share the non-adult libraries with a 2nd account that will be used throughout your house (e.g., on your Roku devices) for your family-friendly content.


Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Installing the Plex Gay Media Adult Agents – Modernized

Once you have strategized your approach, it's time to roll your sleeves up and get started. Follow these step by step instructions:

- **Step 1:** Download the contents of this repository. Copy the _PGMA folder and its contents and all of the .bundle folders and their contents to your Plex Media Server's plugin folder. Can't find the folder? [Click here.](#)




- **Step 2:** Exit and Restart your PMS and Login to the web interface and open settings. For example, look for the Plex icon in the Windows system tray (or the macOS menu bar).



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- **Step 3:** Select “Exit” to safely shut down the server.



Relaunch the application as you normally would using a shortcut in your Start Menu, Dock, or the like to fire it up.

- **Step 4:** Start small. Before renaming every file in your system, start with one and work with it until you can get Plex to match it.

Trust us, you'll learn valuable insights from what didn't work that could cause a massive amount of rework if you've already renamed all your files.

If you still can't get it to work, we are happy to help!

- **Step 5:** Create a new folder with the file you want to match against. For illustration purposes, we'll assume the file is Titan Media's Fast Paced released in 2014.


Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- **Step 6:** Find a match for this file on an index site, such as AEBN.com, gayeroticvideoindex.com, gayDVDempire.com etc.




- **Step 7:** Name this file in the proper format (Studio) - Title (YYYY) ensuring this matches the studio, title, and date from the website. In this example, (Titan Media) – Fast Paced (2014).mp4



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- **Step 8:** Go into your PMS settings and choose only the film or scene agent whose website you just found the match to (i.e., AEBN, GEVI or WayBig.) Unselect all others.




- **Step 9:** Update Parameters: Each agent has a good number of parameters that will need to be set (clicked/unchecked, dropdown choices selected). These parameters drive, for example, whether collections are created for a variety of metadata (actors, studios, genres). Click the gear symbol next to the agent, and set and save the

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

parameters. Kill/Stop and then restart your PMS. Note: Changes made to the parameters will not take effect until PMS restarts.




- **Step 10:** Create a new Plex Movie library:
 - in the "add folders" step, point to the folder you just created;
 - in the "advanced" step, choose the appropriate Agent just configured in step 8 (GayAdult in this example)
 - Click "Add Library" to complete the wizard.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Plex will create and scan the new library and attempt to match the file using the agent that you selected. Hopefully your match will be successful.




...and when the poster is clicked:



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- **Step 11:** If the match isn't successful, ensure that the metadata for the entry on the indexing website matches the filename. If you need to tweak the filename do so, and then try scanning the library again and if necessary doing a Fix Match on the offending non-matching title.




- **Step 12:** If you still can't get a match, please open an issue and include:
 - The specific operating system/device you have PMS installed on.
 - The logs--attach all the newly created logs from the \Logs\PMS Plugin Logs directories. Not sure where they're located, [click here](#): (e.g., in windows they are typically found in C:\Users\<Your User Name>\AppData\Local\Plex Media Server\Logs\PMS Plugin Logs)
 - The specific URL of the film or scene title on the Agent's index site.
 - Any information you deem pertinent, error messages you may have received, and any questions you may have
 - Please do not include adult-content images.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- **Step 13:** If you are new to Plex, it really is about getting the first title to match. That is 98% of the battle. Once you get the first title to match, the rest of your library will follow in due course. So, now that you've gotten your first match, go wild.
- **Step 14:** Go to **Settings > Server > Agents** select "GayAdult" and/or "GayAdultFilms" and/or "GayAdultScenes" and check any/all agents you wish to use and put them in order of preference (e.g. if you prefer matching against AEBN, consider putting AEBN first); check Local Media Assets (Movies) if you include your own poster artwork (see below).
 - Gay Adult contains all of the agents for those who mix Films and Scenes in the same Plex library
 - GayAdultFilms specifically contains the Film agents (e.g., AEBN, GEVI, and GayDVDEmpire) and is used in libraries which only contain full-length films
 - Gay Adult Scenes contains agents for blog sites (WayBig, Fagalicious, and QueerClick). Use in libraries contain scenes.



3. LABELING YOUR FILES

Feature Films vs. Scenes

Earlier you were asked to plan your approach. Part of that approach asks that you consider whether you want to build libraries specifically targeted for Feature Films, Scenes, or both.

Feature Films:

Name your files as: (Studio; **IAFD Studio**) - Title (**Year**) - [**Cast List**] - **Stack Type Stack Number**

Notes:

- All in Green is optional.
- Cast List must be enclosed in square brackets and each name separated by Commas. If a cast list is detected the agents will use it instead of the cast found on the agents website. This resolves issues with inconsistent/non-existent actor tagging with certain index sites (e.g., Best Gay Exclusive and Queer Click)
- Stack type = part, cd, dvd, disc, disk etc
- Stack no... 1 to 8


Find your film on one of the Index sites (e.g., AEBN.com or gayeroticvideoindex.com). Name your file using the specific title from the Index site e.g.

- (Titan Media) - Copperhead Canyon (2008).mp4
- (Raging Stallion Studios) - Manscent (2019).mp4
- (Men) - Camp Chaos (2019).mp4

The matching agent will return the movie poster and relevant metadata i.e. actor thumbnails (matched from IAFD.com)

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide



Scenes from blogs:

Name your files as: (Studio; **IAFD Studio**) - Title (**Year**) - [**Cast List**] - **Stack Type Stack Number**

Notes:

- All in Green is optional.
- Cast List must be enclosed in square brackets and each name separated by Commas. If a cast list is detected the agents will use it instead of the cast found on the agents website. This resolves issues with inconsistent/non-existent actor tagging with certain index sites (e.g., Best Gay Exclusive and Queer Click)
- Stack type = part, cd, dvd, disc, disk etc
- Stack no... 1 to 8

Find your scene on one of the Index sites (e.g., WayBig.com, QueerClick.com). Name your file using the specific title from the Index site e.g.


- (Men Series) - Bellamy Bradley, Alex Fortin, William Seed and Morgan Blake in 'Battle Buddies, Part 4' (2017).mp4
- (Active Duty) - Phoenix River and Ryan Jordan (2018).mp4
- (Sean Cody) - Jess Tops Deacon (Bareback) (2018).mp4

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

For illustration, let's here's an address for a scene we'd like to match:


<https://www.waybig.com/blog/?s=john+henry+xavier+ryan>



In our illustration, we will name the file using the title from the site. Again, targeting a Plex match using the WayBig (IAFD) agent, properly name the file based on the title from the site:

- **(Broke Straight Boys) - John Henry Fucks Xavier Ryan (Bareback) (2018).mp4**


The matching agent will return a scene poster and relevant metadata, actor thumbnails (matched from IAFD.com). If Plex doesn't correct the match (for me, Plex is hit or miss), do a "Fix Match" for this particular scene choosing the proper Agent set:



Plex will then attempt to re-match the scene against each of the enabled agents. If the WayBig (IAFD) agent is enabled, it should match the new properly named file name. Here is a Plex Screen Shot of the matched scene:

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide



Populating Actor's Roles

The Agents now have functionality that will pull Role information (e.g., Top, Bottom, Non-Sex, Mast-Only, BJOnly), if available, from IAFD for each actor. As discussed, content is normally labeled as **(Studio) - Title (Year).ext**. However, it isn't unusual that one indexing site may use a slightly different Studio Name (e.g., Titan Men) than IAFD (e.g., Titan Media).

For example, let's match the film title **(Titan Men) - Cut to the Chase (2014).mp4** using the **GayHotMovies** agent. The Film on IAFD result will be a Thumbs Down.



Cast will be retrieved from IAFD but with no Roles because IAFD can not find this film as it is


Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

registered under Titan Media.



If the Film is on IAFD but using a different Studio name, you now have the option to label the file as **(Studio;IAFDStudio) - Title (Year).ext**. So, let's match the film title **(Titan Men;Titan Media) - Cut to the Chase (2014).mp4** again using the **GayHotMovies** agent. The film on IAFD result will be a Thumbs Up,



and the Role will be populated for the cast.




Dynamically Creating and Updating Collections

The Agents now have functionality to create or update collections of various sorts. The functionality is optional, is set to off by default, and is controlled via Agent Settings.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide



You have the option to create collections for:


- Studio Name and/or
- Film Series (e.g. a collection called “Bareback Auditions” if the film is part of a series “Bareback Auditions 8” and/or
- Actors and/or
- Directors and/or
- Genres and/or
- Production Country.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

You also have the option to clear previously set collections.

For example, for the Title “New Rules” the following tags are populated and Collections created when the options for “Studio Name” and “Actors” is selected:



The screenshot shows the 'Edit New Rules' dialog box with a sidebar on the left containing menu items: General, Tags (highlighted in yellow), Sharing, Poster, Background, and Info. The main content area has several sections: Genres, Writers, Producers, and Collections. The Genres section contains a list of tags: 'Anal', 'High Definition', 'Muscles', and 'Safe Sex'. The Writers and Producers sections are currently empty. The Collections section is highlighted with a red border and contains a list of tags: 'Titan Media', 'Dakota Rivers', 'Daymin Voss', 'Dirk Caber', and 'Julian Knowles'. At the bottom right of the dialog are two buttons: 'CANCEL' and 'SAVE CHANGES'.

Edit New Rules

General

Tags

Sharing

Poster

Background

Info

Genres

- × Anal
- × High Definition
- × Muscles
- × Safe Sex

Writers

Producers

Collections

- × Titan Media
- × Dakota Rivers
- × Daymin Voss
- × Dirk Caber
- × Julian Knowles

CANCEL SAVE CHANGES

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

If the options are changed, for example, to Genres and Director and the option to clear previously set collections, when the title is rematched the Collections tags are updated:

Edit New Rules

General

Tags

Sharing

Poster

Background

Info

Genres

Writers

Producers

Collections

CANCEL **SAVE CHANGES**

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Note: Previously created collections remain in Plex even if metadata has been removed from it. Unwanted collections can be deleted through standard Plex functionality.



4. AGENT SPECIFIC CONSIDERATIONS

Gay Erotic Video Index (GEVI)

GEVI has a **TREMENDOUS** amount of indexed content, but has some quirks that are easy to navigate. Unlike other agents, GEVI allows you to use either:

- (Studio) - Title (Year).ext
- (Distributor) - Title (Year).ext

In GEVI as in the other Agents, if on windows, one cannot use a colon (:) in a filename. If the site uses a colon either in the Studio or Title replace with space dash space, i.e. " - ".

Scene Blogs Including “at Studio” at the End of the Title:

There is a quirk that some of the blogs temporarily undertook. Waybig, for example, circa 2016-2017, started titling their entries with "at Studio" at the end of the entry.



For titles falling into this category of “quirk”, simply remove the “at studio” from the end of the title and follow the proper file naming convention, i.e.

(Men.com) - Adam Ramzi, Alex Mecum, Julian Knowles and Kurtis Wolfe in ‘Dangerous Days’ Part 3 (2017).mp4

Or,

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

(Men) - Adam Ramzi, Alex Mecum, Julian Knowles and Kurtis Wolfe in 'Dangerous Days' Part 3 (2017).mp4

Internet Adult Film Database (IAFD) Tips and Considerations:

IAFD is a robust database of adult films and scenes (straight, bi, gay, etc.). Sometimes, when a particular film can't be found on any of the other indexing sites, or a particular scene can't be found on any of the other blog sites, it will be on IAFD. We consider it a next-to-last resort (last resort being manually tagging metadata and posters).

However, unlike the other indexes, IAFD contains no posters. Everyone has their own individual tastes. To some, the autogenerated poster from Plex may be just fine, as long as the metadata is pulled from IAFD. For others, metadata isn't enough and a quality poster is needed.

For those whose taste falls into the latter, you have the option of finding a poster that you like for the content, and manually uploading it using Plex's built in functionality (or using Local Media Assets (Movies) (see below). For example, often on Google you can find studio stills for a particular scene. If you like one, copy the source URL and upload it manually. Plex utilizes a 1 x 1.5 ratio for posters (e.g., 600px width x 900px height). If your image doesn't fit those ratios, Plex will auto crop. For the connoisseur, you may want to manually adjust in Paint 3d, Photoshop, or in Coverlabs, an easy to use Plex Companion Application (see section below) etc.

For example, the blogs contain very little indexed Blake Mason scene content, whereas IAFD had most, perhaps nearly all, of it (at last for the recent several years). The IAFD Agent is a good option.

We recommend that you include it last in the order of priority, unless it is your particular go-to agent.

Local Media Assets (Movies) Considerations:

This is a useful tool to use, especially in combination with the IAFD Agent. Suppose there is a film or a scene that can only be found on IAFD.



For example, many Pride Studios and Next Door Studios scenes can't be found on the blogs, but are indexed on IAFD.

Further, those two sites offers high quality photos (not still captures) for that scene, including a 1 x 1.5 ratio image. If you create a subfolder (e.g., John and James), and put both the IAFD

Plex Gay Media Adult Agents - Modernized


Installation and Usage Guide

appropriately named scene file *and* the artwork image titled **poster.jpg**, Plex will grab the metadata for the scene from IAFD and use the poster.jpg image as the poster artwork if Local Media Assets (Movies) is checked in Plex's Agent Settings.



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide



Another type of local media assets are the tags that may be embedded within a file's properties. If you'd prefer to use the resulting metadata from one of the blogs vs. what may be encoded in your file's properties, make sure that Local Media Agents is ranked lowest in the ordering of agents.

BestExclusivePorn Tips and Considerations

Unlike other blog sites, this site does not consistently include metadata for performers' names. We offer two workarounds. 1) list the actors in brackets as part of the file naming convention (see 3. Labeling your files); 2) the agent will look for sets of two words both beginning with Upper Case, assume they're an actor's name, and look for a match in IAFD.

For example:

(NextDoorRaw) - **Don't Stop Dacotah Red** fucks **Zak Bishop** bareback (2020).mp4

The agent will see if it can find matches for

- "Don't Stop"

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- "Dacotah Red"
- "Zak Bishop"

As it parses the title for sets of two capitalized words and will treat all three as actors. However it will not find a headshot for "Don't Stop", the agent will properly build metadata and actor information and headshot for the remaining two matches (Dacotah Red and Zak Bishop).

However, if you named the file as

(NextDoorRaw) - **don't stop Dacotah Red fucks Zak Bishop** bareback (2020).mp4

The agent will look for the following actors:

- Dacotah Red,
- Zak Bishop

Which is what is required and will return matched metadata/headshots for Dacotah Red and Zak Bishop.

GEVISCenes

PGMA released this agent in the summer of 2023. GEVI contains a ROBUST index of full feature films. GEVI also contains a ROBUST repository (vs. index) of Scenes. Currently, GEVI does not allow one to SEARCH for a Scene, as it does for a Film; rather, one can navigate to a scene by searching across performers or studios or recent additions and choosing the correct scene from the results list. GEVI provides a unique ID for each scene in its repository. The GEVISCenes agent 1) uses the unique ID to navigate directly to the Scene to scrape the metadata and 2) returns the image that GEVI has for the scene, allowing the user to rotate the image 90 degrees either Right or Left or No rotation. If the user chooses No rotation, Plex will crop the GEVI image using its standard cropping functionality.

The agent uses the following naming convention: (Studio) - Title - {#####X} (Year)

Notes:

- All in Green is optional
- ##### is the five or six digit unique ID
- X is the rotation: L, R, or N (meaning Left, Right, or None)

e.g.: (Raw Fuck Club) - Three Kings - {184566L} (2023).mp4

GEVI uses CloudFlare to protect itself, and therefore the Thumbor functionality which crops posters from Blog sites does not work with GEVI. The GEVISCenes agent uses Rotation

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

implemented via a PowerShell Script. If users do not already have Powershell installed, users will be required to install Powershell and .NET. Both of these exist for Windows, Linux and MAC OS.

Use Cases for image rotation: Plex's native functionality is to Crop poster images to a 3:2 ratio (height to width) anchored from the center of the image. There are times when this works out perfectly with GEVI's Landscape Images and therefore NONE rotation is required:

Rotation = N



And times when you may want to consider having the agent rotate the image either 90 degrees R:

Rotation = N vs R



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

or, 90 degrees L:

Rotation = N vs L



NFOImporter

There are times when Films and/or Scenes can not be found in any of the indexes that PGMA Agents support. What to do? You have two options:

1. Manually populate the metadata and upload any posters and artwork for the title using Plex standard Edit functionality.
2. Compile the metadata in a properly formatted .NFO file and use PGMA's NFOImporter Agent to upload into Plex, and consider pairing a Poster.jpg for ingesting with the Local Media Assets (Movie) agent (see discussion above).



Creating .NFO files: .NFO files are properly formatted XML in a schema that the Agent and Plex require for metadata upload. You have two options to create .NFO files.

1. Do it manually using Notepad or something similar.
2. Use a desktop tool such as TinyMediaManager or MediaElch to create the .NFO file. Both of these tools have limited scraping ability (e.g., MediaElch allows you to scrape the Straight and Bi side of AEBN, DVDEmpire and HotMovies while TinyMediaManager has a partner plug-in with ThePornDB.net). Additionally, they allow you to manually populate all the files needed in one simple interface and generate the .NFO.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Note: in either case, the NFOImporter Agent requires the media filename to match the .NFO filename. Here's an example using MediaElch to scrape a title from AdultDVEmpire and generate it's .NFO:



The .NFO file's XML:

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

```
*Strapon_Slaves.nfo - Notepad
File Edit Format View Help
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<movie>
  <title>Strapon Slaves</title>
  <userrating>0</userrating>
  <top250>0</top250>
  <outline>Five dildo drilling scenes, eight hot girls gettin' down 'n dirty! Come! You're invited to play with these dildo drilling dames as they strap on their phallus for a fun time, ganging up on their willing supplicant boyfriends! Watch their plastic sucking boyfriends suck their strap-on while the other girl drills him up the ass with hers. This certainly entertains the girls and fulfills their need for dominance, and their willing boyfriend slaves are submitting mostly because they wish to... They're not complaining either. Ahh sex, whether its role reversal or not, it's all good!</outline>
  <plot>Five dildo drilling scenes, eight hot girls gettin' down 'n dirty! Come! You're invited to play with these dildo drilling dames as they strap on their phallus for a fun time, ganging up on their willing supplicant boyfriends! Watch their plastic sucking boyfriends suck their strap-on while the other girl drills him up the ass with hers. This certainly entertains the girls and fulfills their need for dominance, and their willing boyfriend slaves are submitting mostly because they wish to... They're not complaining either. Ahh sex, whether its role reversal or not, it's all good!</plot>
  <tagline></tagline>
  <runtime>113</runtime>
  <thumb aspect="poster">
    preview="https://imgslcdn.adultempire.com/products/52/1578152h.jpg">https://imgslcdn.adultempire.com/products/52/1578152h.jpg</thumb>
  <fanart>
    <thumb>
      preview="https://capslcdn.adultempire.com/r/8152/720/1578152_00190_720b.jpg">https://capslcdn.adultempire.com/r/8152/720/1578152_00190_720b.jpg</thumb>
    </fanart>
  </fanart>
  <mpaa></mpaa>
  <playcount>0</playcount>
  <lastplayed></lastplayed>
  <id></id>
  <genre>Anal</genre>
  <genre>Anal - F On M</genre>
  <genre>BDSM</genre>
  <genre>Femdom - F on M</genre>
  <genre>Femdom (Female Domination)</genre>
  <genre>Fetish</genre>
  <genre>Group Sex</genre>
  <genre>Pegging</genre>
  <genre>Sex Toy Play</genre>
  <genre>Sex Toy Play - F on M</genre>
  <genre>Threesome - FFM</genre>
  <genre>Threesomes</genre>
  <set>
    <name>Strapon Slaves</name>
    <overview></overview>
  </set>
  <credits></credits>
  <director></director>
  <premiered>2011-01-01</premiered>
  <year>2011</year>
  <studio>Redlines Entertainment</studio>
  <trailer></trailer>
  <fileinfo>
    Ln 13, Col 8      60%  Windows (CRLF)  UTF-8
```


Cast Images: As part of the agent's operation, NFOImporter will attempt to match the Actors in the .NFO with those in IAFD. When the agent finds a match, the agent will return the Actor's image from IAFD.



5. LANGUAGE TRANSLATION

All PGMA-Modernized Agents now provide optional language translation functionality. Perhaps you're an English speaker and you'd prefer the Summary metadata for your libraries to be in English and not the native French from the index (e.g., <https://www.gayeroticvideoindex.com/V/6/49506.html>).

Conversely, you'd prefer to have Film and Scene summaries translated to your native German. Perhaps you wish to duplicate and share one of your libraries with a friend whose native language is different than yours.



When you create a new library or update an existing library, choose the language that you prefer the library's summaries to be translated to (if translation is necessary).


Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide



When the agent matches the file, if the library language choice (in this Example, Dutch) is NOT the same as the website's default language (English for example, if using the AEBN agent), the agent will translate the summary to Dutch.

You may optionally force an agent to check the source language before attempting to translate. In the GEVI example above, by checking this setting the GEVI agent will translate the native French summary to your library's language, even though GEVI's default language is English.




6. CREATING CUSTOM COVER ART

Creating Cover Art for Film, Scene, and Collection Posters

Special thanks to @joshallen13 who came across this site while looking for a suitable collection cover poster, and found it very simple and easy to use...AND QUICK!

Consider trying out [Coverlabs](#), for those who wish to create something visually appealing for the file thumbnail rather than a blurred auto-generated ambiguous thumbnail.



Just a few steps to create awesome content:

1. Select your template
2. Insert your Title
3. Drag an Image
4. Resize
5. Download
6. Upload to your Plex Library entry

Et voila!

7. COMBINING MULTI-PART SCENES INTO ONE MOVIE

We have had questions on how to combine multiple scenes for a film into one film using a Film Agent, with one poster, rather than using the Scene Agents and creating multiple Plex items.

Great news! The functionality you're looking for comes out of the box from Plex, and therefore our agents support it. Here are two methods:

Method 1. Plex logically treats all individual scenes as 1 film with 1 poster, and plays as if 1 film

Here's how this method works: let's say you have individual parts that make up the Raging Stallion release Get a Room Too

(<https://www.gayeroticvideoindex.com/V/5/67325.html>)

Step 1. Properly name your files:

(Raging Stallion Studios) - Get a Room Too (2021) - Scene 1.mp4

(Raging Stallion Studios) - Get a Room Too (2021) - Scene 2.mp4

(Raging Stallion Studios) - Get a Room Too (2021) - Scene 3.mp4

(Raging Stallion Studios) - Get a Room Too (2021) - Scene 4.mp4

Step 2. Match using our GEVI agent, Plex will group all four entries into one movie, with one poster.



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

When you click on "Get Info" for that "movie", it will display the individual parts that were grouped to form that movie.



When you click on the poster, it will display all of the information GEVI had for the film.

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide



A couple points to note:

- For the most part, playback is as if it were one large movie (i.e. the aggregate of all the scenes combined) and not multiple individual scenes, When the player finishes the first scene, it will smoothly and seamlessly move right into the next scene, as if they were not separate media files. However, not all playback devices/apps support the playback of stacked media
- All parts must be of the same file format (e.g. all MP4 or all MKV)
- All parts should have identical audio and subtitle streams in the same order
- Plex has a limitation to the # of scenes it will allow you to stack (per their documentation, up to 8; perhaps somewhat larger though....approximately 8 - 10); Plex recommends using software to join the scenes into one file rather than stacking them if you're facing a large number of scenes for a movie
- There is also Plex functionality that allows you to "merge" mutiple scenes into one movie/one poster as a fallback
- "Other Videos" libraries or those using the "Plex Video Files Scanner" do not support stacked content.
- "Stacking" isn't limited to "Scene". Media named properly as (Studio; **IAFD Studio**) - Title (Year) - [Cast List] - Stack Type Stack Number will also work, where Stack Type is scene, part, cd, dvd, disc, disk

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide


Method 2. Using Plex's "Extras" functionality, Plex treats all individual scenes as individual scenes and groups them together as 1 media item with 1 poster

Here is a 2nd method for handling scenes where each individual scene is separated and you can maintain your naming convention but are combined under one poster. For this example, let's use Raging Stallion's Get a Room and its 6 individual scenes. Again, this is native functionality to Plex which works with our agents.


Step 1. Create a Parent folder for the movie. Let's use the file naming convention of (Raging Stallion Studios) - Get a Room (2020)

Step 2. Within that folder, create a child folder called Scenes

Step 3. In the parent folder, put Scene 1 properly named so that the GEVI agent is able to match the movie. I used (Raging Stallion Studios) - Get a Room (2020) Scene 1 Dante Colle & Ricky Larkin.mp4




Step 4. In the Scenes folder, put the other 5 scenes named however you want to name them.



Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Once plex matches, it will return one media item with one poster. When you click on the poster, you will get the full description from the GEVI site for this movie. Scene 1 will play if you click on the poster. Unlike in the earlier example Plex doesn't "stack" the scenes into one "film" and treats them individually, so you will now also have scenes 2 - 6 displayed individually below.



Note: Plex allows multiple options for the naming of the “Scenes” folder, including

- Behind The Scenes
- Deleted Scenes
- Featurettes
- Interviews
- Scenes
- Shorts
- Trailers
- Other

It is recommended that you provide some sort of descriptive name for the extras filenames.

(please refer to <https://support.plex.tv/articles/local-files-for-trailers-and-extras/>)

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

8. FINAL THOUGHTS

Rationalizing Movies in a Series, .com, etc.

- If a title from an index site includes "Vol" or "Volume", it is optional to include in the filename. E.g., the film "Raw! Vol. 5: Pounded" on Gay-world.org. Valid filenames which will match include:

(CockyBoys) - Raw! 5 - Pounded (2019).mp4

(CockyBoys) - Raw! Vol. 5 - Pounded (2020).mp4

- Further, including 1 when the first part of a series is optional. e.g., (Studio) - title 1 (2020) can be written as (Studio) - title (2020)
- Avoid using Part as Plex will classify both movies as a two-parter and list it as one film.
- Studios with internet names ending with: .com, .org, .net, and co.xx are optional can be normalized as such.

(men.com) - film title (2020), you can have (men) - film title (2020)

Seancody.com - film title (2020), you can have (Sean Cody) - film title (2020)

- For entries listed under slightly different studios e.g. **Next Door Raw** on AEBN and **Next Door Studios** on GEVI you can shorten the Studio name to **Next Door**

Some final tips:

- Consider using a couple Agents. Can't find the film you're looking for on AEBN? Try GEVI. Like the description or poster image better on HomoActive? Use it. Remember, that the same film may be on multiple sites, with each site using its specific version of the studio name or title. Match your filename to the specific site you're wanting to match to.
- The Agent will attempt to crop the scene poster for display in Plex, using either an inline cropping service, or if unavailable a visual basic script (for Windows PMS installations). If both fail, the agent will return the (often oversized) poster as-is from the blog site.
- If you come across a site that indexes films or scenes and has Plex style movie covers, it may be a good candidate for a new Agent. Open an issue and make a request. ****Note: **** we will not create studio specific Agents...studios don't offer Plex style movie covers and often update the framework of their site which breaks Agents.
- If you have any challenges or struggles, open a new issue. Please describe your challenge as thoroughly as possible, including which agent you were targeting, the filename and include the log, if you can. Note: please, no screenshots that contain graphic content.

9. FREQUENTLY ASKED QUESTIONS

Q: When choosing the agent in the library setup window, when it asks for scanner, which scanner option should I choose? Plex Movie Scanner, Plex Video Files, or Plex Video Files Scanner. I'm not sure which one works/works best with this.

A: Choose Plex Movie Scanner. Then after choosing the Plex movie scanner you have three options depending on your library's content:

For video scenes - use gay adult scenes agent

For full movies - use gay adult films

For a mixture - use gay adult

Q: When setting up the agents for Gay Adult, Gay Adult Scenes and Gay Adult Films the description mentions it utilizes different sources. Are those sources always used or do you need to also manually check the sources you want those agents to use?

A: For any given set of agents, you choose which sources and the priority that it uses. Let's say that 90% of your content matches from AEBN; certainly choose AEBN and rank it first.

Q: I can't get any Scenes to Match on GEVI. Please help.

A: The GEVI Agent only scrapes films, not scenes. Sorry.

Q: I can't get the WayBig Agent to match videos. Help!

A: The WayBig Agent won't scrape videos from WayBig.com, only Blog entries. If WayBig doesn't have the scene you're seeking, try Fagalicious or QueerClick. Not on any of the three? Try IAFD and upload your own poster.

Q: I've figured out the setup and have successfully matched films and/or scenes. BUT, I've tried everything, and I can't get a particular film/scene to match. What now?

A: Open a new Issue. Please describe the challenge, include the URL for the film/scene, and the corresponding Agent's log file (i.e. if the film is on AEBN, please include the com.plexapp.agents.AEBN.log.) Unsure how to find the log? This blog entry describes the log location for each PMS platform:

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

<https://support.plex.tv/articles/200250417-plex-media-server-log-files/>.

The log will be in the PMS Plugin Logs subfolder. Please, do not upload graphic images. Once a new issue is opened, we troubleshoot. Most root causes turn out to be an incorrectly named filename. However, even though we have robustly tested the agents, we still find anomalies (e.g., special characters) that a particular index may infrequently use which necessitates an update to the logic in the Agent. If the update is technically feasible, we'll likely make the fix and release the updated Agent. Regardless of the root cause, you'll be able to track the progress of your issue (and look at any others you may find interesting).

Q: I've got a great idea for new functionality...or, there's an indexing site that I use all the time that you haven't provided an agent for. What should I do?

A: Open a new Issue. We love to be challenged with creating new agents or making the current set of agents more robust. However, we 1) won't create studio specific agents (e.g., SeanCody.com) or 2) likely won't create agents for sites that don't offer consistent quality poster art (IAFD being an obvious exception). Our goal is to never, or nearly never, have to manually index content. If you know a site, let us know. We'll gratefully and happily see if it is feasibly scrapeable for Plex metadata.

Q: Does the code for the Agents ever change/get updated?

A: Yes! We are always developing new agents. For existing agents, new functionality may be added (e.g., language translation support), or site updates to an index may break the Agent's ability to search. It is a good practice to periodically check back and install the latest set of code. Remember to stop and restart your Plex Media Server (PMS) in order for the new/updated Agents to take effect.

Q: Any best practices for backing up your Plex libraries and settings? I backup all my video files but wondering if there's another step I should do to make sure my metadata and album artwork is backed up in case of a drive failure. What do you guys do?

A: There's a topic on the Plex Forum specifically about backing up (and restoring) the PMS libraries and settings: <https://support.plex.tv/articles/201539237-backing-up-plex-media-server-data/>

Since you're putting so much effort into building awesome libraries, you don't want to take any chances with losing them!

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

Q: Why would I want to create separate libraries for movies and scenes? Why would I want to comingling movies and scenes in one library?

A: There are pros and cons to each approach. You may want to consider questions such as How many files do you have? How well-organized is your content?

Separate libraries:

Pro: A TimTales library is just that. You don't have to further filter the library if all you want at that moment is your TimTales content.

Con: if you click on the actor it only returns matches for that particular library...you'll need to type in the name in the general search engine which will return all libraries;

Combined libraries:

Pro: One-stop shop. All your indexed content in one location.

Con: a downfall of comingling, is that the larger the library grows, the longer Plex takes to scan.

Q: How do I enable VPN within a QNAP NAS?

A: Here are some helpful links.

- <https://www.qnap.com/en/how-to/faq/article/how-to-set-up-a-vpn-server-on-qnap-nas-behind-the-router>
- <https://www.youtube.com/watch?v=eZWl8Yc24JA>

Member @fourstix provided his step by step setup the VPN Client on QNAP for PIA.

1. Sign up for Private Internet Access (PIA) at <https://www.privateinternetaccess.com>
2. Download the OpenVPN configuration file from PIA.
 - a) Login into the Private Internet Access website using your PIA username and password
 - b) On your account page, click on Downloads in the left hand menu.
 - c) Near the bottom of the Downloads page find the VPN Configuration settings section
 - d) Under OpenVPN Configuration Generator click on the "Go To OpenVPN Generator" link
 - e) On the next page choose OpenVPN 2.4 or newer, Linux operating system and then location port and use IP (address vs hostname) you wish to use.
 - f) Click on the Generate button to download the config file.
3. Install QVPN from the Application Center

Plex Gay Media Adult Agents - Modernized

Installation and Usage Guide

- a) Log in to QTS as an administrator.
 - b) Open the App center.
 - c) Install QVPN service.
 - d) Start the QVPN service
4. Open QVPN and configure the VPN Client
 - a) On the left hand menu click on VPN Connection Profiles, under VPN Client
 - b) Click on the Add button and select OpenVPN from the dropdown menu.
 - c) In the Create VPN Connection dialog, click on the browse button for Import .opvn file.
 - d) Select the file you downloaded in step 2.
 - e) Then click the Apply button
 - f) In the pop up dialog box, enter your PIA username and password.
 - g) Click on Apply to configure the VPN client.
 5. Enable the PIA VPN client connection and set as default Gateway
 - a) In the list of Other VPN Connection Profiles, locate the PIA VPN Connection profile you created in step 3.
 - b) Click the button in the Action column to enable the PIA VPN Connection.
 - c) Click on the Use VPN as NAS Default Gateway button at top of page.
 - d) Click on the button labeled Enable VPN Gateway.
 - e) Select the PIA VPN Connection in the VPN list.
 - f) Click on the apply button.
 6. Verify the VPN Connection
 - a) Click on the Overview menu item in the left hand menu
 - b) On the Overview page, verify the VPN Connection you created is listed under Outgoing Connections
 - c) In Plex, Refresh the Metadata for a Movie and verify the PGMA agents work as they should.

Q: How do I enable VPN within a TrueNAS Jail?

A: Follow this guide: <https://www.truenas.com/community/threads/guide-vpn-torrent-in-a-stand-alone-jail-with-killswitch-enabled.107903/>

: