



**Baseline Resource Report
Conservation Easement Property**

**338 – Lake Creek Washington
Conservation Easement**

Spokane County, Washington

Easement Closing Date: December 29th, 2025



Prepared by: Rose Macaulay, Stewardship Director

Reviewed by: Michael Crabtree, Conservation Director

Inland NW Land Conservancy
www.inlandnwland.org
35 West Main Avenue, Suite 210
Spokane, WA 99201



Baseline Resource Report Acknowledgement Letter

This acknowledgement is made by **JOHN D. BAUER and TERRY N. BAUER** (referred to in this acknowledgement as the “Grantor”) and **INLAND NORTHWEST LAND CONSERVANCY**, whose address is 35 W. Main Avenue, Ste 210, Spokane, WA 99201 (referred to in this acknowledgement as “INLC”).

1. The Grantor is the owner of approximately 340 acres of real Property located in Spokane County, Washington (referred to in this acknowledgement as the “Property”) and has granted INLC a conservation easement on the entirety of that Property.
2. Grantor has made the Property available to INLC for the purpose of gathering information and data about the condition of the Conservation Values identified in the Conservation Easement as of the date of the grant, December 2025. This information and data have been compiled into a Baseline Report, entitled “Baseline Resource Report, Lake Creek WA Conservation Easement”, dated December 2025 (the “Baseline Report”).
3. In accordance with Treasury Regulation Section 1.170A-14(g)(5)(i), Grantor and INLC hereby acknowledge, declare, and agree that they have reviewed the information contained in the Baseline Report and that the Baseline Report provides an accurate representation of the condition of the Conservation Values to be protected by this Conservation Easement at the time of the transfer.

Grantor, John D. Bauer

Date

Grantor, Terry N. Bauer

Date

Inland Northwest Land Conservancy
Rose Macaulay, Stewardship Director

Date

Table of Contents

Title Page.....	1
Acknowledgment Letter.....	2
Background Information.....	4
Purpose of Baseline Resource Report	
Conservation Values and Reason for Acquisition	
Summary of Easement Prohibited Uses	
Summary of Easement Permitted Uses	
Pre-Existing Easements and Restrictions	
Property Description.....	10
General Description	
Parcel Attributes	
Legal Description	
Driving Directions	
Property Elevation and Topography	
Property History	
Other Human-Made Features	
Public Benefit	
Ecological Features.....	17
Physical Features	
Soils	
Water Resources	
Geologic Features and Units	
Climate Resilience	
Biological Features	
Vegetation	
Fish, Wildlife, and Species of Concern	
Concluding Remarks.....	25
Attachments.....	26
Maps	
Historic Air Photos	
Photo Plate	
Literature Cited.....	27

338 – Lake Creek WA

Baseline Resource Report

I. Background Information

Purpose of Baseline Documentation Report

The purposes of this Baseline Documentation Report are:

1. To document the significant Conservation Values on the Lake Creek WA Property that are the subject of, and protected by the Conservation Easement;
2. To describe existing land uses and development trends, both on the Lake Creek Washington Property and in the surrounding area;
3. To provide a baseline of biological information, so that future conditions and trends, both natural and human-made, can be evaluated; and
4. To identify and document the condition of the Conservation Values, including the natural resources, conservation interests, and cultural improvements associated with the Lake Creek Washington Property at the time of granting the Conservation Easement, and thereby to provide a baseline of information in the event that the holder of the Easement determines it is necessary under the terms of the Easement to exercise its rights to enjoin activities that are inconsistent with the terms of the Easement and/or enforce the reasonable restoration of such areas or features of the Property as may be damaged by such inconsistent activities.

Conservation Values and Reason for Acquisition

The Property contains or represents several core conservation values, including:

Habitat Values for Native Species

The Property provides exceptional habitat value within the wooded ridges of Mica Peak. Several hundred acres of unfragmented forest and diverse vegetation communities create space for a wide range of wildlife species. Creek corridors running throughout the Property, flowing into Lake Coeur d'Alene, add important riparian habitat, supporting fish populations and enriching the surrounding forest. The Property's size, intact condition, and topographic variety together ensure strong landscape connectivity and ecological function. Protecting this land safeguards an important piece of the region's natural heritage and reinforces the health of the broader habitat corridor.

Aquatic Resources and Restoration

The Property contains at least 3,267 feet of West Fork Upper Lake Creek and several thousand more feet of its smaller tributaries that flow down from Mica Peak and its foothills, which feed the main stem of Lake Creek. Lake Creek is an important stream for the spawning, rearing, and migration of native fish, particularly Westslope cutthroat trout. While the stream was already an important habitat feature, supporting wildlife throughout the Property, the enhancement and restoration of the creek by the Coeur d'Alene Tribe will increase the conservation and habitat value of the waterbody substantially over time. This restoration will include several habitat-oriented

activities like riparian planting and installation of in-stream woody debris, replacement of several culverts to be appropriate for fish passage, treatment of invasive weeds, and relocation and tracking of native fish species to reintroduce them to the channel and re-establish more natural migration patterns.

Carbon Capture Potential

Protecting several hundred acres of working forest on the Property also provides meaningful carbon capture benefits. Mature and actively managed forests store significant amounts of carbon in both living trees and soils, while continuing to absorb carbon dioxide from the atmosphere. Maintaining these lands in forest use safeguards their long-term role as a natural climate solution, while also supporting sustainable forest management practices. The Property's size and intact condition make it particularly valuable for contributing to regional carbon storage and climate resilience.

Climate Resilience

In addition to its carbon capture potential, the Property ranks highly for climate resilience. Its variability in elevation, diverse topography, and unfragmented size contribute to a landscape that is well-positioned to adapt to changing climate conditions. These features create a variety of microhabitats that can support species movement and persistence over time, even as temperatures and precipitation patterns shift. Protecting this Property therefore not only preserves immediate ecological values, but also ensures the land can continue providing refuge and stability for plants, wildlife, and people in the face of long-term climate change.

Cultural Significance to the Coeur d'Alene Tribe

The Property lies within the usual and accustomed territory of the Coeur d'Alene Tribe, whose deep ties to this landscape extend back for countless generations. The Tribe's relationship with the land is rooted in traditional use, stewardship, and cultural connection. That relationship continues today through ongoing conservation and restoration efforts, including work to restore native trout runs in Lake Creek. Protecting this Property supports not only ecological health, but also the continuity of these longstanding cultural and environmental values. Recognizing and honoring the Tribe's connection underscores the significance of conserving this place for future generations.

Connectivity

The Property shares a boundary with extensive lands owned and managed by the Priest River Land Company and Inland Empire Paper. Together, these holdings form part of a largely undeveloped habitat corridor that supports wide-ranging wildlife and intact ecological processes. By adding this Property to the network of conserved and carefully managed lands, the project helps reinforce landscape-scale connectivity and resilience on the south side of Mica Peak. The proximity to these large, managed forest tracts further enhances the Property's conservation value, ensuring it contributes meaningfully to the integrity of the broader habitat corridor.

Summary of Easement Prohibited Uses

Please refer to the recorded Conservation Easement for a full description of prohibited uses.

Any activity on or use of the Protected Property must be consistent with the Conservation Purposes of this Grant and Easement. Without limiting the generality of the foregoing, the following activities and uses are expressly prohibited:

- (a) The Protected Property consists of 3 parcels, identified in Exhibit A (Legal description) and Exhibit B (Map). The Idaho Protected Property consists of 3 parcels, identified in Exhibit C. The Protected Property and the Idaho Protected Property must always be conveyed together and cannot be conveyed separately or in parts. Grantor shall not legally or in a “de facto” manner subdivide or change the boundaries of the Protected Property, which actions shall include, but not be limited to, any subdivision, short subdivision, platting, binding site plan, testamentary division, lot line adjustment, or other process by which the Protected Property is divided into parts, or the dimensions or size of the Protected Property is reduced in size. Grantor and Grantee agree that boundary line adjustments to the Protected Property may be made only pursuant to a judicial proceeding to resolve a bona fide dispute regarding a boundary line’s location.
- (b) All residential, commercial, or industrial activities shall be prohibited, and no permanent or temporary building or structure shall be constructed, created, erected or moved onto the Protected Property, except as specifically permitted for under Section 5 of this Grant and Easement. This prohibition also restricts commercial campground sites, including recreational vehicle and trailer rental sites, communications towers, solar farms and wind turbines.
- (c) There shall be no disturbance of the surface, including but not limited to filling, excavation, removal of topsoil, sand, gravel, rocks, minerals or change of the topography of the Protected Property in any manner, except as may be reasonably necessary to carry out the permitted uses for the Protected Property. In no case shall the exploration for, or development and extraction of, minerals or hydrocarbons by any surface mining method or any other method be permitted. Nothing in this Grant and Easement shall be interpreted to permit any extraction or removal of surface materials inconsistent with Section 170(h)(5) of the Code and the applicable Treasury Regulations.
- (d) Commercial timber harvesting must comply with a Forest Management Plan as allowed in Section 5 of this Grant and Easement, as approved by Grantee.
- (e) There shall be no construction of new roads on the Protected Property other than as necessary for commercial forest management operations allowed under Section 5 of this Grant and Easement.
- (f) There shall be no granting of new third-party access easements, including those for private or public roads, trails or utility easements across the Protected Property.
- (g) There shall be no billboards or outdoor advertising of any kind erected or displayed; PROVIDED, however, Grantor may erect and maintain reasonable signs indicating boundary markers, signs restricting trespassing, temporary signs indicating the Protected Property is for sale or lease, and Grantor may, with the permission of Grantee, erect and maintain signs designating the Protected Property as land under the protection of the Grantee.
- (h) The permanent placement, collection or storage of trash, human waste, or any unsightly or offensive material on the Protected Property is prohibited. Grantor shall clean up any trash that may occur from future illegal dumping activities.
- (i) There shall be no draining, filling, dredging, ditching or diking of seasonal springs or wetlands and no watercourse alteration on the Protected Property, except for restoration

work guided by currently adopted State & Tribal fish and wildlife agency plans, the CDA Basin Restoration Plan or other future plans as may be adopted by the governing agencies.

- (j) There shall be no use of the Protected Property for commercial recreational activities.
- (k) The Protected Property shall be closed to hunting activities by the general public, including big game and upland birds. See Section 5(f)(vii) for allowed hunting activities by Grantor.

Summary of Easement Permitted Uses (Reserved Rights)

Please refer to the recorded Conservation Easement for a full description of permitted uses.

Grantor hereby reserves the right to make the following uses of the Protected Property:

- (a) Grantor retains exclusive use and control of the Protected Property. This Grant and Easement does not grant public access to the Protected Property for any purpose.
- (b) This Grant and Easement is a “working lands” easement that allows for commercial forest management including:
 - i. Harvest of trees for commercial sale. This includes all dead and down trees and live standing trees.
 - ii. Pre-harvest commercial thinning, brush control, weed control, the removal of diseased trees and other related types of forest management activities.
 - iii. Tree seedling planting.
 - iv. Maintenance of existing forest access roads and logging skid trails.
 - v. Motorized use within the Protected Property is not restricted as related to commercial forest management operations, except as required for protection of perennial waters as identified by the State of Washington Department of Natural Resources water type maps.
 - vi. Storage of equipment and products on the property as related to forestry operations.
 - vii. Commercial forest management shall be conducted in accordance with a Forest Management Plan (FMP) prepared by a Consulting Forester hired by the Grantor. The FMP shall incorporate the following provisions:
 - 1. The property shall be divided into separate timber units that have comparable site conditions and management objectives.
 - 2. Consideration for protection of riparian zones and perennial surface waters.
 - 3. Consideration for wildlife and big-game habitat including retention of wildlife reserve trees.
 - 4. Recommendations are to be provided for each timber unit as related to immediate and long-term management goals.

5. Harvesting recommendations shall utilize selective cut methods where priority is given to maintaining a diversity of tree species, age classes and sizes. Selective harvests should be done in such manner that all “leave” trees are vigorous dominant and co-dominant in nature with at least a 40% crown and void of any severe defect, disease or insect infestation. Leave tree quantity shall be a minimum of twenty (20) trees per acre with a 10” dbh (diameter at breast height) or greater.
 6. The FMP shall not recommend clearcut harvesting practices, except this practice may be used in extreme situations where large areas have been subject to wildfire damage or disease infestation. Any areas subject to clearcut harvesting shall be fully re-seeded within two years of harvest completion.
 7. Prior to any harvest operations, an on-site consultation shall take place between the Grantor, the Grantor’s Forester, the Logging Contractor and a representative of the Grantee to review the scope of the harvest work.
 8. As a minimum, the Grantor shall update the FMP every 10-years and resubmit it for Grantee review. Grantee review shall determine if the FMP revisions meet the provisions listed herein.
- (c) Grantor may undertake activities necessary to protect public health and safety on the Protected Property, including, but not limited to activities required by local, state, or federal regulatory agencies; PROVIDED, that such activities shall be conducted in a manner which minimizes interference with the Conservation Purposes of this Grant and Easement.
- (d) Grantor may continue to exercise their existing water rights. This Grant and Easement do not impinge on these existing rights. Grantor may conduct riparian restoration activities as allowed or conducted by State & Tribal fish and wildlife agencies. These activities include removal of fish passage barriers, tree & shrub planting, invasive weed control, stream woody material addition and fish monitoring. Grantee shall be notified prior to beginning restoration activities.
- (e) In addition to commercial forest management, the Grantor and their guests are allowed to use all portions of the Protected Property for their personal enjoyment including the following activities:
- i. Construction and use of non-pervious, non-motorized trails and paths for walking, biking, horseback riding, snowshoeing and skiing and similar recreational activities.
 - ii. Motorized recreational uses within the Protected Property are not limited providing the motorized use is restricted to the existing forest access roads intended for vehicle traffic that do not diminish the conservation values of the Protected Property.
 - iii. Standing dead or down trees may be gathered for Grantor’s personal use within all portions of the Protected Property. Gathering operations allow for motorized vehicle use equivalent to that used for commercial forest operations. Wood gathering operations are exempt from notification requirements to Grantee.
 - iv. Hunting on and within the Protected Property is allowed by the Grantor, Grantor’s family members and their spouses; however, big Game hunting shall be limited to archery weapons only, as allowed by State regulations. This provision does not restrict the use of modern-day firearms for control of non-regulated animal species.

- v. Other recreational activities that do not diminish the Conservation Values of the Protected Property.

Easements and Restrictions

There are no pre-existing easements or restrictions associated with this Property. Refer to title report for a full description of the Property's title history.

In 1933, mineral rights for all of Section 13, Township 24, Range 45, E.W.M., and Lots 1 and 2 of section 50, Township 24, Range 46, E.W.M. were conveyed to Blackwell Lumber Company. In 2025, those rights were extinguished by Conservation Easement Grantors, John and Terry Bauer, and no longer affect the Property.

II. Property Description

General Description (see Current Aerial Imagery Map)

The Lake Creek Washington Property is a 340-acre tract of land located on the southern flanks of Mica Peak, approximately 11 miles northwest from the town of Worley, Idaho in Kootenai County. The Property is located on the Washington/Idaho State line approximately 1.5 miles north of the intersection of Elder and Idaho Roads.

Boundaries

The boundaries of the Property are relatively easy to find and monitor. Boundary lines of the property are primarily shared primarily with Priest River Land Company or Inland Empire Paper, and the boundaries are clearly marked and easy to delineate in the field and aerial imagery by the difference in timber harvest patterns. The southern boundary and the southern half of the western boundary are shared with several private landowners. These boundaries are not as defined by land use, and encroachment may be more likely, so aerial or on-the-ground annual monitoring efforts should include inspection of this portion of the boundary.

Water Resources

The Property contains at least 3,500 feet of Lake Creek, which meanders in small flows down Mica Peak and into the main stem of the creek, and flows further southward through the Lake Creek Idaho conservation easement. A small culvert was replaced with a substantially larger one, with support and coordination by the Coeur d'Alene Tribe, to facilitate fish passage in the upper reaches of Lake Creek.

Habitat Zone

The Property contains primarily upland forest, which is an incredibly diverse, mixed-age forest composed of nearly every tree species that can be found in the Inland Northwest. It has been carefully managed over the years to promote a balanced woodland structure, maximize tree health, and produce commercially viable timber.

Road Inventory

There are a handful of well-maintained logging roads throughout the Property which lead to the northeastern corner and the eastern boundary, shared with the two industrial timber neighbors. There are also a few walking trails that lead to various habitat features like waterfalls, or along old logging roads that have become overgrown.

Adjacency

The Property shares a boundary with extensive lands owned and managed by the Priest River Land Company and Inland Empire Paper. Together, these holdings form part of a largely undeveloped habitat corridor that supports wide-ranging wildlife and intact ecological processes. There are five, non-industrial private adjacent landowners, none of which have appeared to build or develop substantially near a shared boundary line.

General Attributes (See Parcel Map and Record of Survey)

Total Acreage: *340.32 acres*

Tax Parcels:

64183.9002 – *41.56 acres*

64195.9001 – *170.60 acres*

64305.9001 – *128.16 acres*

Legal Description (see Title Report)

The Property is legally described as follows:

Parcel A (64183.9002) – Government Lot 4 in Section 18, Township 24 North, Range 46, East of the Willamette Meridian; Situate in the County of Spokane, State of Washington.

Parcel B (64195.9001) – Government Lots 1, 2, 3, and 4 in Section 19, Township 24 North, Range 46, East of the Willamette Meridian; Situate in the County of Spokane, State of Washington.

Parcel C (64305.9001) – Government Lots 1, 2, and 3 in Section 30, Township 24 North, Range 46, East of the Willamette Meridian; Situate in the County of Spokane, State of Washington.

Driving Directions

From downtown Spokane, navigate to I-90 and head east. Take exit 285 toward Appleway Boulevard and continue on Appleway for approximately 2 miles. Turn right onto Dishman Mica Road and continue for approximately 7.5 miles. Turn right onto WA-27 South toward Rockford and continue for approximately 6 miles. Turn left onto Elder Road and continue for another 6 miles. Turn left onto Idaho Road and continue for .75 miles, then turn right to stay on Idaho Road. The house (located on the associated Lake Creek ID conservation easement), will be past a large agricultural barn on the east side of the creek.

Nearest Navigable Address: 14848 Idaho Road, Worley, Idaho 83876

One-Way Travel Time from INLC Office: 45 minutes

Round-Trip Mileage from INLC Office: 56 miles

Property Elevation and Topography (See Soils & Hillshade Map)

The Lake Creek Washington Property is very topographically diverse. It is located on the slopes of Mica Peak and has many small ridges and channels that provide unique habitat features and carbon storage potential. The average elevation of the Property is 2,899 feet above sea level. The highest point of elevation is at the northeast corner, which sits at an elevation of 3,197 feet. The lowest point of elevation is along the eastern boundary near the agricultural fields, with an elevation of 2,602 feet. Generally, the western boundary is higher in elevation and slopes flow southeast toward Lake Creek.

Property History

The recent history of the Property was captured thoroughly by the Grantor's forester, Richard Schaefer, in the approved 2025 Forest Management Plan (Schaefer, 2025):

“Gil and Ruth Bauer (John's parents) purchased the Property in a single purchase in July 1976. The ownership transitioned to John and Terry through a series of yearly gifts, completed in 2010. The Property size and boundaries have not changed since the original purchase.

From the 1976 purchase until present, the Property has been used exclusively for dryland agricultural crops and commercial timber production.

John lived on the Property continuously from 1976 to 1990. John and Terry have lived on the Property from 1990 to present. The Property includes their primary residence and agricultural related buildings.

Prior to 1976, the Property had multiple owners dating back to the 1907 US government land patent. The original land patent was granted to Louis J. Miller on October 1, 1907. Other owners of the Property included AJ Elwart, B.R. Lewis Lumber Co., Blackwell Lumber Co., William Kruse, and Glen Coppersmith. There are old railbed remnants on the Property indicating that the previous lumber company ownership during the early 1900's included construction of a narrow gage railroad into the Bauer Property for moving logs to local sawmills.

The Kruse/Coppersmith families used the Bauer Property for sheep ranching and commercial timber production from 1940 until the early 1960s. In addition to the Bauer Property being used as the “home-base” for their sheep ranching operation, they also utilized the Kootenai County “open range” laws allowing their sheep to graze on other higher elevation properties of Mica Peak.

Kruse/Coppersmith did not use the Property year around and only occupied the Property during the non-winter months. As such, access to the Property included a non-graveled “summer road” and no telephone service. In the later years of their ownership, overhead electrical service was extended to the Property from Washington. As part of the Kruse/Coppersmith operations, prescribed burns were used to encourage new understory growth for sheep grazing. These prescribed burns were used extensively in Idaho Timber Units 1, 2, & 4 (located east of the residence). These prescribed burns over multiple decades lead to dense stands of lodgepole pine.

After purchasing the Property in 1976, the Bauer ownership improved access on the Property with a year-round graveled road, including access across Lake Creek that would allow for logging truck traffic to the eastern portions of the Idaho Property. Telephone service and an underground electrical service were also provided to the Property.

All adjoining properties are privately owned commercial timber ownerships and include a mix of individual and corporate owners. The Bauer Property has closing sections on both the Washington and Idaho sides of the state line. For the entire Bauer parcel, there are a total of twelve Property corners. Recently completed surveying now results in 11 of the 12 corners being officially monumented. The corners are marked C-1 through C-12 on the Forest Management Map (see attached). Corner C-4 has not been officially surveyed but is approximately located by historical fence lines.

Lake Creek, a Class 1 fish spawning stream, bisects the Bauer ownership. This stream originates from Mica Peak and flows into Windy Bay of Lake Coeur d'Alene. It is a primary Westslope

Cutthroat spawning stream for the southern portion of Lake Coeur d’Alene. Bauer Forest Units are located on both sides of the stream.

In 2001, the Bauer ownership granted the Coeur d’Alene Tribe permission to conduct fish surveys on the Property. In 2018, the Bauer ownership entered into a formal 10-year mutual agreement with the Tribe to study and conduct riparian restoration projects. These projects included replacing culverts that restricted fish passage, planting trees to re-establish riparian shade, adding woody debris to the stream bed for improved fish habitat and planting native shrubs to compete with invasive non-native Reed Canary grass that has spread along most of the riparian reaches located adjacent to the agricultural fields. In addition, the Tribe has continued to implant microchips into adult and juvenile fish to track fish movement. A “fish antenna” has been installed on the stream to monitor the movements of the tagged fish.

Past timber management includes commercial harvest cuts, pre-commercial thinning and seedling planting.”

The history of the Coeur d’Alene Tribe on or near the Property was captured in a cultural resources assessment completed by the Bonneville Power Administration in 2019 (Neuzil, 2019):

“The first recorded interaction between members of the Coeur d’Alene and Euroamericans occurred during Lewis and Clark’s exploration of the Pacific Northwest, when they encountered three Coeur d’Alene camping with a group of Nez Perce at the confluence of the Potlatch and Clearwater Rivers (Schwantes 1991). The impacts of Euroamerican exploration and settlement had already reached the Coeur d’Alene, however, as epidemic disease, specifically smallpox, reached the Coeur d’Alene as early as 1780 (Palmer 1998). Prior to the devastating impacts of disease, the Coeur d’Alene population is estimated to have been 2000 to 5000 in total (Teit 193). Several small pox epidemics hit over the course of the late eighteenth and nineteenth centuries, reducing the Coeur d’Alene population to about 500 individuals by 1905 (Palmer 1998, Teit 1930).

Fur traders followed Lewis and Clark into the region around the APE to exploit and take advantage of sizeable beaver populations in the region. The Northwest Company, led by David Thompson, began expeditions through the region in 1807, and met several Coeur d’Alene groups in September and October 1809 along the Clarks Fork River. The Northwest Company was followed into the region by the Missouri Fur Company and the Pacific Fur Company in 1810 and 1812, and Peter Skene Ogden, noted fur trader, in the 1820s (Schwantes 1991). Overzealous fur trapping had a devastating impact on the ecology of the region, as was the case throughout the western United States. The near absence of beaver drastically degraded streams and related habitat, affecting fish runs and the availability of other natural resources.

Following on the heels of the fur trappers and traders, missionaries arrived in the region beginning in the 1830s to convert native groups, as well as pacifying them to pave the way for subsequent Euroamerican settlement (Schwantes 1991). A Coeur d’Alene prophecy, wherein Chief Circling Raven foresaw men sent by the “Great Chief who dwells in the sky” to teach the Coeur d’Alene smoothed the path for missionaries upon their arrival (Palmer, 1998). Jesuit Priest Pierre de Smet arrived in what would become Post Falls, Idaho in 1842, and along with Reverend Nicholas Point established the Mission of the Sacred Heart on the banks of the St. Joe River (Palmer 1998; Rust 1912). Anthony Ravalli and Joseph M. Cataldo joined them shortly thereafter (Schwantes 1991). After several years of flooding, the Mission of the Sacred Heart was moved to a location near the subsequently established town of Cataldo, Idaho (Arrington 1994; Schwantes 1991). Over the course of several decades, Jesuit missionaries living among the Coeur d’Alene converted an

estimated two-thirds of the population, and the missions established among the Coeur d'Alene were among the longest lasting as the settlement of the western United States progressed.

Although the Oregon Trail passed south of Coeur d'Alene territory, through the Snake River Valley, the influx of settlement brought to the Pacific Northwest by the Oregon Trail also impacted the Coeur d'Alene and what would become northern Idaho (Schwantes 1991). As was the case throughout much of the Pacific Northwest, the presence of Native Americans and their claims to vast territories used for subsistence and the maintenance of their culture was viewed as an impediment to Euroamerican settlement. The solution was to enter into treaties with tribes, which generally divided up traditional aboriginal territories into small areas exclusively for Native American use (reservations), and broad areas where Native rights to hunt, fish, and practice other subsistence were maintained, but also were opened to Euroamerican settlement. Washington territorial governor, Isaac I. Stevens visited the Coeur d'Alene in October 1853, promising land and clothing to every Coeur d'Alene family (Trafzer and Scheuerman 1986). Tensions among Euroamerican settlers and many of the native groups in the Washington and Oregon territories escalated in the 1850s, leading to several armed conflicts as many northwest tribes attempted to resist the dispossession of their lands. In May 1858, as many as one thousand Palouse, Spokane, Coeur d'Alene, Yakima, Pend Oreille, Flathead, and other Native Americans confronted Colonel Edward Steptoe near the modern town of Rosalia. Over the course of two days, the native groups surrounded Steptoe's party, but eventually allowed them to escape with few casualties (Trafzer and Scheuerman 1986). Later that year, the Coeur d'Alene consented to peace agreements (the "Treaty of Friendship") presented to them by Colonel George Wright (Emerson 2010).

The conflict of the 1850s and ensuing fallout set the stage for the subsequent agreement establishing the Coeur d'Alene reservation in 1873. The reservation was established by executive order, and required the Coeur d'Alene to relinquish 2.4 million acres (about 75 percent of their territory) to relocate to a 600,000 acre reservation (Schwantes 1991). The executive order establishing the reservation did not convey land title to the Coeur d'Alene or pay them any compensation for their ceded lands (Palmer 1998). Most Coeur d'Alene moved on to the reservation by 1877. Confinement to the reservation boundaries and pressure to pursue a Euroamerican subsistence strategy led to an increase in agriculture, and a decrease in traditional subsistence practices through the seasonal round (Palmer 1998). The Mission of the Sacred Heart, established by Jesuit missionaries in 1842 was outside the reservation boundaries, and was moved to DeSmet in 1878 so that it could continue serving the Coeur d'Alene (Arrington 1994, Palmer 1998). In 1889 an additional agreement negotiated by the Coeur d'Alene provided compensation for ceded lands, totaling \$920 for each of 520 Coeur d'Alene tribal members, and \$150,000 paid to the tribe (Palmer 1998). However, much of the land inside the boundaries of the Coeur d'Alene Reservation were lost between 1909 and 1913, when patents for some reservation land were issued to tribal and non-tribal members. Coeur d'Alene gained some additional reservation when the Indian Claims Commission awarded the tribe approximately \$4 million in 1958. These funds were used by the tribe to purchase additional land (Palmer 1958).

Timber harvest and mining have made up the bulk of the economy in the region surrounding the APE [Property] during the late nineteenth and twentieth centuries (Palmer 1998). Lead, silver, and gold were all mined around Lake Coeur d'Alene in the 1880s, leading to a rapid increase in population in northern Idaho in the late nineteenth century (Arrington 1994). Timber harvesting was second only to agriculture in economic importance, leading to the development of railroads to transport harvested timber to mills, and processed timber to market, and the development of sawmills to process harvested timber (Arrington 1994). The timber industry was critical to the region surrounding the APE [Property]. The remnants of a narrow gauge railroad and steam donkey used to harvest and transport timber are present on U.S. Forest Service land just north of the APE

[Property], and may have been used to transport timber to a small sawmill located on the western edge of the APE [Property] that was in operation in the 1940s (John Bauer, personal communication, 2019).”

Current Land Use

The Property is currently managed for sustainable timber production, riparian habitat functionality, and native fish population support by the Coeur d’Alene Tribe.

The INLC-approved 2025 Forest Management Plan for the Property defines the management objectives below (Schaefer, 2025).

1. To grow, manage, and sustainably harvest commercial tree species while enhancing forest health simultaneously.
2. To practice good forest stewardship and resource conservation by managing the forested acreage in an ecologically sustainable manner.
3. To engage in silviculture practices, including, but not limited to salvage and selective harvest, commercial thinning, over-story removal, pre-commercial thinning, tree planting, and vegetation control which will improve growth, quality, and value of the standing timber and promote forest health.
4. To reduce the fire hazard in overstocked areas and simultaneously keep insects and disease under control.
5. To manage in such a manner that will protect and promote wildlife diversity and habitat.
6. To protect and promote cutthroat trout fish and spawning habitat.

The Coeur d’Alene Tribe have conducted significant riparian restoration efforts throughout Lake Creek and plan to continue that work with the support of the easement Grantors, including monitoring native trout habitat and behavior.

Other Human-made Features

The Lake Creek Washington Property does not contain a Residential Development Envelope, nor does it contain any structures. Aside from utilities that serve the residence on the Lake Creek Idaho Property, there are only a handful of logging and access roads through the Property.

Public Benefit (see Location Map)

The Property provides or compliments several benefits that impact the broader Inland Northwest region and all the communities that live within it, including several core goals within the environmental stewardship and natural resource portion of Spokane County’s 2023 Comprehensive Plan (Planning, 2023):

Environmental Stewardship and Resource Protection

Conservation of intact forested acreage in the Mica Peak area of Spokane County supports the Comprehensive Plan’s objectives related to environmental stewardship and the protection of natural systems. Forested lands provide essential watershed functions, including natural filtration, erosion control, and surface water regulation. These functions help maintain ecological integrity across the landscape. Preserving contiguous forest tracts sustains habitat connectivity, supports

native biodiversity, and contributes to landscape-scale resilience in the face of land use change and climate variability. Mature forest stands also provide carbon storage and localized air quality benefits, aligning with the County’s long-term environmental health and climate goals.

Sustainable Growth Management and Rural Character

Forest conservation is consistent with land use policies that prioritize directing growth toward designated urban areas while maintaining the rural landscape and open space that define much of Spokane County’s identity. Protecting forestlands in upland areas limits the expansion of residential development into ecologically sensitive areas, reduces future infrastructure and service demands, and preserves the scenic viewsheds that contribute to rural character. These outcomes advance goals related to managing growth in a sustainable and cost-effective manner.

Water Quality and Quantity Protection

While this Property is not located within a critical aquifer recharge area, the protection of intact forest cover provides measurable benefits to downstream water quality and hydrologic stability. Forested watersheds regulate runoff, reduce sedimentation, and stabilize soils, supporting the County’s objectives for maintaining high-quality surface water resources. These functions contribute to the broader watershed protection framework outlined in the Comprehensive Plan’s natural resource policies.

Public Health, Safety, and Resilience

Conservation of forested lands also supports Comprehensive Plan goals related to public safety and hazard mitigation. Strategically protected forest areas can reduce wildfire risk by maintaining managed, natural buffers that slow or moderate fire behavior. These lands also contribute to improved air quality, local climate regulation, and the preservation of ecosystem functions that underpin community health and resilience. Such outcomes align with the County’s objectives to minimize risk to life, Property, and infrastructure associated with natural hazards.

Open Space, Scenic Values, and Quality of Life

Even in the absence of direct public access or recreational use, conserved lands play a critical role in achieving Comprehensive Plan objectives for open space preservation. Forested landscapes contribute to the County’s overall open space network, maintain scenic and aesthetic values, and preserve the natural backdrop that is integral to community identity. These lands provide indirect public benefits that support regional quality of life and reinforce the County’s commitment to conserving open space resources for current and future generations.

Although the Spokane County Comprehensive Plan does not explicitly address this, both INLC and the easement Grantors value the restoration and functional habitat and traditional resources for local tribes, including the Coeur d’Alene Tribe. The Tribe has contributed substantial expertise and resources to restore and protect the Property, returning Lake Creek to a more natural state and supporting native trout populations within the stream and in Lake Coeur d’Alene. By securing this Property with a Conservation Easement, the ecological improvements to Lake Creek will be maintained, enhancing conditions for native trout and contributing to traditional resource values for the Coeur d’Alene Tribe.

III. Ecological Features

Physical Features

Soils (see Soils & Hillshade Map)

The Lake Creek Washington Property contains the soil types that are listed below, which are sourced from the United States Department of Agriculture Soil Survey of Spokane County Area, Washington (U.S. Department of Agriculture, 2025). The soil information provided below is summarized and a full description can be found on the USDA's Natural Resources Conservation Service Soils website.

1300 – Aquepts ashy loam, frigid, 0-3% slopes

This soil type typically forms in drainageways and flood plains from mixed alluvium with the upper horizons being composed primarily of ashy loam and becoming increasingly sandy with additional depth. The soil is poorly drained, has moderate available water supply, and frequently floods or ponds. The depth to the water table is 4-12 inches. This soil unit is not prone to erosion. Native vegetation commonly found in this soil type includes willows and sedges.

5111 – Boulder creek ashy silt loam, 30-60% slopes

This soil type typically forms on mountain slopes from volcanic ash over residuum weathered from gneiss with the upper horizons being composed primarily of ashy silt loam and becoming increasingly stony with additional depth. The soil is well drained, has moderate available water supply, and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is extremely prone to erosion. Native vegetation commonly found in this soil type includes western hemlock and wild ginger.

5113 – Boulder creek, dry Kellerbutte complex, 30-60% slopes

This soil type typically forms on mountain slopes from volcanic ash over residuum weathered from gneiss and schist with the upper horizons being composed primarily of ashy silt loam and becoming increasingly stony with additional depth. The soil is well drained, has moderate available water supply and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is extremely prone to erosion. Native vegetation commonly found in this soil type includes grand fir and bride's bonnet.

5142 – Jacot-Hysing complex, 30-55% slopes

This soil type typically forms on mountain slopes and hills from a thick mantle of volcanic ash over colluvium and residuum derived from granite and/or quartz monzonite with the upper horizons being composed primarily of ashy silt loam and becoming increasingly sandy with additional depth. The soil is well drained, has moderate available water supply, and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is extremely prone to erosion. Native vegetation commonly found in this soil type includes western hemlock and wild ginger.

5143 – Jacot-Hysing complex, dry, 15-30% slopes

This soil type typically forms on mountain slopes and hills from a thick mantle of volcanic ash over colluvium and residuum derived from granite and/or quartz monzonite with the upper horizons being composed primarily of ashy silt loam and becoming increasingly sandy with additional depth. The soil is well drained, has moderate available water supply,

and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is somewhat prone to erosion. Native vegetation commonly found in this soil type includes grand fir and bride's bonnet.

5144 – Jacot-Hysing complex, dry, 30-55% slopes

This soil type typically forms on mountain slopes and hills from a thick mantle of volcanic ash over colluvium and residuum derived from granite and/or quartz monzonite with the upper horizons being composed primarily of ashy silt loam and becoming increasingly sandy with additional depth. The soil is well drained, has moderate available water supply, and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is extremely prone to erosion. Native vegetation commonly found in this soil type includes grand fir and bride's bonnet.

5212 – Kruse ashy silt loam, 15-30% slopes

This soil type typically forms on hills from loess mixed with minor amounts of volcanic ash over residuum and colluvium weathered from granite, gneiss, and schist, with the upper horizons being composed primarily of ashy sandy loam and becoming increasingly gravelly with additional depth. The soil is well drained, has moderate available water supply, and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is somewhat prone to erosion. Native vegetation commonly found in this soil type includes grand fir and mallow ninebark.

5413 – Keeler-Kruse complex, 15-30% slopes

This soil type typically forms on hills from loess with an influence of volcanic ash over colluvium and residuum derived from granite with the upper horizons being composed primarily of fine gravelly ashy loam and becoming increasingly coarse with additional depth. The soil is well drained, has moderate available water supply, and never floods or ponds. The depth to the water table is over 80 inches. This soil unit is somewhat prone to erosion. Native vegetation commonly found in this soil type includes western hemlock and bride's bonnet.

5602 – Lakestarr-Santa complex, 8-15% slopes

This soil type typically forms on mountains and hills from a thin mantle of volcanic ash and loess over colluvium derived from pre-tertiary felsic gneiss, schist, and till, with the upper horizons being composed primarily of ashy silt loam and becoming increasingly sandy with additional depth. The soil is moderately well drained, has moderate available water supply, and never floods or ponds. The depth to the water table is 15-20 inches. This soil unit is not prone to erosion. Native vegetation commonly found in this soil type includes western hemlock and wild ginger.

5603 – Lakestarr-Santa complex, 15-30% slopes

This soil type typically forms on mountains and hills from a thin mantle of volcanic ash and loess over colluvium derived from pre-tertiary felsic gneiss, schist, and till, with the upper horizons being composed primarily of ashy silt loam and becoming increasingly sandy with additional depth. The soil is moderately well-drained, has high available water supply, and never floods or ponds. The depth to the water table is 15-20 inches. This soil unit is somewhat prone to erosion. Native vegetation commonly found in this soil type includes western hemlock and wild ginger.

Water Resources (see Water Resources Map)

The Lake Creek Washington Property contains significant water resources which are one of the primary purposes for land protection and restoration efforts. The easement area contains at least 3,500 feet of Lake Creek, which is a known priority habitat area for native trout.

Wetland habitat on the Property is also extensive. The following wetlands have been classified by the U.S. Fish and Wildlife Service and observed on the Lake Creek Washington Property (Service, Wetlands Mapper, 2025):

Riverine Wetland

R4SBC

This is a riverine (R) wetland system, which includes all wetlands and deepwater habitats contained within a channel. The system is considered intermittent (4), meaning it contains flowing water only part of the year. When water is not flowing, it may remain in isolated pools or surface water may be absent. This system has a streambed (SB), or is channelized and easily dewatered due to its intermittent nature. The system is considered seasonally flooded (C), in which water is present in the spring, but usually absent by the end of the summer.

R5UBH

This is a riverine (R) wetland system, which includes all wetlands and deepwater habitats contained within a channel. The system is considered unknown perennial (5), which is a classification specifically used when the distinction between lower perennial, upper perennial, and tidal cannot be made from aerial photography and no data is available. This system has an unconsolidated bottom (UB), which includes all wetlands and deepwater habitats with at least 25% cover of particles smaller than stones and a vegetative cover less than 30%. The system is considered permanently flooded (H) in which water covers the substrate throughout the year in all years.

Geologic Features

The Lake Creek Washington Property contains the geologic units described below, summarized from the U.S. Geological Survey of the Greenacres Quadrangle of Washington and Idaho (Weis, 1968).

Gcp – Gneiss near Cable Park

Light gray, dark gray, yellowish gray, tan; generally medium gray, prominently layered gneiss and schist. Individual layers, generally less than six inches thick, include quartzite, feldspathic quartzite, and micaceous quartz-feldspar gneiss, granitic rock, amphibolite, schist. Characteristically has wide range of composition in adjacent. Moderately granitized.

Qp – Palouse Formation

Brown to tan loess. As mapped includes thin layer of recent loess at top.

Grm – Gneiss near Round Mountain

Light pinkish gray, medium to fine grained, quartz feldspar muscovite sillimanite schist and gneiss. Not predominantly layered. Commonly intensely contorted. Slightly granitized. Granitic and pegmatitic material relatively sparse. Amphibolite in small, scattered bodies,

wide spread but makes up only a small percentage of total volume. Contact with underlying gneiss poorly exposed, probably gradational.

Gm – Gneiss of Mica Peak

Light gray, coarse-grained muscovite-quartz-feldspar schist, commonly with more than fifty percent mica. Schistosity well developed, generally regular, but locally intensely contorted. Segregation gneiss, with mica-rich layers separating quartz-feldspar-rich layers. Sillimanite and biotite present in places. Abundant granitic and pegmatitic bodies, concordant and crosscutting, in some areas make up as much as fifty percent of the rock. Granitization extensive. Small scattered amphibolite bodies in the eastern part. Contact with underlying gneiss gradational over fifty to one hundred feet.

Climate Resilience (see Climate Resilience map)

The Inland Northwest Land Conservancy strives to protect lands that will be resilient in the face of climate change. To assess a Property's resilience, the Conservancy consults a nation-wide dataset compiled by The Nature Conservancy, which was then tuned to the Inland Northwest by FLO Analytics. A Property's resilience (far above average, above average, average, below average, or far below average) is estimated based on its landscape diversity (topography, soil types, and soil moisture content) and local connectedness (landscape fragmentation by development or small-parcel private ownership). The model does not currently consider existing biodiversity.

The Lake Creek Washington Property is estimated to have average or above average resilience, likely due to the connectivity, elevation, and topographic diversity of the Property. Adjacent lands ranked above or far above average in resilience as well.

Biological Features

Vegetation

The Lake Creek Washington Property contains the vegetation species listed in Table 1 below, which were observed on the Property by INLC staff during the recent baseline site visit or by the easement Grantor during their ownership.

Table 1: Vegetation Species of Lake Creek	
Trees	
Western redcedar	<i>Thuja plicata</i>
Douglas fir	<i>Pseudotsuga menziesii</i>
Lodgepole pine	<i>Pinus contorta</i>
Grand fir	<i>Abies grandis</i>
Western hemlock	<i>Tsuga heterophylla</i>
Western larch	<i>Larix occidentalis</i>
Ponderosa pine	<i>Pinus ponderosa</i>
Black cottonwood	<i>Populus trichocarpa</i>
Quaking aspen	<i>Populus tremuloides</i>
Water birch	<i>Betula occidentalis</i>

Western white pine	<i>Pinus monticola</i>
Engelmann Spruce	<i>Picea engelmannii</i>
Pacific Yew	<i>Taxus brevifolia</i>
Shrubs	
Common snowberry	<i>Symphoricarpos albus</i>
Rocky Mountain maple	<i>Acer glabrum</i>
Woods rose	<i>Rosa woodsii</i>
Nootka rose	<i>Rosa nutkana</i>
Oceanspray	<i>Holodiscus discolor</i>
Tall Oregon grape	<i>Mahonia aquifolium</i>
Mallow ninebark	<i>Physocarpus malvaceus</i>
Red osier dogwood	<i>Cornus sericea</i>
Nootka rose	<i>Rosa nutkana</i>
Douglas spirea	<i>Spiraea douglasii</i>
Birch-leaved spirea	<i>Spiraea betulifolia</i>
Mountain huckleberry	<i>Vaccinium membranaceum</i>
Serviceberry	<i>Amelanchier alnifolia</i>
Black hawthorn	<i>Crataegus douglasii</i>
Choke cherry	<i>Prunus virginiana</i>
Trailing raspberry	<i>Rubus pubescens</i>
Thimbleberry	<i>Rubus parviflorus</i>
Cascara	<i>Rhamnus purshiana</i>
Redstem ceanothus	<i>Ceanothus sanguineus</i>
Barclays willow	<i>Salix barclayi</i>
Scouler's willow	<i>Salix scouleriana</i>
Sitka willow	<i>Salix sitchensis</i>
Mountain alder	<i>Alnus incana</i>
Mock orange	<i>Philadelphus lewisii</i>
Blue elderberry	<i>Sambucus caerulea</i>
Orange honeysuckle	<i>Lonicera ciliosa</i>
Kinnikinnick	<i>Arctostaphylos uva-ursi</i>
Black huckleberry	<i>Vaccinium membranaceum</i>
Prince's pine	<i>Chimaphila umbellata</i>
Grasses	
Pine grass	<i>Calamagrostis rubescens</i>
Idaho fescue	<i>Festuca idahoensis</i>
Bluebunch wheatgrass	<i>Agropyron spicatum</i>
Blue wildrye	<i>Elymus glaucus</i>
Mountain hairgrass	<i>Vahlodea atropurpurea</i>
Mountain Fescue	<i>Festuca saximontana</i>
Ferns and Allies	

Bracken	<i>Pteridium aquilinum</i>
Fragile fern	<i>Cystopteris fragilis</i>
Beech fern	<i>Thelypteris phegopteris</i>
Common horsetail	<i>Equisetum arvense</i>
Scouring rush	<i>Equisetum hyemale</i>
Groundcovers and Forbs	
Narrow-leaved Hawkweed	<i>Hieracium umbellatum</i>
Yellow salsify	<i>Tragopogon dubius</i>
Yarrow	<i>Achillea millefolium</i>
Cut-leaved daisy	<i>Erigeron compositus</i>
Leafy aster	<i>Aster foliaceus</i>
Heart-leaved arnica	<i>Arnica cordifolia</i>
Arrow-leaved groundsel	<i>Senecio triangularis</i>
Western groundsel	<i>Senecio integerrimus</i>
Canada goldenrod	<i>Solidago canadensis</i>
Spikelike goldenrod	<i>Solidago spathulate</i>
Arrowleaved balsamroot	<i>Balsamorhiza sagittata</i>
Woolly pussytoes	<i>Antennaria lanata</i>
Pearly everlasting	<i>Anaphalis margaritacea</i>
Pathfinder	<i>Adenocaulon bicolor</i>
Pineapple weed	<i>Matricaria discoidea</i>
Common tansy	<i>Tanacetum vulgare</i>
Common plantain	<i>Plantago major</i>
Stinging nettle	<i>Urtica dioica</i>
Self-heal	<i>Prunella vulgaris</i>
Silky lupine	<i>Lupinus sericeus</i>
Arctic lupine	<i>Lupinus arcticus</i>
Small-flowered blue-eyed Mary	<i>Collinsia parviflora</i>
Stream violet	<i>Viola glabella</i>
Ballhead waterleaf	<i>Hydrophyllum capitatum</i>
Spreading dogbane	<i>Apocynum androsaemifolium</i>
Upland larkspur	<i>Delphinium nuttallianum</i>
Wild ginger	<i>Asarum caudatum</i>
Wild strawberry	<i>Fragaria virginiana</i>
Lyall's Rockcress	<i>Arabis lyalli</i>
Purple-leaved willowherb	<i>Epilobium ciliatum</i>
Cow parsnip	<i>Heracleum lanatum</i>
Fern-leaved desert parsley	<i>Lomatium dissectum</i>
Miner's lettuce	<i>Claytonia perfoliate</i>
Fringecup	<i>Tellima grandiflora</i>
One-leaved foamflower	<i>Tiarella unifoliata</i>

Small-flowered woodland star	<i>Lithophragma parviflorum</i>
Pinedrops	<i>Pterospora andromedea</i>
Fairyslipper	<i>Calypso bulbosa</i>
Large-flowered tritelia	<i>Brodiaea douglasii</i>
Chocolate lily	<i>Fritillaria lanceolata</i>
Yellow bell	<i>Fritillaria pudica</i>
False solomon's seal	<i>Smilacina racemosa</i>
Meadow death camas	<i>Zigadenus venenosus</i>
Skunk cabbage	<i>Lysichiton americanum</i>
Invasive Species	
Spotted knapweed	<i>Centaurea stoebe</i>
Common mullein	<i>Verbascum thapsus</i>
Reed canary grass	<i>Phalaris arundinacea</i>
Dalmatian toadflax	<i>Linaria genistifolia</i>
Viper's bugloss	<i>Echium vulgare</i>
Common St. John's Wort	<i>Hypericum perforatum</i>
Sulfur cinquefoil	<i>Potentilla recta</i>
Cheatgrass	<i>Bromus tectorum</i>

Fish, Wildlife, and Species of Concern

The Lake Creek Washington Property contains or is part of the expected range of three species of concern, according to the Washington Department of Fish and Wildlife and U.S. Fish and Wildlife Service (Service, ECOS Environmental Conservation Online System, 2025) (Wildlife, 2025). These species include Northwest White-tailed Deer, Moose, and Rocky Mountain Elk.

During the baseline visit to the Property, it was evident that wildlife is abundant and well distributed across the landscape. Indicators included significant game trails, elk wallows, nesting and fishing trees, and numerous bedding areas. Additional signs such as tracks, scat, burrows, and beaver activity along creek corridors further demonstrate consistent use of the Property by a variety of species. Bird activity was notable, with raptors, songbirds, and cavity-nesting species present, and a strong insect and pollinator population observed throughout. Collectively, these indicators confirm the Property's role as high-quality habitat supporting a diverse community of wildlife.

The bird species listed in Table 3 were observed on or near the Lake Creek Washington Property by citizen scientists collecting data using eBird, a web application used to collect ornithological data throughout the Inland Northwest (eBird, 2025).

Table 3: Lake Creek Washington Bird Survey Data		
Waterfowl Canada Goose Mallard	Grouse & Quail Wild Turkey	Shorebirds Killdeer
Gulls & Terns Ring-billed Gull	Corvids Black-billed Magpie	Blackbirds Western Meadowlark

Herring Gull Glaucous Gull California Gull Iceland Gull	American Crow Common Raven	Red-winged Blackbird Rusty Blackbird Brewer's Blackbird
Vultures & Hawks Bald Eagle Red-tailed Hawk Rough-legged Hawk	Tits & Chickadees Black-capped Chickadee Mountain Chickadee	New World Sparrows Song Sparrow Spotted Towhee
Woodpeckers Northern Flicker	Martins & Swallows Violet-green Swallow	Nuthatches Red-breasted Nuthatch
Wrens Marsh Wren	Starlings & Mynas European Starling	Thrushes American Robin
Finches & Euphonias House Finch American Goldfinch		

IV. Concluding Remarks

This baseline data inventory is an accurate representation of the Lake Creek Washington Property. The predominant aerial photo used in this baseline is 2021 USDA NAIP Imagery at 1: 24,000.

This is a business record of Inland Northwest Land Conservancy prepared in its normal course of business.

V. Attachments

Maps:

Current Aerial Imagery Map – 1: 24,000

Stewardship Map – 1 : 24,000

Location Map - 1: 250,000

Labeled Parcel Map – 1: 24,000

Climate Resilience Map - 1: 24,000

Water Resources Map – 1: 24,000

Soils Map & Hillshade Map - 1: 24,000

Historic Air Photos

Taken from Google Earth Imagery, 1 : 23,000


Photo Plate from Site Visit

Date of Site Visit: Thursday, May 15, 2025

INLC Staff Present: Rose Macaulay

Literature Cited

- eBird. (2025, October). *eBird - Explore Hotspots*. Retrieved from eBird:
<https://ebird.org/hotspot/L33098153>
- Neuzil, A. (2019). *Cultural Resources Inventory for the Upper Lake Creek Project, Kootenai County, Idaho*. Portland, Oregon: Bonneville Power Administration.
- Planning, S. C. (2023). *Spokane County Comprehensive Plan*. Spokane County.
- R.S. Lewis, P. L. (2012). *Geologic Map of Idaho*. Idaho Geological Survey. Retrieved from National Geologic Map Database.
- Schaefer, R. M. (2025). *Forest Land Management Plan*. Worley, Idaho.
- Service, U. F. (2025, October 3). *ECOS Environmental Conservation Online System*. Retrieved from U.S. Fish and Wildlife Service: <https://ecos.fws.gov/ecp/report/species-listings-by-state?stateAbbrev=ID&stateName=Idaho&statusCategory=Listed&utm>
- Service, U. F. (2025, October). *Wetlands Mapper*. Retrieved from National Wetlands Inventory - Surface Waters and Wetlands: <https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper/>
- U.S. Department of Agriculture, N. R. (2025, September). *Web Soil Survey*. Retrieved from Web Soil Survey: <https://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx>
- Weis, P. (1968). *Geologic Map of the Greenacres quadrangle, Washington and Idaho*. U.S. Geological Survey.
- Wildlife, W. D. (2025, October). *PHS on the Web*. Retrieved from Washington Dept. of Fish and Wildlife - Priority Habitats and Species: <https://geodataservices.wdfw.wa.gov/hp/phs/>



338 & 339 - Lake Creek Farm Conservation Easement



Legend

- Lake Creek Farm - Washington
- Lake Creek Farm - Idaho


Current Aerial Imagery

1 : 24,000

0 1,200 2,400 4,800 Feet

Due to the reliance on outside data sources,
no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!

Data Sources:
Boundaries - 2023 County Parcels
Imagery - 2021 USDA NAIP
Produced by: Rose Richardson
Produced: 2/2024



Legend


-  Lake Creek Washington
-  Lake Creek Idaho
-  Photo Points

338-339 - Lake Creek Conservation Easement

Stewardship

Due to the reliance on outside data sources,
no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!





338 & 339 - Lake Creek Farm Conservation Easement




Legend

- Lake Creek Farm - Washington
- Lake Creek Farm - Idaho
- Complete


Location

1 : 250,000



Due to the reliance on outside data sources,
no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!

Data Sources:
Boundaries - 2023 County Parcels
Imagery - ESRI Hillshade
Produced by: Rose Richardson
Produced: 2/2024



338 & 339 - Lake Creek Farm Conservation Easement




Legend


-  Lake Creek Farm - Washington
-  Lake Creek Farm - Idaho
-  Parcels

Parcels

1 : 24,000



Due to the reliance on outside data sources,
no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!
Data Sources:
Boundaries - 2023 County Parcels
Imagery - 2021 USDA NAIP
Produced by: Rose Richardson
Produced: 2/2024



Legend

- Lake Creek Farm
- Washington
- Lake Creek Farm
- Idaho

Climate Resilience

- Average
- Above Average
- Far Above

338 & 339 - Lake Creek Farm Conservation Easement

Climate Resilience


1 : 24,000

0 1,200 2,400 4,800 Feet



Due to the reliance on outside data sources,
no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!

Data Sources:
Boundaries - 2023 County Parcels
Imagery - 2021 USDA NAIP
Climate - The Nature Conservancy
Produced by: Rose Richardson
Produced: 2/2024



Legend

 Lake Creek Farm - Washington

 Lake Creek Farm - Idaho

WETLAND TYPE

Freshwater Emergent Wetland

Freshwater

Forested/Shrub Wetland


Freshwater Pond

Riverine

338 & 339 - Lake Creek Farm Conservation Easement

Water Resources

1 : 24,000



Due to the reliance on outside data sources, no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!

Data Sources:


Boundaries - 2023 County Parcels

Imagery - ESRI Hillshade

Water - USFWS Wetland Inventory

Produced by: Rose Richardson

Produced: 2/2024



338 & 339 - Lake Creek Farm Conservation Easement



Legend

- Lake Creek Farm - Washington
- Lake Creek Farm - Idaho
- Soils

Soils & Hillshade


1 : 24,000

0 1,200 2,400 4,800 Feet


Due to the reliance on outside data sources,
no warranty for the accuracy of the data!
BOUNDARIES ARE APPROXIMATE!

Data Sources:
Boundaries - 2023 County Parcels
Imagery - ESRI Hillshade
Soils - USDA Soil Survey
Produced by: Rose Richardson
Produced: 2/2024

338-339 - Lake Creek Farm Conservation Easement - Historic Air Photos




Year: 1992




Year: 2004




Year: 2005



Year: 2006




Year: 2009




Year: 2011




Year: 2015



Year: 2017



Year: 2021



Year: 2022



Photopoint 01: 47.5431, -117.03539
 . Facing N.



Photopoint 01: 47.5431, -117.03539
 . Facing W.



Photopoint 01: 47.5431, -117.03539
 . Facing S.



Photopoint 01: 47.5431, -117.03539
 . Facing E.



Photopoint 02: 47.54246, -117.03565
 . Facing W.



Photopoint 02: 47.54246, -117.03565
 . Facing NNW.



Photopoint 02: 47.54246, -117.03565
 . Facing SSE.



Photopoint 03: 47.54252, -117.03836
 . Facing SSE.



Photopoint 03: 47.54252, -117.03836
 . Facing WSW.



Photopoint 03: 47.54252, -117.03836
 . Facing NNW.



Photopoint 03: 47.54252, -117.03836
 . Facing ENE.



Photopoint 04: 47.54212, -117.03847
 . Facing E.



Photopoint 05: 47.54932, -117.02848
 . Facing SSE.



Photopoint 05: 47.54932, -117.02848
 . Facing N.



Photopoint 05: 47.54932, -117.02848
 . Facing W.



Photopoint 06: 47.54929, -117.03037
 . Facing NW.



Photopoint 06: 47.54929, -117.03037
 . Facing W.



Photopoint 06: 47.54929, -117.03037
 . Facing ENE.



Photopoint 06: 47.54929, -117.03037
 . Facing SE.



Photopoint 07: 47.5421, -117.02908
 . Facing E.



Photopoint 07: 47.5421, -117.02908
 . Facing NNW.



Photopoint 07: 47.5421, -117.02908
 . Facing WSW.



Photopoint 08: 47.54208, -117.03357
 . Facing WSW.



Photopoint 08: 47.54208, -117.03357
 . Facing NW.



Photopoint 08: 47.54208, -117.03357
 . Facing E.



Photopoint 08: 47.54208, -117.03357
 . Facing E.



Photopoint 08: 47.54208, -117.03357
 . Facing SSE.



Photopoint 09: 47.53858, -117.0339
 . Facing WSW.



Photopoint 09: 47.53858, -117.0339
 . Facing E.



Photopoint 09: 47.53858, -117.0339
 . Facing N.



Photopoint 09: 47.53858, -117.0339
 . Facing N.



Photopoint 10: 47.53842, -117.03373
 . Facing SE.



Photopoint 10: 47.53842, -117.03373
 . Facing WSW.



Photopoint 10: 47.53842, -117.03373
 . Facing N.



Photopoint 11: 47.53901, -117.0357
 . Facing WSW.



Photopoint 11: 47.53901, -117.0357
 . Facing N.



Photopoint 11: 47.53901, -117.0357
 . Facing S.



Photopoint 11: 47.53901, -117.0357
 . Facing S.



Photopoint 12: 47.53997, -117.03571
 . Facing WNW.



Photopoint 12: 47.53997, -117.03571
 . Facing SSW.



Photopoint 13: 47.55656, -117.0412
 . Facing E.



Photopoint 13: 47.55656, -117.0412
 . Facing NNE.



Photopoint 13: 47.55656, -117.0412
 . Facing SSW.



Photopoint 14: 47.5564, -117.04108
 . Facing NNE.



Photopoint 14: 47.5564, -117.04108
 . Facing ENE.



Photopoint 14: 47.5564, -117.04108
 . Facing N.




Photopoint 14: 47.5564, -117.04108
 . Facing SSE.



Photopoint 15: 47.56104, -117.042
 . Facing NW.



Photopoint 15: 47.56104, -117.042
 . Facing ESE.



Photopoint 15: 47.56104, -117.042
 . Facing SSW.



Photopoint 15: 47.56104, -117.042
 . Facing ENE.



Photopoint 16: 47.56196, -117.04074
 . Facing SSE.



Photopoint 16: 47.56196, -117.04074
 . Facing SW.



Photopoint 16: 47.56196, -117.04074
 . Facing NNW.



Photopoint 17: 47.56344, -117.04094
 . Facing SSE.



Photopoint 17: 47.56344, -117.04094
 . Facing W.



Photopoint 17: 47.56344, -117.04094
 . Facing NNW.



Photopoint 18: 47.56572, -117.04103
 . Facing W.



Photopoint 18: 47.56572, -117.04103
 . Facing N.



Photopoint 18: 47.56572, -117.04103
 . Facing E.



Photopoint 18: 47.56572, -117.04103
 . Facing WNW.



Photopoint 18: 47.56572, -117.04103
 . Facing S.



Photopoint 19: 47.56647, -117.04098
 . Facing ESE.



Photopoint 20: 47.56724, -117.04087
 . Facing NNW.



Photopoint 20: 47.56724, -117.04087
 . Facing WNW.



Photopoint 20: 47.56724, -117.04087
 . Facing S.



Photopoint 20: 47.56724, -117.04087
 . Facing SE.



Photopoint 21: 47.56722, -117.04036
 . Facing S.



Photopoint 21: 47.56722, -117.04036
 . Facing WNW.



Photopoint 21: 47.56722, -117.04036
 . Facing NNE.



Photopoint 21: 47.56722, -117.04036
 . Facing ESE.



Photopoint 23: 47.55646, -117.04561
 . Facing NE.



Photopoint 23: 47.55646, -117.04561
 . Facing SE.



Photopoint 23: 47.55646, -117.04561
 . Facing NNW.