



DAL20251B03JAN KMIA/MIA-KATL/ATL B737-800-806 CAPT:
SIGNATURE:

ATC CLRNC:
DEFRTE : KMIA/27 ROUTES CALCULATED KATL/27R

PLND FL: 380

OFF:1/0/1 WX PROG 24/06/12/18 CTOT: PARKING BAY:

| | | | | | | | |
|---------------|-------|------|-------|-------------|-----------|-------|-------|
| | FUEL | TIME | CORR | ARR | 0737 | | |
| TRIP KATL | 3830 | 0124 | | DEP | 0550 | | |
| CONT 15.0 MIN | 678 | 0015 | | ET | 0147 | | |
| ALTN KCAE | 1897 | 0045 | | GND DIST | | 525 | |
| FRSV | 1074 | 0030 | | AIR DIST | | 545 | |
| FMC-RSV | -3.0- | | | CRZ DEG | | P1.4 | |
| ETOPS ADDNL | 0 | 0000 | | CID | | 8 | |
| ADDNL | | | | CRZ | | ECON | |
| T/O FUEL | 7479 | | | CRZ FL/TEMP | FL380/M50 | | |
| TAXI | 113 | 0010 | | TOC TROP | | 53529 | |
| RAMP FUEL | 7.6 | 0255 | | | | | |

| | | | | | | | |
|---------------|-------|-------|-------|--------|------|------|------|
| ADJUST | | | | | | | |
| ADJ RAMP FUEL | | | | AV TRK | 335 | CREW | ... |
| FUEL REMN | | | | AV W/C | M014 | PAX | |
| FUEL USED | | | | AV ISA | P06 | TOT | |

ZFW CHG PS 1000 BURN PS 48 / MS 1000 BURN MS 55
FL BELOW -1- BURN MS 25 / TIME 0126

NO TANKERING RECOMMENDED (P) EXTRA FUEL REASON: ATC WX MEL ALTN OTH

KMIA ATIS:

DOW RANGE 40.4 42.9 DOI RANGE

| | | | | | | |
|------|-------|------|-------|------|-------|------|
| EZFW | 59826 | MZFW | 62732 | AZFW | | |
| ETOW | 67305 | MTOW | 79016 | ATOW | | RTOW |
| ELWT | 63475 | MLWT | 66361 | ALWT | | RLWT |

RWY ASSMD MFRH FLAP CG-F/A V1 VR V2 VREF EOP

.....
.....
.....

DAL 20251B KMIA/KATL 03.JAN.2022/0550Z



| | | | | | | | | |
|---------|------|------|-----|-----|------|------|------|---------------------|
| DEST | ALTN | DIST | TRK | FL | COMP | TIME | FUEL | ROUTING |
| KCAE/11 | | 0219 | 082 | 250 | P048 | 0045 | 1897 | DCT IRQ DCT CAE DCT |

DISPATCH BRIEFING INFO DISP: KLEIN

TEL: +1 800 555 0199

- ```
- NOTICE: SID OR FIX "ROUTES" NOT FOUND
- ERROR: FIX OR AIRWAY "MUST" NOT FOUND
- ERROR: FIX OR AIRWAY "SELF" NOT FOUND
- NOTICE: STAR OR FIX "CALCULATED" NOT FOUND
- ERROR: FIX OR AIRWAY "BE" NOT FOUND
```

CREW NOTES:



| WPT | TRM | DIST | WIND    | FL   | TAS | SP/M | STM | ETA | REMF |
|-----|-----|------|---------|------|-----|------|-----|-----|------|
| AWY | ITT |      | SR/TDEV | MORA | W/C | TROP | ATM | RTA | ATA  |

|         |  |  |  |  |  |  |  |  |     |
|---------|--|--|--|--|--|--|--|--|-----|
| KMIA/27 |  |  |  |  |  |  |  |  | 6.8 |
|---------|--|--|--|--|--|--|--|--|-----|

|     |     |     |        |     |      |     |      |       |       |
|-----|-----|-----|--------|-----|------|-----|------|-------|-------|
| DCT | 341 | 149 | 25/085 | CLB |      | 780 | 023  | .. .. | ..... |
| TOC | 336 |     | 04/P07 | 21  | M015 | 54  | 0023 | ....  | 4.8   |

-----JACKSONVILLE FIR/UIR/KZJX-----

|     |     |     |        |     |      |     |      |       |       |
|-----|-----|-----|--------|-----|------|-----|------|-------|-------|
| DCT | 342 | 249 | 25/099 | 380 | 452  | 777 | 034  | .. .. | ..... |
| TOD | 335 |     | 02/P06 | 25  | M014 | 53  | 0057 | ....  | 3.4   |

-----ATLANTA FIR/UIR/KZTL-----

|          |     |     |        |     |      |     |      |       |       |
|----------|-----|-----|--------|-----|------|-----|------|-------|-------|
| DCT      | 341 | 127 | 30/025 | DES |      | 250 | 027  | .. .. | ..... |
| KATL/27R | 334 |     | /      | 31  | M022 | 47  | 0124 | ....  | 3.0   |

|             |       |              |       |
|-------------|-------|--------------|-------|
| EK COMP     | FREQ: | PARKING BAY: | ..... |
| SPEC RQMTS: |       |              |       |

KATL ATIS:

ATC CLRNC: . . . . .



| CLIMB           | TOC             | TOD             | DESCENT         |
|-----------------|-----------------|-----------------|-----------------|
| 100 232/021 +08 | N2757.5         | N3143.8         | 350 238/116 -43 |
| 150 206/034 +01 | W08121.8        | W08321.2        | 310 234/118 -41 |
| 200 205/038 -13 | 400 253/088 -54 | 400 243/114 -53 | 200 222/107 -16 |
| 310 260/046 -38 | 380 251/085 -50 | 380 241/114 -50 | 150 211/083 -08 |
| 350 248/064 -46 | 360 249/071 -48 | 360 239/115 -46 | 100 217/060 -02 |
|                 | 340 246/056 -45 | 340 237/116 -41 |                 |



**AIR TRAFFIC CONTROL**

FF KZMAZQZX KZJXZQZX KZTLZQZX

030550 OMDBUAEF

(FPL-DAL20261-IS

-B738/M-SDE2E3FGHIRWXY/LB1

-KMIA0550

-N0452F380 ROUTES CALCULATED

-KATL0124 KCAE

-PBN/A1B1C1D1S1S2 NAV/RNVD1E2A1 DOF/220103 REG/N301DQ EET/KZJX0026

KZTL0057 RMK/ADSB TCAS 7.0 NRP HAR)



CREW ALERT

D I S P A T C H B R I E F I N G I N F O DAL20251B KMIA/KATL

CREW ALERT

\*\*\*\*\*

SB007/14 COMPANY NOTAM - AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

- FTPB 12OCT14


SB003/13 COMPANY NOTAM - FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.

- FTPB 13JUL13




Route






SigWx 1 of 1








UAD 1 of 3






UAD 2 of 3






UAD 3 of 3





Vertical profile





**SELECTED NOTAM**

\*\*\*\*\*

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, INTAM AND CHART NOTAM  
 VALID: 2201030550 - 2201031100 ETD+TRIP+ALTN+3HRS  
 DAL 20251B /03JAN OFP-NR: 1/0/1  
 ROUTE: KMIA - KATL ALTN: KCAE  
 N0452F380 ROUTES CALCULATED

GABI/WEATHER SERVICE DATE: 03Jan2022 TIME: 05:50 UTC

=====

**DEPARTURE AIRPORT - DETAILED INFO**

=====

**KMIA/MIA MIAMI INTL**

-----

NIL MINIMA

SA 030453 20004KT 10SM CLR 22/19 A3009 RMK AO2 SLP189 T02170194  
 402830217 \$

FC NIL

FT 030520 0306/0412 21006KT P6SM SCT040  
 FM031600 27010G17KT P6SM SCT015 OVC025  
 FM031900 30011KT P6SM SCT030 BKN050  
 FM032200 33007KT P6SM FEW020 SCT040

+++++ AIRPORT ++++++

12/347  
 RWY 09/27 CL MARKINGS OBSC  
 12/223  
 NAV ILS RWY 09 NOT MNT  
 09/196  
 COM GRAND BAHAMA REMOTE COM OUTLET 126.9 U/S  
 A2809/21  
 TWY Z BTN RWY 12/30 AND TWY R CLSD  
 A2810/21  
 TWY R NORTHWEST 800FT CLSD  
 09/130  
 NAV ILS RWY 26R DME NOT MNT  
 A2621/21  
 APRON CENTRAL BASE RAMP WIP CONST

+++++ RUNWAY ++++++

A3703/21  
 RWY 08R/26L FICON 3/3/3 SLIPPERY WHEN WET OBS AT 2112301905.

+++++ SID ++++++

A3671/21



TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 18...  
TAKEOFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 493FT PER NM TO 1400 (12-085482). RWY 8L, STANDARD WITH MINIMUM CLIMB OF 382FT PER NM TO 1400 (12-002209/12-085482). RWY 8R, STANDARD WITH MINIMUM CLIMB OF 326FT PER NM TO 1400 (12-085482). RWY 12, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 238 FT PER NM TO 1200. TEMPORARY CRANE, 887 MSL, 4.94 NM EAST OF RWY 12 DER (2020-ASO-12159-OE). TAKEOFF OBSTACLE NOTES: RWY 27, TEMPORARY CRANES BEGINNING 2279FT FROM DER, 594FT LEFT OF CENTERLINE, 90FT AGL/95FT MSL (2020-ASO-27282/29974/29975/29995/30000-OE). RWY 8R, TEMPORARY CRANES BEGINNING 1351FT FROM DER, 613FT RIGHT OF CENTERLINE, 100FT AGL/106FT MSL (2019-ASO-982, 984, 985-NRA). ALL OTHER DATA REMAINS AS PUBLISHED.

A2421/21

MIAMI EIGHT DEPARTURE ...  
TAKEOFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 493FT PER NM TO 1400 (12-085482). RWY 8L, STANDARD WITH MINIMUM CLIMB OF 382FT PER NM TO 1400 (12-002209/12-085482). RWY 8R, STANDARD WITH MINIMUM CLIMB OF 326FT PER NM TO 1400 (12-085482). TAKEOFF OBSTACLE NOTES: RWY 27: TEMPORARY CRANES BEGINNING 2279FT FROM DER, 594FT LEFT OF CENTERLINE, 90FT AGL/95FT MSL (2020-ASO-27282/29974/29975/29995/30000-OE) ALL OTHER DATA REMAINS AS PUBLISHED.

A2396/21

MIAMI EIGHT DEPARTURE ...  
FIVEN TRANSITION NA.

A2412/21

MHITO ONE DEPARTURE ...  
DISREGARD NOTE: MAXIM AND CANOA TRANSITIONS ATC ASSIGNED EXCEPT  
AIRCRAFT DEPARTING: MIA, FLL, OPF.

A2417/21

MIAMI EIGHT ...  
MIAMI EIGHT DEPARTURE FREEPORT TRANSITION NA.

A1827/21

EONNS TWO DEPARTURE (RNAV)...  
HEDLY TWO DEPARTURE (RNAV)...  
TAKEOFF MINIMUMS: RWY 9: STANDARD WITH MINIMUM CLIMB OF 493FT PER NM TO 1400 (12-085482). RWY 8L: STANDARD WITH MINIMUM OBSTACLE CLIMB OF 382FT PER NM TO 1400, MINIMUM ATC CLIMB OF 500FT PER NM TO 900 (12-002209, 12-085482). RWY 8R: STANDARD WITH MINIMUM OBSTACLE CLIMB OF 326FT PER NM TO 1400, MINIMUM ATC CLIMB OF 500FT PER NM TO 900 (12-085482).  
ALL OTHER DATA REMAINS AS PUBLISHED.

+++++ APPROACH PROCEDURES +++++

A3648/21

ILS RWY 30 DME U/S

A3555/21

ILS OR LOC RWY 26L, AMDT 17...  
S-ILS 26L DA 266/HAT 257. TEMPORARY CRANES BEGINNING 106FT MSL 1483FT  
SOUTHEAST OF RWY 26L (2019-ASO-982, 984, 985-NRA).

A3554/21

RNAV (GPS) Y RWY 26L, AMDT 3...  
LPV DA 266/HAT 257. TEMPORARY CRANES BEGINNING 106FT MSL 1483FT  
SOUTHEAST OF RWY 26L (2019-ASO-982, 984, 985-NRA).

A3497/21



/ZIN/ NDB U/S  
A3191/21  
/ZBV/ TACAN AZM U/S  
A3053/21  
ILS OR LOC RWY 30, AMDT 1B...  
S-LOC 30 MDA 600/HAT 592. VIS CAT C 1 3/8.  
FOR INOPERATIVE ALS, INCREASE S-LOC 30 CAT C VIS TO 1 3/4 SM.  
BUILDING, 310 MSL, 2.84NM EAST OF APCH END RWY 30 (12-093894  
PERMANENT).  
A2662/21  
/GTK/ VOR 100-125 UNUSABLE  
A2661/21  
/GTK/ VOR 060-070 UNUSABLE  
A0345/21  
RNAV (GPS) Z RWY 30, AMDT 1...  
LNAV MDA 620/HAT 611 ALL CATS. VDP 1.7 MILES TO RWY 30.  
A0203/21  
RNAV (GPS) Z RWY 12, AMDT 1A...  
LNAV/VNAV DA 512/HAT 504.  
A0621/20  
ILS OR LOC RWY 9, AMDT 10C...  
CHANGE NOTE: \*\*RVR 1800 AUTHORIZED WITH USE OF FD OR AP OR HUD TO DA  
TO READ \*\*RVR 1800 AUTHORIZED WITH USE OF FD OR HUD TO DA..

=====

**DESTINATION AIRPORT - DETAILED INFO**

=====

**KATL/ATL HARTSFIELD - JACKSON ATLANTA I**

-----

NIL MINIMA

SA 030452 31020G28KT 7SM -RA SCT004 BKN008 OVC015 11/09 A2969 RMK  
AO2 PK WND 31028/0452 SLP051 P0031 T01110094  
402280111 \$

FC NIL

FT 030339 0304/0406 12008KT 3SM -RA BR SCT004 OVC006  
FM030600 32016G24KT 4SM -RA BR FEW004 OVC006  
FM030800 30022G33KT P6SM VCSH BKN012  
TEMPO 0308/0310 4SM -RA BR OVC008  
FM031500 33017G27KT P6SM SCT020  
FM031800 33014KT P6SM FEW250  
FM040100 33009KT P6SM SKC

+++++ AIRPORT ++++++

A8946/21  
TWY R10 CLSD  
12/362  
NAV VORTAC NOT MNT  
A8847/21  
BIRD ACT INCREASED FLOCKING BLACKBIRDS  
A8758/21



TWY R12 NOW 650FT EAST OF TWY R11  
 12/273  
 RWY 08L/26R CL MARKINGS NOT STD  
 12/257  
 TWY R TWY DIRECTION SIGN FOR TWY R12 MISSING  
 A8754/21  
 TWY R12 CLSD EXC ACFT WINGSPAN LESS THAN 118FT

+++++ RUNWAY +++++

A0065/22  
 RWY 26L FICON 5/5/5 100 PCT WET OBS AT 2201030445.  
 A0067/22  
 RWY 28 FICON 5/5/5 100 PCT WET OBS AT 2201030445.  
 A0068/22  
 RWY 27L FICON 5/5/5 100 PCT WET OBS AT 2201030445.  
 A0066/22  
 RWY 26R FICON 5/5/5 100 PCT WET OBS AT 2201030444.  
 A0064/22  
 RWY 27R FICON 5/5/5 100 PCT WET OBS AT 2201030445.  
 A8464/21  
 RWY 26R LAND AND HOLD SHORT OPS LGT U/S  
 A8463/21  
 RWY 08L LAND AND HOLD SHORT OPS LGT U/S

+++++ SID +++++

A8862/21  
 TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8... ADD  
 TAKEOFF OBSTACLE NOTE: RWY 26L, TEMPORARY CRANE 998FT FROM DER, 524FT  
 LEFT OF CENTERLINE, 45FT AGL/1065FT MSL (2020-ASO-6421-NRA). ALL  
 OTHER DATA REMAINS AS PUBLISHED.

A7593/21  
 TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8...  
 TAKE-OFF MINIMUMS RWY 26L, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB  
 OF 281 FT PER NM TO 1300 OR ALTERNATIVELY WITH STANDARD 200 FT PER NM  
 CLIMB GRADIENT, TAKE OFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO  
 DER. RWY 26R, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 304 FT PER  
 NM TO 1300, OR ALTERNATIVELY, WITH A NORMAL 200 FT PER NM CLIMB  
 GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1600 FT PRIOR TO DER.  
 TAKEOFF OBSTACLE NOTES: RWY 26L, TEMPORARY CRANE, 5800 FT FROM DER,  
 842 FT LEFT OF CENTERLINE, 150 AGL/1177 MSL (2019-ASO-35262-OE), RWY  
 26R, TEMPORARY CRANE, 5598 FT FROM DER, 1842 FT LEFT OF CENTERLINE,  
 150 AGL/1177 MSL (2019-ASO-35262-OE), RWY 27R, TEMPORARY CRANE 2394FT  
 FROM DER, 713 FT RIGHT OF CENTERLINE, 100FT AGL/1097FT MSL  
 (2019-ASO-83-NRA). RWY 9L, TEMPORARY CRANE 5074FT FROM DER, 1753FT  
 LEFT OF CENTERLINE, 109FT AGL/1107FT MSL (2020-ASO-11758-OE).  
 ALL OTHER DATA REMAINS AS PUBLISHED.

A7592/21  
 ATLANTA ONE DEPARTURE...  
 TAKE-OFF MINIMUMS RWY 26L, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB  
 OF 281 FT PER NM TO 1300 OR ALTERNATIVELY WITH STANDARD 200 FT PER NM  
 CLIMB GRADIENT, TAKE OFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO  
 DER. RWY 26R, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 304 FT PER  
 NM TO 1300, OR ALTERNATIVELY, WITH A NORMAL 200 FT PER NM CLIMB  
 GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1600 FT PRIOR TO DER.





TAKEOFF OBSTACLE NOTES: RWY 26L, TEMPORARY CRANE, 5800 FT FROM DER,  
842 FT LEFT OF CENTERLINE, 150 AGL/1177 MSL (2019-ASO-35262-OE), RWY  
26R, TEMPORARY CRANE, 5598 FT FROM DER, 1842 FT LEFT OF CENTERLINE,  
150 AGL/1177 MSL (2019-ASO-35262-OE).  
ALL OTHER DATA REMAINS AS PUBLISHED.

+++++ APPROACH PROCEDURES +++++

A8864/21

ILS OR LOC RWY 10, AMDT 4...  
ILS OR LOC RWY 27R, AMDT 7...  
ILS OR LOC RWY 28, AMDT 5...  
ILS PRM RWY 10 (SIMULTANEOUS CLOSE PARALLEL), AMDT 4...  
ILS PRM RWY 27R (CLOSE PARALLEL), AMDT 3...  
ILS PRM RWY 28 (CLOSE PARALLEL), AMDT 5...  
ILS RWY 10 (SA CAT I), AMDT 4...  
ILS RWY 28 (SA CAT I), AMDT 4...  
ILS RWY 28 (CAT II), AMDT 4...  
ILS RWY 10 (CAT II AND III), AMDT 4...  
ILS PRM RWY 10 (SA CAT I) (SIMULTANEOUS CLOSE PARALLEL), AMDT 4...  
ILS PRM RWY 28 (SA CAT I) (SIMULTANEOUS CLOSE PARALLEL), AMDT 4...  
ILS PRM RWY 28 (CAT II) (SIMULTANEOUS CLOSE PARALLEL), AMDT 4... ILS  
PRM RWY 10 (CAT II AND III) (SIMULTANEOUS CLOSE PARALLEL), AMDT 4...  
ALTERNATE MINIMUMS NA,  
ATL VORTAC UNMONITORED.

A7595/21

RNAV (GPS) Y RWY 08L, AMDT 4A...  
LNAV/VNAV DA 1514/HAT 499 ALL CATS. VIS RVR 5000 ALL CATS.  
FOR INOPERATIVE ALSF-2, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1  
3/8 MILES.  
EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN.  
TEMPORARY CRANE, 1177 MSL, 1.01 NM WEST OF APCH END RWY 08L  
(2019-ASO-35262-OE).

A7594/21

RNAV (GPS) PRM Y RWY 8L, ORIG-A...  
LNAV/VNAV DA 1514/HAT 499 ALL CATS. VIS RVR 5000 ALL CATS.  
FOR INOPERATIVE ALSF-2, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1  
3/8 MILES.  
EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN.  
TEMPORARY CRANE, 1177 MSL, 1.01 NM WEST OF APCH END RWY 08L  
(2019-ASO-35262-OE).

A7428/20

RNAV (GPS) RWY 8R, AMDT 4A...  
LPV DA NA.

A7070/20

RNAV (RNP) Z RWY 8L, AMDT 1...  
RNP 0.30 DA 1439/HAT 424 ALL CATS.

A4582/20

RNAV (GPS) PRM RWY 26L (SIMULTANEOUS CLOSE PARALLEL), ORIG...  
PROCEDURE NA.

=====  
**DESTINATION ALTERNATE AIRPORT(S)**  
=====

KCAE/CAE COLUMBIA METRO



NIL MINIMA

SA 030456 11022G27KT 10SM -RA BKN005 BKN041 OVC100 16/14 A2969  
RMK AO2 PK WND 12027/0455 PRESFR SLP050 P0014 T01560144  
402330150

FC NIL

FT 030530 0306/0406 15015G25KT 5SM -SHRA SCT007 BKN015  
TEMPO 0306/0310 2SM SHRA BKN007  
FM031000 23022G35KT P6SM -SHRA BKN015  
FM031600 30012G33KT P6SM BKN015  
FM031800 32014G22KT P6SM SCT040  
FM032100 32008KT P6SM SKC

+++++ APPROACH PROCEDURES +++++

A0522/20  
ILS RWY 11 MM U/S  
A0177/20  
RNAV (GPS) RWY 23, AMDT 2B...  
LNAV/VNAV: DA 709/HAT 496 ALL CATS.

=====  
**EXTENDED AREA AROUND DEPARTURE**  
=====

**KZMA MIAMI FIR/UIR**  
-----

12/036  
OBST LGT (ASR UNKNOWN) 283739.68N0803713.47W (11.2NM  
NE X21) 497FT (394FT AGL) U/S  
1/3269  
FL..ROUTE ZMA.  
V529 SWAGS, FL TO LA BELLE (LBV) VORTAC, FL MOCA 1500.  
A0857/21  
V35 DEEDS INT, FL TO CURVE, FL NA EXCEPT FOR AIRCRAFT EQUIPPED WITH  
SUITABLE RNAV SYSTEM WITH GPS.  
CYY VOR/DME UNUSABLE BETWEEN DEEDS AND CURVE.  
A0777/21  
ROUTE ZMA.  
V3 FORT LAUDERDALE (FLL) VOR/DME, FL TO PALM BEACH (PBI) VORTAC, FL  
USE FLL R-013.  
PBI VORTAC R-190 UNUSABLE BEYOND 13 NM.  
A0775/21  
ROUTE ZMA.  
V437 SUBER, FL TO HOTAR, FL MEA 8000.  
A0098/21  
TOWER LIGHTS UNSERVICEABLE LOC 244210N0774549W 237 FEET HIGH.  
F) SFC G) 237FT AGL  
A0038/21  
ROUTE ZMA.  
V35 DEEDS, FL TO LEE COUNTY (RSW) VORTAC, FL MEA 4000.



A2512/20  
 ZMA.  
 V531 CUSMO, FL TO BAIRN, FL NA. PBI VOR R-327 UNUSABLE BEYOND 58 NM.  
 A0699/20  
 V97 QUNCY, FL TO ROGAN, FL MEA 5000 NORTHWEST BOUND.  
 PIE VOR RESTRICTED R138, 58NM, BELOW 5000..

=====  
**EXTENDED AREA AROUND DESTINATION**  
 =====

**KZTL                    ATLANTA FIR/UIR**  
 -----

A0274/21  
 V20, V56 TUSKEGEE (TGE) VOR/DME, AL TO MARVO, AL MEA 2200.  
 A0264/21  
 V70 EUFAULA (EUF) VORTAC, AL TO VIENNA (VNA) VORTAC, GA MEA 3000.  
 A0212/21  
 V521, V7 SKIPO, AL TO BANBI, AL MOCA 2000.  
 A0209/21  
 ROUTE ZTL ZJX.  
 V70 ALLENDALE (ALD) VOR, SC R-248 TO COP NA EXCEPT FOR ACFT EQUIPPED  
 WITH SUITABLE RNAV SYSTEM WITH GPS.  
 ALD VOR UNUSABLE ALL ALTITUDES.  
 A0204/21  
 ROUTE ZTL.  
 V466, V519 FARLI, TN TO YUMMY, VA NA EXCEPT FOR ACFT EQUIPPED WITH  
 SUITABLE RNAV SYSTEM WITH GPS.  
 GZG VOR/DME RESTRICTED R-248, 53 DME, ALL ALTITUDES..  
 A0141/21  
 V155 SINCA, GA MCA 5000 NORTHEASTBOUND.  
 IRQ VOR RESTRICTION.  
 A0125/21  
 ROUTE ZTL ZDC.  
 V454 GIZMO, NC TO LIBERTY (LIB) VORTAC, NC MEA 3100.  
 A0089/21  
 ROUTE ZTL.  
 V466, V519 FARLI, TN TO YUMMY, VA NA EXCEPT FOR ACFT EQUIPPED WITH  
 SUITABLE RNAV SYSTEM WITH GPS.  
 GZG VOR R248 UNUSABLE BEYOND 32 NM.  
 A0088/21  
 ROUTE ZTL.  
 V466 DORFF, VA TO PULASKI (PSK) VORTAC, VA MEA 6200.  
 A0085/21  
 ROUTE ZTL.  
 V97 WILMS INT, GA TO GRANT INT, GA MEA 6000.  
 V97 PRATZ INT, GA MCA 6000.  
 PZD DME UNUSABLE R-359 UNUSABLE BELOW 6000.  
 A0057/21  
 ROUTE ZTL ZME.  
 V54 ROCKET (RQZ) VORTAC, AL TO CHOO CHOO (GQO) VORTAC, TN MEA 4600.  
 A0045/21  
 V67 CHOO CHOO (GQO) VORTAC, TN TO SHELBYVILLE (SYI) VOR/DME, TN MEA  
 4400.  
 A0038/21



V222 LAGRANGE (LGC) VORTAC, GA TO TIROE, GA MEA 3100.  
A0037/21  
V222 MARST, AL TO KENTT, AL DUAL MEA 2300 SOUTHWEST BOUND, 2100  
NORTHEAST BOUND.  
A0034/21  
ROUTE ZTL ZJX.  
V325 VESTO, GA TO BLANE, SC NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE  
RNAV SYSTEM WITH GPS.  
A0008/21  
V53 WIDER INT, SC TO WILLS INT, SC NA EXCEPT FOR AIRCRAFT EQUIPPED  
WITH SUITABLE RNAV SYSTEM WITH GPS.  
A0002/21  
ROUTE ZTL.  
V37 JOTTA, NC TO DOILY, VA MOCA 5900.  
0/2654  
ROUTE ZTL.  
V54 RESTS, SC TO CLEVA, SC MEA 7000.  
V54 CLEVA, SC TO SPARTANBURG (SPA) VORTAC, SC MEA 6000; GNSS MEA  
REMAINS 3300. V54 SPARTANBURG (SPA) VORTAC, SC MCA 5200 WESTBOUND.  
A0044/20  
ROUTE  
V70 OCONE TO MILEN INT MEA 3500.  
01/025  
AIRSPACE R3004A ACT SFC-3499FT

=====  
**EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)**  
=====

**KZJX                  JACKSONVILLE FIR/UIR**  
-----

A2474/21  
Q109 PANDY, SC TO LAANA, NC.  
ATC ASSIGNED ONLY.  
A2473/21  
ROUTE ZJX.  
Q97 CAKET, SC TO ELLDE, NC.  
ATC ASSIGNED ONLY.  
A2472/21  
ROUTE ZJX.  
Q113 RAYVO, SC TO SARKY, SC.  
ATC ASSIGNED ONLY.  
A2471/21  
Q87 JROSS, SC TO LCAPE, SC.  
ATC ASSIGNED ONLY.  
A2470/21  
ROUTE ZJX.  
Q135 JROSS, SC TO RAPZZ, NC.  
ATC ASSIGNED ONLY.  
A2469/21  
ROUTE ZJX.  
Q85 IGARY, SC TO SMPRR, NC.  
ATC ASSIGNED ONLY.  
A2468/21  
Y323 CARPX, OA TO IDOLS, OA.



ATC ASSIGNED ONLY.

A2467/21  
ROUTE ZJX.  
Y291 HOAGG, OA TO SAGGY, OA.  
ATC ASSIGNED ONLY.

A2466/21  
ROUTE ZJX.  
Q409 JROSS, SC TO MRPIT, NC.  
ATC ASSIGNED ONLY.

A2465/21  
Y319 OHLAA, OA TO IDOLS, OA.  
ATC ASSIGNED ONLY.

A2464/21  
ROUTE ZJX.  
Y309 PELCN, OA TO SAGGY, OA.  
ATC ASSIGNED ONLY.

A2463/21  
Y289 DULEE, OA TO ZILLS, OA.  
ATC ASSIGNED ONLY.

A2462/21  
ROUTE ZJX.  
Y299 GRUBR, OA TO ZILLS, OA.  
ATC ASSIGNED ONLY.

A2111/21  
ROUTE ZJX ZTL.  
V521, V7 SKIPO, AL TO BANBI, AL MOCA 2000.

A2067/21  
ROUTE ZJX ZTL.  
V70 ALLENDALE (ALD) VOR, SC R-248 TO COP NA EXCEPT FOR ACFT EQUIPPED  
WITH SUITABLE RNAV SYSTEM WITH GPS.  
ALD VOR UNUSABLE ALL ALTITUDES.

A1062/21  
V35 GREENVILLE (GEF) VORTAC, FL TO SALER, GA NA.

A1057/21  
V159 GREENVILLE (GEF) VORTAC, FL TO SALER, GA NA.

A0883/21  
ORLANDO, FL..LASER LGT DEMONSTRATION WI  
AREA DEFINED AS 283302N0812248W (ORL262003) SFC-2700FT. LASER LIGHT  
BEAMS MAY BE INJURIOUS TO PILOTS AND PASSENGERS EYES WI 2700FT  
VERTICALLY AND 4200FT Laterally OF THE LGT SOURCE. FLASH BLINDNESS OR  
COCKPIT ILLUMINATION MAY OCCUR BEYOND THESE DIST. CENTRAL FLORDIA  
/F11/ TRACON, TEL (407)852-7553, IS THE FAA CDN FACILITY.  
F) SEE TEXT G) SEE TEXT

A0391/21  
ROUTE ZJX ZTL.  
V325 VESTO, GA TO BLANE, SC NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE  
RNAV SYSTEM WITH GPS.

A0034/21  
ROUTE ZJX ZTL.  
V53 WIDER INT, SC TO WILLS INT, SC NA EXCEPT FOR AIRCRAFT EQUIPPED  
WITH SUITABLE RNAV SYSTEM WITH GPS.

0/4784  
ROUTE ZJX.  
V437 FILLI, SC TO FLORENCE (FLO) VORTAC, SC ADD FILLI MRA 4500;  
DISREGARD MOCA 1900. CRE VOR R-276 UNUSABLE AND FLO VOR R-197  
RESTRICTED BELOW 4000.



0/8992  
GA..ROUTE ZJX ZTL.  
V70 OCONE, GA TO MILEN INT, GA MEA 3500.  
01/023  
AIRSPACE R3005C ACT SFC-FL290  
01/018  
AIRSPACE R3005B ACT SFC-FL290  
01/020  
AIRSPACE R3005A ACT SFC-FL290  
01/021  
AIRSPACE R3005D ACT SFC-FL290  
01/019  
AIRSPACE R3005E ACT SFC-FL290

=====  
**AREA ENROUTE DEPARTURE - DESTINATION**  
=====

**KZJX                    JACKSONVILLE FIR/UIR**  
-----

Please see section EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

**KZTL                    ATLANTA FIR/UIR**  
-----

Please see section EXTENDED AREA AROUND DESTINATION

===== END OF GABI-NOTAM-BULLETIN =====



**SIGMETs**

**KZMA            MIAMI FIR/UIR**

KZMA WS

030455 WSUS31 KPCI 030455 SIGE CONVECTIVE SIGMET 8E VALID UNTIL  
0655Z SC FL GA AND FL CSTL WTRS FROM 50NNE MCN-SAV-80WNW  
PIE-PZD-50NNE MCN AREA SEV TS MOV FROM 23050KT. TOPS TO FL370.  
TORNADOES...HAIL TO 1 IN...WIND GUSTS TO 60KT POSS.

**KZTL            ATLANTA FIR/UIR**

KZTL WS

030455 WSUS31 KPCI 030455 SIGE CONVECTIVE SIGMET 8E VALID UNTIL  
0655Z SC FL GA AND FL CSTL WTRS FROM 50NNE MCN-SAV-80WNW  
PIE-PZD-50NNE MCN AREA SEV TS MOV FROM 23050KT. TOPS TO FL370.  
TORNADOES...HAIL TO 1 IN...WIND GUSTS TO 60KT POSS.

**KZJX            JACKSONVILLE FIR/UIR**

KZJX WS

030455 WSUS31 KPCI 030455 SIGE CONVECTIVE SIGMET 8E VALID UNTIL  
0655Z SC FL GA AND FL CSTL WTRS FROM 50NNE MCN-SAV-80WNW  
PIE-PZD-50NNE MCN AREA SEV TS MOV FROM 23050KT. TOPS TO FL370.  
TORNADOES...HAIL TO 1 IN...WIND GUSTS TO 60KT POSS.

KZJX WS

030433 WSUS02 KPCI 030433 MIAQ WS 030433 SIGMET QUEBEC 2 VALID  
UNTIL 030833 SIGMET NC SC GA NY PA OH LE WV MD VA IL IN KY TN  
MS AL FROM 50W SYR TO 30NW SAV TO MEI TO 50SSE AXC TO 50W SYR  
OCNL SEV TURB BTN 140 AND FL260. DUE TO WND SHR ASSOC'D WITH  
JTST. RPTD BY ACFT. CONDS CONTG BYD 0833Z.



OCEANIC TRACK(S) INFORMATION

NAT WESTBND TRACKS FL 10000000/0 INCLUSIVE 03JAN0100-03JAN0800Z  
\*\*\*\*\*

NOTES:





**DISPATCH BRIEFING**

DISPATCH BRIEFING : DAL20251B REG:N301DQ KMIA-KATL

DATE : 03-01-2022

GENERATED BY USER : Heathrow GHA

User remarks : PLEASE NOTE AIRCRAFT DEFERRED DEFECT INTERFACE NOT ACTIVE.  
FOR MEL INFO REFER TO DISPATCH REMARKS IN MAIN OFP.

DAL 20251B      KMIA/KATL      03.JAN.2022/0550Z



VOLCANO ASH ADVISORY

NO ASH MESSAGES FOUND.

- - - - - END OF BRIEFING PACKAGE - - - - -