Table 1: Tree Parameters File

Description

Input Parameter

Percent.variation, Branch

Units

Fraction

-mp are a caramine con	0 11100	
Foliage.start	g/m^2	Starting biomass of foliage.
Foliage.End	g/m^2	Biomass of foliage at the end of simulation.
PET.winter.factor	Multiple	Multiplies by winter PET values to enhance or reduce PET.
PET.summer.factor	Multiple	Multiplies by summer PET values to enhance or reduce PET
interception	$^{\mathrm{cm}}$	Sets the volume of water which canopy can maximally intercept.
AET.Reduc	Multiple	Multiplies by calculated AET to reduce or enhance AET.
Leaching.alpha	N/A	Reaction order for foliar leaching reaction.
Absorption.alpha	N/A	Reaction order for foliar adsoprtion reaction.
Foliar.target.conc	$\mu \text{mol/g}$	Determines foliar concentration of nutrients.
Percent.variation, foliar	Fraction	Fraction of target concentration which foliage can reach before limitation.
Translocation.Percent	Fraction	Fraction of foliar nutrients that are translocated to stem during litterfall events.
Foliar.Exudation	N/A	NULL
Foliar.Leaching	N/A	NULL
Foliar.absorption	N/A	NULL
Wood.target.conc	$\mu \mathrm{mol/g}$	Wood.target.conc
Wood.initial.conc	Percent.variation	Wood.initial.conc
Percent.variation, Wood	$\mu \text{mol/g}$	Percent.variation, Wood
Bark.target.conc	$\mu \text{mol/g}$	Bark.target.conc
Bark.initial.conc	Percent.variation	Bark.initial.conc
Percent.variation, Bark		Percent.variation, Bark
Branch.target.conc	$\mu \text{mol/g}$	Branch.target.conc
Branch.initial.conc	$\mu \text{mol/g}$	Branch.initial.conc

Percent.variation, Branch