DOM

DEADLINE: 16/10/2021

FOLDER STRUCTURE

```
FL17_HW8/ [*]

task [**]

homework/ [*]

external-service.js [*]

index.html [*]

styles.css [*]

app.js [*]

eslintrc.js [*]
```

TASK

- Application's header
 - Application's header with the title "Countries Search" should be added at the top of the applicationApplication form
 - o Form should consist of two fields
 - "Type of Search" field:
 - The first field should consist of two radio buttons with labels (By Region, By Language)
 - Description "Please choose the type of search:" should be added before radio buttons


Please choose type of search:

By Region

By Language

- Search query field
 - The second field should be a dropdown (can be used <select>) component.
 - If in the first field was selected "By region" value the expanded select should consist of possible regions otherwise all possible languages.
 - Before the dropdown should be description "Please choose search query:"
 - In case if value is not selected "Select value" should be shown in the dropdown
 - If value from the first field is not chosen the select should be disabled

- Please choose search query: Select value
- List of languages and regions you can receive from externalService object. For instance:
 - externalService.getRegionsList(),
 - externalService.getLanguagesList()
- Application table
 - If the search query is not selected then the label "No items, please choose search query" should be shown instead of the table
 - Once a user choose search query then a table with results should be shown
 - Table should consist of 6 columns
 - Country name
 - Capital
 - World region
 - Languages (should be shown all official languages in a country)
 - Area
 - Flag (Should be shown a flag of an appropriate country)
 Can be included with next way:
 The URL can be taken from the countryList
 - You can receive countryList from externaService module
 - externalService.getCountryListByRegion(query);
 - externalService.getCountryListByLanguage(query);
 - Sorting
 - Next to Country Name and Area should be added arrows
 - Examples:



- When a user clicks on the arrow then sorting should be applied in the table.
- When up arrow is shown then the rows should be sorted in ascending order
- When down arrow is shown then rows should be sorted in descending order
- In case double-sided arrow the sorting is not applied with column's criteria
- Table design
 - If the cursor on the row then the row should be highlighted

| Country name | Capital | World Region | Languages | Areat | Flag |
|--------------|----------|--------------|----------------------------------|-------|------|
| Switzerland | Bern | Europe | German, French, Italian, Romansh | 41284 | • |
| Croatia | Zagreb | Europe | Croatian | 56594 | |
| Hungary | Budanest | Furone | Hungarian | 93028 | |

• Feel free to use a table's design that you prefer (colors)

RESTRICTIONS

- Editing index.html and external-service.js are forbidden.
- Adding **task/** folder is forbidden. Do not push it to repository. (Only **homework/** folder should be pushed)
- External libraries usage is forbidden

BEFORE SUBMIT

- Code should be clean, without comments, readable, and tested
- Make sure your GitLab folder structure meets folder structure from this document (without task folder)

SUBMIT

- The **FL17_HW8** folder without **task** folder should be uploaded to GitLab repository "**FL-17**" into **main** branch.

USEFUL LINKS

- <u>https://developer.mozilla.org/uk/docs/Web/API/Document</u>