PROJEKTNI ZADATAK

Monster energy

Predmet: Napredno Web Programiranje

Predmetni Profesor*:* Nenad Kojić

Predmetni Asistenti: Luka Lukić, Milena Čančarević

Student: Filip Savić

Indeks Studenta: *81/24*

Sadržaj

1. Uvod 3
   - Korišćeni Programski jezici 3
   - Funkcionalnosti 3
   - Template 4
2. Organizacija 11
   - Organizaciona šema **11**
   - Mapa sajta 12
   - Slike stranica i opisi funkcionalnosti 16
3. Kodovi 38

Uvod

Korišćeni Programski jezici

Veb sajt je kreiran korišćenjem jezika: PHP,CSS i JavaScript kao

i JS biblioteke jQuery i tehnologije AJAX

- Funkcionalnosti

Dinamičko generisanje header-a i footer-a iz baze podataka,

dinamičko ispisivanje proiyvoda iz baze podataka.

Proizvodi se mogu filtrirati po nazivu i po kategoriji.

Mogućnost logovanja i registrovanja korisika.
Dozvole pritupa sajtu na osnovu privilegije korisnika (ne ulogovani korisnik, ulogovani korisnik i administrator)

Mogućnost slanja poruke administratoru sajta preko forme na samom sajtu.

Mogućnost postavljanja sopstvenih proizvoda na sajt.(Samo slika, naziv i kategorija se automatski dodeljuju)

Mogućnost administratora da upravlja svim podacima na sajtu. Brisanje i izmena stavki koje se prikazuju na sajtu.

---

index.php,

adminPanel.php,

author.php,

contact.php,

footer.php,

header.php,

login.php,

obrada.php,

register.php,

shop.php,

upload.php,

- Template

Blok šema navigacije na sajtu

Kod koji kreira header sajta:

```
$rezultat=$con->query("select * from header");

    $conUser=new PDO("mysql:host=localhost;dbname=monsterenergy","root","");
    $rezUser=$conUser->query("select u.ussername, u.password,u.role_id as role from
ussers u join roles r on u.role_id = r.role_id");
    $adminExists=false;
    $usserExists=false;
    foreach($rezUser as $red){
      if($_SESSION["ussername"]==$red["ussername"] &&
$_SESSION["password"]==$red["password"]){
        $usserExists=true;
      }
      if($_SESSION["ussername"]==$red["ussername"] &&
$_SESSION["password"]==$red["password"] && $red["role"]==2){
        $adminExists=true;
      }
    }


    echo " <header> <ul>
    <li><a href='index.php'><img src='resources/images/logo.png'
id='logo'/></a></li>";
    foreach($rezultat as $red){
      if($red["name"]!="Admin panel")
        echo "<li><a href=".$red["location"].">".$red["name"]."</a></li>";

      if($adminExists && $red["name"]=="Admin panel"){
        echo "<li><a href=".$red["location"].">".$red["name"]."</a></li>";
        $adminExists=false;
```

```
        }
    }
    if($usserExists){
        echo "<li><a href='contact.php'>Contact admin</a></li>";
        echo "<li><a href='upload.php'>Upload</a></li>";
        $usserExists=false;
        }
    echo "</ul> ";

    if
    (
        isset($_SESSION["ussername"])
        &&
        isset($_SESSION["password"])
        && ($_SESSION["ussername"]!="")
        && ($_SESSION["password"]!="")
        ){

            echo "<div class='controls'>
            <i class='fa-solid fa-user'></i>
            <p>".$_SESSION["ussername"]."</p>
            <button id='signOut'>Sign out</button>
            <div>";
            }
    else{
        echo "
        <div>
            <button id='btnLogin'>Log In</button>
            <button id='btnRegister'>Register</button>
        </div>
        ";
        }
echo"
    <div>
        <a href='resources/dokumentacija.pdf'>Documentation</a>
        </div>
    </header>";
```

Blok šema foote-a na sajtu

Kod koji kreira footer sajta:

```
$rezultat=$con->query("select * from header");

    $conUser=new PDO("mysql:host=localhost;dbname=monsterenergy","root","");
    $rezUser=$conUser->query("select u.ussername, u.password,u.role_id as role from
ussers u join roles r on u.role_id = r.role_id");
    $adminExists=false;
    $usserExists=false;
    foreach($rezUser as $red){
      if($_SESSION["ussername"]==$red["ussername"] &&
$_SESSION["password"]==$red["password"]){
        $usserExists=true;
      }
      if($_SESSION["ussername"]==$red["ussername"] &&
$_SESSION["password"]==$red["password"] && $red["role"]==2){
        $adminExists=true;
      }
    }


    echo " <footer> <div>
    <h3>Navigation:</h3>
    <ul>";
    foreach($rezultat as $red){
      if($red["name"]!="Admin panel")
        echo "<li><a href=".$red["location"].">".$red["name"]."</a></li>";

      if($adminExists && $red["name"]=="Admin panel"){
        echo "<li><a href=".$red["location"].">".$red["name"]."</a></li>";
```

```
        $adminExists=false;
    }
    if($usserExists){
        echo "<li><a href='contact.php'>Contact admin</a></li>";
        echo "<li><a href='upload.php'>Upload</a></li>";
        $usserExists=false;
    }
}
echo "</ul></div> ";
echo "<div>
    <h3>Support</h3>
    <p>filip.savic.81.24@ict.edu.rs</p>
    <p>filipsavic230@gmail.com</p>
</div>";
echo "<div>
    <h3>Links</h3>
    <a href='https://www.monsterenergy.com/en-us/'>Monster energy</a>
    <a href='https://www.monsterenergy.com/en-us/events/'>Events</a>
</div>";
echo"</footer>";
```

Blok šema proizvoda na sajtu



Kod kori kreira izbor torti:

```
$rezultat=$con->query("select * from products p join chategory c on p.chategory=
c.chategory_id");
            foreach($rezultat as $red){
              echo "
                <div class='item'>
                  <div>
                    <img src='resources/images/".$red["image"]."' alt=">
                  </div>
                  <p>".$red["product_name"]."</p>
                  <p>".$red["chategory_name"]."</p>
```

```
            <p>".$red["price"]."</p>
            <p>'".$red["description"]."'</p>
        </div>
    ";
}
```

Organizacija

Sa svake stranice je moguće otići na bilo koju stranicu na sajtu

index.php----------

adminPanel.php------

author.php----------

contact.php----------

footer.php----------

header.php----------

login.php----------

obrada.php----------

register.php----------

shop.php----------

upload.php----------

- Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
  <?xml version="1.0" encoding="UTF-8"?>
  <urlset
  xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">

  <!-- Glavna stranica -->
  <url>
  <loc>https://example.com/index.php</loc>
  <priority>1.0</priority>
  <changefreq>daily</changefreq>
  </url>

  <!-- Shop -->
  <url>
  <loc>https://example.com/shop.php</loc>
  <priority>0.9</priority>
  <changefreq>daily</changefreq>
  </url>

  <!-- Author -->
  <url>
  <loc>https://example.com/author.php</loc>
  <priority>0.7</priority>
  <changefreq>monthly</changefreq>
  </url>

  <!-- Contact -->
  <url>
  <loc>https://example.com/contact.php</loc>
  <priority>0.7</priority>
```

```
<changefreq>monthly</changefreq>
</url>

<!-- Login -->
<url>
<loc>https://example.com/login.php</loc>
<priority>0.5</priority>
<changefreq>yearly</changefreq>
</url>

<!-- Register -->
<url>
<loc>https://example.com/register.php</loc>
<priority>0.5</priority>
<changefreq>yearly</changefreq>
</url>

<!-- Admin panel (opciono) -->
<url>
<loc>https://example.com/adminPanel.php</loc>
<priority>0.3</priority>
<changefreq>yearly</changefreq>
</url>

<!-- Upload (ako je javna stranica) -->
<url>
<loc>https://example.com/upload.php</loc>
<priority>0.4</priority>
<changefreq>yearly</changefreq>
</url>

</urlset>
```

Index.php


Home
Shop
Author
Admin panel
Contact admin
Upload
Mateja
Sign out
Monster Energy
MONSTER ENERGY
Welcome to Monster Energy catalog.
Info
Monster energy is a energy drink that was founded in USA. The Monster is now the most popupla energy drink in the world. There are milions of people who have passionate love for this drink, not only for it's taste but alsou because the like collecting Monster cans and making collection.
Where to start
On this website you are able to see all product that are currently avelable in store to purches. In the shop page you can search and filter products to find what are you interested in.
The stocks in shops are constatnly changeing so the products that you are seeing can change depending on the stores.
Favorutes
Ultra White
Ultra Fiesta Mango
Ultra Rosa
Pacific Punch
Lando Noris
Navigation:
Home
Contact admin
Upload
Shop
Author
Admin panel
Support
filip.savic.81.24@ict.edu.rs
filipsavic230@gmail.com
Links
Monster energy
Events

Glavna stranica na kojoj se nalazi opis funkcionalnosti sajta.

Kod:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,
initial-scale=1.0">
   <title>MonsterEnergy</title>

   <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/F
LycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


   <link rel="stylesheet" href="resources/css/style.css">
</head>
<body>
   <?php
      session_start();
      if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
         require_once "header.php";
      }
      else{
         $_SESSION["ussernamе"]="";
```

```
        $_SESSION["password"]="";
        require_once "header.php";
    }
    // var_dump($_SESSION["ussernamе"]);

?>
<div id="main">
    <h1>Monster Energy</h1>
    <img src="resources/images/logo.png" id="mainLogo"
alt="monster logo">
    <h2>Welcome to Monster Energy catalog.</h2>
</div>

<div class="hero">
    <h2>Info</h2>
    <p>Monster energy is a energy drink that was founded
in USA. The Monster is now the most popupla energy drink
in the world. There are milions of people who have
passionate love for this drink, not only for it's taste but alsou
because the like collecting Monster cans and making
collection.</p>
    <div>
        <img src="resources/images/collection.png"
alt="monster collection">
        <img src="resources/images/collection2.png"
alt="monster collection">
        <img src="resources/images/collection3.png"
alt="monster collection">
    </div>
</div>
<div class="hero">
    <h2>Where to start</h2>
```

```
        <p>On this website you are able to see all product that
are currently avelable in store to purches. In the shop page
you can search and filter products to find what are you
interested in.</p>
        <p>The stocks in shops are constatnly changeing so the
products that you are seeing can change depending on the
stores.</p>
    </div>
     <div id="fav">
        <h3>Favorutes</h3>
        <div>
            <?php
            $con=new
PDO("mysql:host=localhost;dbname=monsterenergy","root"
,"");
            $some=$con->query("select product_name, image
from products where product_id in (1,30,12,14,24)");
            foreach($some as $red){
                echo "<div class='favItem'>
                <img src='resources/images/".$red["image"]."'/>
                <p>".$red["product_name"]."</p>
                </div>";
            }
            ?>
        </div>
    </div>


<?php
        if(isset($_SESSION["ussername"]) &&
isset($_SESSION["password"])){
            require_once "footer.php";
```

```
        }
        else{
            $_SESSION["ussernamе"]="";
            $_SESSION["passwоrd"]="";
            require_once "footer.php";
        }
    ?>
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"
    integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
    crossorigin="anonymous"></script>
    <script src="resources/js/main.js"></script>
</body>
</html>
```

shop.php

Na ovoj stranici se mogu videti i pretrazivati proivodi

Kod:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,
initial-scale=1.0">
   <title>Shop</title>

   <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/F
LycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


   <link rel="stylesheet" href="resources/css/style.css">
</head>
<body>

   <?php
      session_start();
      $con=new
PDO("mysql:host=localhost;dbname=monsterenergy","root"
,"");
      if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
         require_once "header.php";
      }
      else{
         $_SESSION["ussernamе"]="";
```

```
        $_SESSION["password"]="";
        require_once "header.php";
    }
?>

<div id="shop">
    <div id="filters">
    <form id="filterForm" action="shop.php" method="get"
>
        <div>
            <label for="name">Name:</label>
            <input type="text" name="name" id="name"
            <?php
            if(isset($_GET["reset"])){
                $_GET["name"]="";
            }
            if(!isset($_GET["name"])){
                $_GET["name"]="";
            }
            if(isset($_SESSION["name"])){
                echo "value='".$_GET["name"]."'";
            }
            ?>
            >
            <button name="reset"><i class="fa-solid fa-
xmark"></i></button>
        </div>
        <div>
            <button name="search">Search</button>
        </div>

         <div>
```

```
<fieldset id="chategory" name="chategory">
  <legend>Chategory:</legend>
  <?php

    $rezultat=$con->query("select * from
chategory");
    $check="";
    foreach($rezultat as $red){
      if(isset($_GET["chategory"]) &&
in_array($red["chategory_id"],$_GET["chategory"]))
      {
        $check="checked";
      }
      else{
        $check="";
      }
      echo "
      <div class='check'>
        <input
        type='checkbox'
        name='chategory[]'
        id='".$red["chategory_id"]."'
        value='".$red["chategory_id"]."'
        class='checkBox'
        $check>
        <label
for='".$red["chategory_id"]."'>".$red["chategory_name"]."<
/label>
      </div>
      ";
    }
  ?>
```

```
            </fieldset>
          </div>
        </form>

      </div>

       <div id="catalog">
        <div class="page">
          <?php


            if(isset($_GET["name"])){
              $_SESSION["name"]=$_GET["name"];
            }
            else{
              if(!isset($_SESSION["name"]))
              $_SESSION["name"]="";
            }
            // var_dump($_SESSION["name"]);
            if(isset($_SESSION["name"]) &&
$_SESSION["name"]!="" && isset($_GET["chategory"])){
              // echo 'oba';
              $ids = implode(",", $_GET["chategory"]);
              $rezultat=$con->query("select * from products
p join chategory c on p.chategory= c.chategory_id WHERE
chategory IN ($ids) and product_name like
'%".$_SESSION["name"]."%'");
              foreach($rezultat as $red){
                echo "
                  <div class='item'>
                    <div>
                      <img
```

```
src='resources/images/".$red["image"]."' alt=">
                        </div>
                        <p>".$red["product_name"]."</p>
                        <p>".$red["chategory_name"]."</p>
                        <p>".$red["price"]."</p>
                        <p>'".$red["description"]."'</p>
                    </div>
                ";
            }
        }
        else if(isset($_SESSION["name"]) &&
$_SESSION["name"]!="" && !isset($_GET["chategory"])){
            // echo "Samo ime";
            $rezultat=$con->query("select * from products
p join chategory c on p.chategory= c.chategory_id WHERE
product_name like '%".$_SESSION["name"]."%'");
            foreach($rezultat as $red){
                echo "
                    <div class='item'>
                        <div>
                            <img
src='resources/images/".$red["image"]."' alt=">
                        </div>
                        <p>".$red["product_name"]."</p>
                        <p>".$red["chategory_name"]."</p>
                        <p>".$red["price"]."</p>
                        <p>'".$red["description"]."'</p>
                    </div>
                ";
            }
        }
        else if(isset($_GET["chategory"]) &&
```

```
$_SESSION["name"]=="").{
                    // echo "Samo categorija";
                    $ids = implode(",", $_GET["chategory"]);
                    $rezultat=$con->query("select * from products
p join chategory c on p.chategory= c.chategory_id WHERE
chategory IN ($ids)");
                    foreach($rezultat as $red){
                        echo "
                            <div class='item'>
                                <div>
                                    <img
src='resources/images/".$red["image"]."' alt="">
                                </div>
                                <p>".$red["product_name"]."</p>
                                <p>".$red["chategory_name"]."</p>
                                <p>".$red["price"]."</p>
                                <p>'".$red["description"]."'</p>
                            </div>
                        ";
                    }
                }
                else{
                    // echo "nista";
                    $rezultat=$con->query("select * from products
p join chategory c on p.chategory= c.chategory_id");
                    foreach($rezultat as $red){
                        echo "
                            <div class='item'>
                                <div>
                                    <img
src='resources/images/".$red["image"]."' alt="">
                                </div>
```

```
                        <p>".$red["product_name"]."</p>
                        <p>".$red["chategory_name"]."</p>
                        <p>".$red["price"]."</p>
                        <p>'".$red["description"]."'</p>
                    </div>
                ";
            }
        }

        // echo "<div><p>Nesto</p></div>";
    ?>


        </div>
    </div>
</div>



<?php
    if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
        require_once "footer.php";
    }
    else{
        $_SESSION["ussernamе"]="";
        $_SESSION["passwоrd"]="";
        require_once "footer.php";
    }
?>
<script src="https://code.jquery.com/jquery-3.7.1.min.js"
integrity="sha256-
```

```
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
   crossorigin="anonymous"></script>
   <script src="resources/js/main.js"></script>
</body>
</html>
```

author.php

Stranica o autoru
Kod:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,
initial-scale=1.0">
   <title>MonsterEnergy</title>

   <link rel="stylesheet"
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/FL
ycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


    <link rel="stylesheet" href="resources/css/style.css">
</head>
<body>
    <?php
        session_start();
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
            require_once "header.php";
        }
        else{
            $_SESSION["ussernamе"]="";
            $_SESSION["passwоrd"]="";
            require_once "header.php";
        }
        // var_dump($_SESSION["ussernamе"]);

    ?>
    <div id="authorHero">
        <div id="authorWrap">
            <div>
                <img src="resources/images/profilna.jpg"
alt="prfilna slika" id="autorImg">
            </div>
            <div id="authorDesc">
```

```
            <h1>Filip Savić 81/24 IT</h1>
            <p>Moje ime je Filip Savić, pohađam visoku ICT
školu na smeru Internet Tehnoogije. Završio sam srednju
elektrotehničku školu Rade Končar na smeru Informacione
Tehnologije.</p>
        </div>
      </div>
   </div>
<?php
      if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
         require_once "footer.php";
      }
      else{
         $_SESSION["ussernamе"]="";
         $_SESSION["passwоrd"]="";
         require_once "footer.php";
      }
   ?>
   <script src="https://code.jquery.com/jquery-3.7.1.min.js"
   integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
   crossorigin="anonymous"></script>
   <script src="resources/js/main.js"></script>
</body>
</html>
```

Login.php



Stranica za logovanje
Kod:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,
initial-scale=1.0">
   <title>Document</title>

   <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/FLyc
GTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
```

```
    <link rel="stylesheet" href="resources/css/style.css">
</head>
<body>
    <?php
        session_start();
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"]) &&
$_SESSION["ussernamе"]!="" &&
$_SESSION["passwоrd"]!=""){
            header("location: index.php");
        }
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
            require_once "header.php";
        }
        else{
            $_SESSION["ussernamе"]="";
            $_SESSION["passwоrd"]="";
            require_once "header.php";
        }
    ?>

 <div id="logInPopUp">
        <form id="login">
            <div>
                <label for="ussernamе">Ussernamе:</label>
                <input type="text" name="ussernamе"
id="ussernamе">
            </div>
            <div>
```

```
            <label for="password">Password:</label>
            <input type="password" name="password"
id="password">
        </div>
        <div id="greskaLogin"></div>
        <div>
            <button id="sendLogin">Send</button>
            <button id="closeLogin" type='button'>Close</button>
        </div>
    </form>
  </div>


<div class="fWrap">
  <?php
    if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["password"])){
        require_once "footer.php";
    }
    else{
        $_SESSION["ussernamе"]="";
        $_SESSION["password"]="";
        require_once "footer.php";
    }
  ?>
</div>
  <script src="https://code.jquery.com/jquery-3.7.1.min.js"
  integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
  crossorigin="anonymous"></script>
  <script src="resources/js/main.js"></script>
</body>
```

</html>

Register.php



Stranica za registrovanje

Kod:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,
initial-scale=1.0">
   <title>Document</title>

   <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
```

```
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/FLyc
GTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


    <link rel="stylesheet" href="resources/css/style.css">
</head>
<body>

    <?php
        session_start();
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["password"]) &&
$_SESSION["ussernamе"]!="" &&
$_SESSION["password"]!=""){
            header("location: index.php");
        }
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["password"])){
            require_once "header.php";
        }
        else{
            $_SESSION["ussernamе"]="";
            $_SESSION["password"]="";
            require_once "header.php";
        }
    ?>
    <div id="registerPopUp">
        <form id="register">
            <div>
                <label for="registerUssernamе">Ussernamе:</label>
                <input type="text" name="registerUssernamе"
```

```
id="registerUssername">
        </div>
        <div>
            <label for="registerPassword">Password:</label>
            <input type="password" name="registerPassword"
id="registerPassword">
        </div>
        <div>
            <label for="registerEmail">Email:</label>
            <input type="email" name="registerEmail"
id="registerEmail">
        </div>
        <div id="greskaRegister"></div>
        <div>
            <button id="sendRegister">Send</button>
            <button id="closeRegister"
type='button'>Close</button>
        </div>
    </form>
  </div>

  <div class="fWrap">
<?php
    if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["password"])){
        require_once "footer.php";
    }
    else{
        $_SESSION["ussernamе"]="";
        $_SESSION["password"]="";
        require_once "footer.php";
    }
```

```
    ?>
    </div>
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"
    integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
    crossorigin="anonymous"></script>
    <script src="resources/js/main.js"></script>
</body>
</html>
```

adminPanel.php



Stranic na kojoj administrator moze upravljati podacima

Kod:

```
<?php

?>
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,
initial-scale=1.0">
   <title>Document</title>

   <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
```

```
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/FL
ycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


   <link rel="stylesheet" href="resources/css/style.css">
</head>
<body>


      <?php
         session_start();

         $con=new
PDO("mysql:host=localhost;dbname=monsterenergy","root","
");
         $rezultat=$con->query("select * from ussers");
         $exists=false;
         foreach($rezultat as $red){
         // var_dump($red["ussernamе"]);
            if($_SESSION["ussernamе"]==$red["ussernamе"]
&& $_SESSION["passwоrd"]==$red["passwоrd"] &&
$red["role_id"]==2){
            $exists=true;
            }
         }
         if($exists){
            require_once "header.php";
            $exists=false;
         }
         else{
```

```
            header("location: index.php");
        }

        echo "<form action='adminPanel.php' method='GET'
id='tableChose'>
            <h2>Chose the table to modify</h2>
            <div>
                <button name='showTable' id='usser'
value='usser'>Ussers</button>
                <button name='showTable' id='prduct'
value='product'>Products</button>
                <button name='showTable' id='header'
value='header'>Header</button>
                <button name='showTable' id='chat'
value='chat'>Chategoryes</button>
                <button name='showTable' id='message'
value='message'>Messages</button>
            </div>
        </form>";




        function deleteItem($table,$idToDel,$id){
            global $con;
            $deleteProduct=$con->prepare("delete from $table
where $idToDel = :id");
            $deleteProduct->bindParam(":id",$id);
            $deleteProduct->execute();
            echo "Uspesno obrisan proizvod";
        }
```

```
        if(isset($_GET["product_id_delete"])){
            deleteItem("products","product_id",$_GET["product
_id_delete"]);
        }
        if(isset($_GET["header_id_delete"])){
            deleteItem("header","id",$_GET["header_id_delete"]
);
        }
        if(isset($_GET["chategory_id_delete"])){
            deleteItem("chategory","chategory_id",$_GET["chate
gory_id_delete"]);
        }
        if(isset($_GET["usser_id_delete"])){
            deleteItem("ussers","usser_id",$_GET["usser_id_del
ete"]);
        }
        if(isset($_GET["message_id_delete"])){
            deleteItem("messages","message_id",$_GET["messa
ge_id_delete"]);
        }


        if(isset($_GET["product_id_update"])){
            // var_dump("DSAHDSDAS");
            $getProduct=$con->prepare("select * from products
where product_id = :id");
            $getProduct-
>bindParam(":id",$_GET["product_id_update"]);
            $getProduct->execute();
            echo "<form action='adminPanel.php' method='GET'
id='update'>";
```

```
            foreach($getProduct as $red){
              // var_dump($getProduct);
              echo "
              <input type='hidden' name='id'
value='".$red["product_id"]."'/>
              <div>
                <label>Name: </label>
                <input type='text' name='newProductName'
value='".$red["product_name"]."'/>
              </div>

              <div>
                <label>Price: </label>
                <input type='text' name='newProductPrice'
value='".$red["price"]."'/>
              </div>

              <div>
                <label>Chategory: </label>
                <input type='text' name='newProductChategory'
value='".$red["chategory"]."'/>
              </div>

              <div>
                <label>Description: </label>
                <input type='text'
name='newProductDescription'
value='".$red["description"]."'/>
              </div>

              <div>
                <button id='updateProduct'
```

```
name='updateProduct' value='click'>Update</button>
                <button id='cancle' name='cancle' value='click'
>Cancle</button>
            </div>
            ";

        }
        echo "</form>";
    }

    if(isset($_GET["updateProduct"])){
        $updateProduct=$con->prepare("update products
set
product_name=:name,price=:price,chategory=:chategory,des
cription=:description where product_id = :id");
        $updateProduct-
>bindParam(":name",$_GET["newProductName"]);
        $updateProduct-
>bindParam(":price",$_GET["newProductPrice"]);
        $updateProduct-
>bindParam(":chategory",$_GET["newProductChategory"]);
        $updateProduct-
>bindParam("description",$_GET["newProductDescription"]
);
        $updateProduct->bindParam(":id",$_GET["id"]);
        $updateProduct->execute();
        echo "Uspesno updateovan proizvod";
    }



    if(isset($_GET["header_id_update"])){
```

```
            // var_dump("DSAHDSDAS");
            $getHeader=$con->prepare("select * from header
where id = :id");
            $getHeader-
>bindParam(":id",$_GET["header_id_update"]);
            $getHeader->execute();
            echo "<form action='adminPanel.php' method='GET'
id='update'>";
            foreach($getHeader as $red){
               // var_dump($getProduct);
               echo "
               <input type='hidden' name='id'
value='".$red["id"]."'/>
               <div>
                  <label>Name: </label>
                  <input type='text' name='newHeaderName'
value='".$red["name"]."'/>
               </div>

               <div>
                  <label>Location: </label>
                  <input type='text' name='newHeaderLocation'
value='".$red["location"]."'/>
               </div>
               <div>
                  <button id='updateProduct'
name='updateHeader' value='click'>Update</button>
                  <button id='cancle' name='cancle' value='click'
>Cancle</button>
               </div>
               ";
```

```
            }
            echo "</form>";
        }

        if(isset($_GET["updateHeader"])){
            $updateHeader=$con->prepare("update header set
name=:name,location=:location where id= :id");
            $updateHeader-
>bindParam(":name",$_GET["newHeaderName"]);
            $updateHeader-
>bindParam(":location",$_GET["newHeaderLocation"]);
            $updateHeader->bindParam(":id",$_GET["id"]);
            $updateHeader->execute();
            echo "Uspesno updateovan header";
        }


        if(isset($_GET["chategory_id_update"])){
            // var_dump("DSAHDSDAS");
            $getChategory=$con->prepare("select * from
chategory where chategory_id = :id");
            $getChategory-
>bindParam(":id",$_GET["chategory_id_update"]);
            $getChategory->execute();
            echo "<form action='adminPanel.php' method='GET'
id='update'>";
            foreach($getChategory as $red){
                // var_dump($getProduct);
                echo "
                <input type='hidden' name='id'
value='".$red["chategory_id"]."'/>
                <div>
```

```
                <label>Name: </label>
                <input type='text' name='newChategoryName'
value='".$red["chategory_name"]."'/>
            </div>
            <div>
                <button id='updateProduct'
name='updateChategory' value='click'>Update</button>
                <button id='cancle' name='cancle' value='click'
>Cancle</button>
            </div>
            ";

        }
        echo "</form>";
    }

    if(isset($_GET["updateChategory"])){
        $updateChategory=$con->prepare("update chategory
set chategory_name=:name where chategory_id = :id");
        $updateChategory-
>bindParam(":name",$_GET["newChategoryName"]);
        $updateChategory->bindParam(":id",$_GET["id"]);
        $updateChategory->execute();
        echo "Uspesno updateovana kategorija";
    }


    if(isset($_GET["usser_id_update"])){
        // var_dump("DSAHDSDAS");
        $getUsser=$con->prepare("select * from ussers
where usser_id = :id");
        $getUsser-
```

```
>bindParam(":id",$_GET["usser_id_update"]);
            $getUsser->execute();
            echo "<form action='adminPanel.php' method='GET'
id='update'>";
            foreach($getUsser as $red){
               // var_dump($getProduct);
               echo "
               <input type='hidden' name='id'
value='".$red["usser_id"]."'/>
               <div>
                  <label>Name: </label>
                  <input type='text' name='newUsserName'
value='".$red["username"]."'/>
               </div>

               <div>
                  <label>Password: </label>
                  <input type='text' name='newPassword'
value='".$red["password"]."'/>
               </div>

               <div>
                  <label>Email: </label>
                  <input type='text' name='newEmail'
value='".$red["email"]."'/>
               </div>

               <div>
                  <label>Role id: </label>
                  <input type='text' name='newRoleId'
value='".$red["role_id"]."'/>
               </div>
```

```
            <div>
                <button id='updateProduct' name='updateUsser'
value='click'>Update</button>
                <button id='cancle' name='cancle' value='click'
>Cancle</button>
            </div>
            ";

        }
        echo "</form>";
    }

    if(isset($_GET["updateUsser"])){
        $updateUsser=$con->prepare("update ussers set
username=:name,password=:password,email=:email,role_id
=:role where usser_id = :id");
        $updateUsser-
>bindParam(":name",$_GET["newUsserName"]);
        $updateUsser-
>bindParam(":password",$_GET["newPassword"]);
        $updateUsser-
>bindParam(":email",$_GET["newEmail"]);
        $updateUsser-
>bindParam("role",$_GET["newRoleId"]);
        $updateUsser->bindParam(":id",$_GET["id"]);
        $updateUsser->execute();
        echo "Uspesno updateovan korisnik";
    }

    if(isset($_GET["message_id_update"])){
        // var_dump("DSAHDSDAS");
```

```
            $getMessage=$con->prepare("select * from messages
where message_id = :id");
            $getMessage-
>bindParam(":id",$_GET["message_id_update"]);
            $getMessage->execute();
            echo "<form action='adminPanel.php' method='GET'
id='update'>";
            foreach($getMessage as $red){
               // var_dump($getProduct);
               echo "
               <input type='hidden' name='id'
value='".$red["message_id"]."'/>
               <div>
                  <label>Title: </label>
                  <input type='text' name='newTitle'
value='".$red["title"]."'/>
               </div>
               <div>
                  <label>Message: </label>
                  <input type='text' name='newMessage'
value='".$red["message"]."'/>
               </div>

               <div>
                  <button id='updateProduct'
name='updateMessage' value='click'>Update</button>
                  <button id='cancle' name='cancle' value='click'
>Cancle</button>
               </div>
               ";

            }
```

```
            echo "</form>";
        }

        if(isset($_GET["updateMessage"])){
            $updateMessage=$con->prepare("update message
set title=:title,message=:message where message_id = :id");
            $updateMessage-
>bindParam(":title",$_GET["newTitle"]);
            $updateMessage-
>bindParam(":message",$_GET["newMessage"]);
            $updateMessage->bindParam(":id",$_GET["id"]);
            $updateMessage->execute();
            echo "Uspesno updateovana poruka";
        }

    ?>
        <div id="tables">


        <?php

        if(!isset($_GET["showTable"])){
            $_GET["showTable"]="product";
        }

        if($_GET["showTable"]=="product"){
            $tableProducts=["Delete","Update","product_id","pr
oduct_name","price","chategory","image","description"];

            $productsSelect=$con->query("select p.product_id,
p.product_name,p.price,p.chategory,p.image,p.description,c.c
hategory_id,c.chategory_name from products p join chategory
```

```
c on chategory=chategory_id");
            echo "<h2>Products</h2>";
            echo "<div id='adminTableProducts'>";
            foreach($tableProducts as $tableRow){
               echo "<div><h3>".$tableRow."</h3></div>";
            }
            foreach($productsSelect as $red){
               echo "<div><a
href='adminPanel.php?product_id_delete=".$red["product_i
d"]."'><i class='fa-solid fa-xmark'></i></a></div>";
               echo "<div><a
href='adminPanel.php?product_id_update=".$red["product_
id"]."'><i class='fa-solid fa-pen'></i></a></div>";
               echo
"<div><p>".$red["product_id"]."</p></div>";
               echo
"<div><p>".$red["product_name"]."</p></div>";
               echo "<div><p>".$red["price"]."</p></div>";
               echo "<div><p>".$red["chategory"]."</p></div>";
               echo "<div><img class='tableImage'
src='resources/images/".$red["image"]."'/></div>";
               echo
"<div><p>".$red["description"]."</p></div>";


            }
            echo "</div>";
         }

         if($_GET["showTable"]=="header"){
            $tableHeader=["Delete","Update","id","name","locati
on"];
```

```
            $headerSelect=$con->query("select * from header");
            echo "<h2>Header</h2>";
            echo "<div id='adminTableHeader'>";
            foreach($tableHeader as $tableRow){
               echo "<div><h3>".$tableRow."</h3></div>";
            }
            foreach($headerSelect as $red){
               echo "<div><a
href='adminPanel.php?header_id_delete=".$red["id"]."'><i
class='fa-solid fa-xmark'></i></a></div>";
               echo "<div><a
href='adminPanel.php?header_id_update=".$red["id"]."'><i
class='fa-solid fa-pen'></i></a></div>";
               echo "<div><p>".$red["id"]."</p></div>";
               echo "<div><p>".$red["name"]."</p></div>";
               echo "<div><p>".$red["location"]."</p></div>";
            }
            echo "</div>";
         }

         if($_GET["showTable"]=="chat"){
            $tableChategory=["Delete","Update","chategory_id","
chategory_name"];

            $chategorySelect=$con->query("select * from
chategory");
            echo "<h2>Chategory</h2>";
            echo "<div id='adminTableChategory'>";
            foreach($tableChategory as $tableRow){
               echo "<div><h3>".$tableRow."</h3></div>";
            }
```

```
            foreach($chategorySelect as $red){
                echo "<div><a
href='adminPanel.php?category_id_delete=".$red["chategor
y_id"]."'><i class='fa-solid fa-xmark'></i></a></div>";
                echo "<div><a
href='adminPanel.php?category_id_update=".$red["chatego
ry_id"]."'><i class='fa-solid fa-pen'></i></a></div>";
                echo
"<div><p>".$red["category_id"]."</p></div>";
                echo
"<div><p>".$red["category_name"]."</p></div>";
            }
            echo "</div>";
        }

        if($_GET["showTable"]=="usser"){
            $tableUssers=["Delete","Update","usser_id","usserna
me","password","email","role_id"];

            $usserSelect=$con->query("select * from ussers");
            echo "<h2>Ussers</h2>";
            echo "<div id='adminTableUssers'>";
            foreach($tableUssers as $tableRow){
                echo "<div><h3>".$tableRow."</h3></div>";
            }
            foreach($usserSelect as $red){
                echo "<div><a
href='adminPanel.php?usser_id_delete=".$red["usser_id"]."'
><i class='fa-solid fa-xmark'></i></a></div>";
                echo "<div><a
href='adminPanel.php?usser_id_update=".$red["usser_id"]."
'><i class='fa-solid fa-pen'></i></a></div>";
```

```
            echo "<div><p>".$red["usser_id"]."</p></div>";
            echo
"<div><p>".$red["ussername"]."</p></div>";
            echo "<div><p>".$red["password"]."</p></div>";
            echo "<div><p>".$red["email"]."</p></div>";
            echo "<div><p>".$red["role_id"]."</p></div>";
         }
         echo "</div>";
      }


      if($_GET["showTable"]=="message"){
         $tableMessages=["Delete","Update","message_id","a
dmin_id","usser_id","title","message"];

         $messageSelect=$con->query("select * from
messages");
         echo "<h2>Messages</h2>";
         echo "<div id='adminTableUssers'>";
         foreach($tableMessages as $tableRow){
            echo "<div><h3>".$tableRow."</h3></div>";
         }
         foreach($messageSelect as $red){
            echo "<div><a
href='adminPanel.php?message_id_delete=".$red["message_
id"]."'><i class='fa-solid fa-xmark'></i></a></div>";
            echo "<div><a
href='adminPanel.php?message_id_update=".$red["message
_id"]."'><i class='fa-solid fa-pen'></i></a></div>";
            echo
"<div><p>".$red["message_id"]."</p></div>";
            echo "<div><p>".$red["admin_id"]."</p></div>";
```

```
                echo "<div><p>".$red["usser_id"]."</p></div>";
                echo "<div><p>".$red["title"]."</p></div>";
                echo "<div><p>".$red["message"]."</p></div>";
            }
            echo "</div>";
        }
    ?>
</div>


<?php
    if(isset($_SESSION["ussername"]) &&
isset($_SESSION["password"])){
        require_once "footer.php";
    }
    else{
        $_SESSION["ussername"]="";
        $_SESSION["password"]="";
        require_once "footer.php";
    }
?>
<script src="https://code.jquery.com/jquery-3.7.1.min.js"
integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
crossorigin="anonymous"></script>
<script src="resources/js/main.js"></script>
</body>
</html>
```

Contact.php



Stranica za kontaktiranje administratora

```
<?php
session_start();
   if(!isset($_SESSION["ussernamе"]) ||
$_SESSION["ussernamе"]==""){
      header("location: index.php");
   }
   $con=new
PDO("mysql:host=localhost;dbname=monsterenergy","root"
,"");
      if(isset($_POST["contact"])){
         // echo "dbsbdhkHSAVDA";
```

```
        $admin_id=0;
        $title=$_POST["title"];
        $message=$_POST["message"];
        $admin_email=$_POST["admin_email"];

        $adminUpit=$con->prepare("select * from ussers
where role_id=2 and email = :usser_email");
        $adminUpit-
>bindParam(":usser_email",$admin_email);
        $adminUpit->execute();
        foreach($adminUpit as $red){
           $admin_id= $red["usser_id"];
        }
        $usserUpit=$con->prepare("select * from ussers
where ussername like :ussername and password like
:password");
        $usserUpit-
>bindParam(":ussername",$_SESSION["ussername"]);
        $usserUpit-
>bindParam(":password",$_SESSION["password"]);
        $usserUpit->execute();
        foreach($usserUpit as $red){
           $usser_id= $red["usser_id"];
        }



        $upit= $con->prepare("insert into messages
(admin_id,usser_id,title,message) values
(:admin_id,:usser_id,:title,:message)");
        $upit->bindParam(":admin_id",$admin_id);
        $upit->bindParam(":usser_id",$usser_id);
```

```
        $upit->bindParam(":title",$title);
        $upit->bindParam(":message",$message);

        if($admin_id){
            echo "Message sent successful!";
            $upit->execute();
            exit();
        }
        else{
            echo "Wrong admin email!";
            exit();
        }
    }

  ?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>MonsterEnergy</title>

  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/F
LycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


  <link rel="stylesheet" href="resources/css/style.css">
```

```
</head>
<body>
   <?php
      if(isset($_SESSION["ussername"]) &&
isset($_SESSION["password"])){
         require_once "header.php";
      }
      else{
         $_SESSION["ussername"]="";
         $_SESSION["password"]="";
         require_once "header.php";
      }
   ?>
<!-- action="contact.php" method="post" -->


   <form  id="contactForm">

      <div>
         <label for="admin_email">Admin email:</label>
         <input type="text" name="admin_email"
id="admin_email">

         <label for="title">Title:</label>
         <input type="text" name="title" id="title">

         <label for="message">Message:</label>
         <textarea type="text" name="message" id="message"
cols="40" rows="5"></textarea>


         <button name="contact" value="contact"
```

```
id="contact">Send</button>
            <p id="greska"></p>
        </div>
    </form>


    <?php
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
            require_once "footer.php";
        }
        else{
            $_SESSION["ussernamе"]="";
            $_SESSION["passwоrd"]="";
            require_once "footer.php";
        }
    ?>
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"
    integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
    crossorigin="anonymous"></script>
    <script src="resources/js/main.js"></script>
</body>
</html>
```

Upload.php



Stranica za postavljanje korisnickih proivoda na sajt

Kod:

```
<?php
    session_start();
    if(!isset($_SESSION["ussernamе"]) ||
$_SESSION["ussernamе"]==""){
    header("location: index.php");
```

```
    }
    $con=new
PDO("mysql:host=localhost;dbname=monsterenergy","root"
,"");

    if(isset($_POST["upload"])){
        $slika=$_FILES["uploadImage"];
        $ext=pathinfo($slika["name"],PATHINFO_EXTENSI
ON);
        $allowedExtentions=["png","jpg","jpeg"];

        if(in_array($ext,$allowedExtentions)){
            move_uploaded_file($slika["tmp_name"],"resource
s/images/".$slika["name"]);

            $insertImage=$con->prepare("insert into products
(product_name,price,chategory,image,description) values
(:product_name,:price,:chategory,:image,:description)");
            $product_name="Usser uploaded picture";
            $price=200;
            $chategory=4;
            $description="This product was uploaded by a
usser.";

            $insertImage-
>bindParam(":product_name",$product_name);
            $insertImage->bindParam(":price",$price);
            $insertImage-
>bindParam(":chategory",$chategory);
            $insertImage-
>bindParam(":image",$slika["name"]);
            $insertImage-
```

```
>bindParam(":description",$description);

            $insertImage->execute();
            echo "Product uploaded!";
            exit();
        }
        else{
            echo "You can upload only .jpg .png and .jpeg
images!";
            exit();
        }
    }

  ?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Document</title>

  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/F
LycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4nMfSQ=="
crossorigin="anonymous" referrerpolicy="no-referrer" />


  <link rel="stylesheet" href="resources/css/style.css">
</head>
```

```
<body>
   <?php
      $con=new
PDO("mysql:host=localhost;dbname=monsterenergy","root"
,"");
      if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
         require_once "header.php";
      }
      else{
         $_SESSION["ussernamе"]="";
         $_SESSION["passwоrd"]="";
         require_once "header.php";
      }
   ?>

   <!-- action="upload.php" method="POST" -->
   <form  enctype="multipart/form-data" id="formUpload">
      <div>
         <label for="uploadImage">Here you can upload your
own products to the website:</label>
         <input type="file" name="uploadImage"
id="uploadImage">
         <button name="upload" value="up"
id="upload">Upload</button>
         <p id="greskaUpload"></p>
      </div>
   </form>

   <div id="exampleWrap">
      <h3>Examples</h3>
      <div id="exampleItems">
```

```
            <div class="example"><img
src="resources/images/sunrise.png" alt="monster
energy"></div>
            <div class="example"><img
src="resources/images/violet.png" alt="monster
energy"></div>
            <div class="example"><img
src="resources/images/badApple.png" alt="monster
energy"></div>
            <div class="example"><img
src="resources/images/mangoLoco.png" alt="monster
energy"></div>
            <div class="example"><img
src="resources/images/wildPassion.png" alt="monster
energy"></div>
        </div>
    </div>

<?php
        if(isset($_SESSION["ussernamе"]) &&
isset($_SESSION["passwоrd"])){
            require_once "footer.php";
        }
        else{
            $_SESSION["ussernamе"]="";
            $_SESSION["passwоrd"]="";
            require_once "footer.php";
        }
    ?>
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"
    integrity="sha256-
/JqT3SQfawRcv/BIHPThkBvs0OEvtFFmqPF/lYI/Cxo="
```

```
    crossorigin="anonymous"></script>
    <script src="resources/js/main.js"></script>
</body>
</html>
```

CSS (style.css) :

```
* {
   padding: 0px;
   margin: 0px;
   border: 0px;
   outline: 0px;
   text-decoration: none;
   color: var(--secondary) ;
   color: white;
   font-weight: bold;
   font-family: Arial, Helvetica, sans-serif;
   list-style-type: none;
   transition-duration: 0.5s;
}

body {
   display: flex;
   flex-direction: column;
   padding-top: 7vw;
   background-color: var(--s1);

   --background:#000000;
   --s1:#242424;
   --secondary:#cc6cee;
   --text:#FFFFFF;

   overflow-x: hidden;
```

```
}

/* ////////////////////////
INDEX ////////////////////////*/
.fa-user{
   color: var(--secondary);
}
#shop,#contact{
   /* margin-top: 5vw; */
}
#logo{
   width: 5vw;
}
#mainLogo{
   width: 35vw;
   height: 15vw;
   border-radius: 10px;
}
header{
   display: flex;
   justify-content: space-around;
   align-items: center;
   position: fixed;
   top: 0%;
   width: 100vw;
   background-color: var(--background);
   padding: 1vw;
   border-bottom: 2px solid var(--secondary);
}
```

```
footer{
    margin-top: 3vw;
    display: flex;
    width: 100vw;
    justify-content: space-evenly;
    justify-content: center;
    gap: 5vw;
    background-color: var(--background);
    border-top: 2px solid var(--secondary);
    text-align: center;

}
footer>div>h3 {
    font-size: clamp(20px, 2vw, 2vw);
    color: var(--secondary);
}
footer a, footer p {
    font-size: clamp(15px, 1vw, 1vw);

    transition-duration: 0.5s;
    display: block;
}
footer a:hover{
    transform: scale(115%);
    text-decoration: underline;
}
 #logInPopUp,#registerPopUp{
    display: flex;
    width: 100vw;
```

```
    align-items: center;
    justify-content: center;
    margin-top: 5vw;
}
input[type=text],input[type=password],input[type=email],textare
a{
    background-color: var(--s1);
    color: var(--secondary);
    padding: 0.2vw;
    border-radius: 5px;
    border: 1px solid var(--background);
}
input[type=text]:focus,input[type=password]:focus,input[type=e
mail]:focus,textarea:focus{
    border: 1px solid var(--secondary);
}
header ul{
    display: flex;
    align-items: center;
    gap: 1vw;
}
header ul a{
    color: var(--text);
}
header ul a:hover{
    color: var(--secondary);
}

#main{
```

```
    width: 100vw;
    display: flex;
    padding: 0vw 10vw;
    flex-direction: column;
    justify-content: center;
    align-items: center;
    box-sizing: border-box;
    text-align: center;
}
#main h1{
    font-size: clamp(30px,3vw,3vw);
    color: var(--secondary);
}
#main h2{
    font-size: clamp(20px,2vw,2vw);
}
.hero{
    display: flex;
    flex-direction: column;
    align-items: center;
    width: 100vw;
    padding: 5vw 20vw;
    text-align: center;
    box-sizing: border-box;
}
.hero h2{
    font-size: clamp(30px,2vw,2vw);
}
.hero p{
```

```
    font-size: clamp(15px,1vw,1vw);
    margin-bottom: 1vw;
}
.hero img{
    border-radius: 10px;
    width: 15vw;
    height: 10vw;
}
button{
    background-color: var(--background);
    /* color: var(--secondary); */
    border: 2px solid var(--secondary);
    border-radius: 10px;
    padding: 0.5vw;
}
button:hover{
    cursor: pointer;
    box-shadow: 2px 2px 10px var(--secondary),
    -2px -2px 10px var(--secondary);
}
#greskaLogin{
    display: flex;
    flex-direction: column;
}
#greskaLogin p{
    color: red;
}
.controls{
    display: flex;
```

```
    align-items: center;
    gap: 1vw;
}
#shop{
    display: grid;
    grid-template-columns: 20% 80%;
}
#filters{
    background-color: var(--background);
    border-radius: 10px;
    border-right: 2px solid var(--secondary);
    padding: 1vw;
}
#filterForm{
    display: flex;
    flex-direction: column;
    gap: 1vw;
}
input[type=checkbox]{
    accent-color: var(--secondary);
}
.check{
    display: flex;
    gap: 1vw;
}
#chategory{
    display: flex;
    flex-direction: column;
    gap: 0.5vw;
```

```
}
#chategory legend{
   margin-bottom: 1vw;
}
#chategory{
   display: flex;
   flex-direction: column;
}
#catalog{
   background-color: var(--background);
   width: 100%;
   padding: 1vw;
   box-sizing: border-box;
}
.page{
   display: grid;
   /* width: 100%; */
   justify-content: center;
   grid-template-columns: repeat(5,19%);
   grid-template-rows: repeat(auto,auto);
   gap: 0.5vw;
}
#exampleWrap{
   display: flex;
   flex-direction: column;
   width: 100vw;
   align-items: center;
   margin: 3vw 0vw;
}
```

```
#exampleWrap h3{
   font-size: clamp(20px,2vw,2vw);
}
#exampleItems{
   display: flex;
   width: 100vw;
   justify-content: center;

   margin: 1vw 0vw;
   gap: 2vw;
}
.example{
   background-image: url("../images/pozadina.png");
   background-size: cover;
   border: 2px solid var(--secondary);
   border-radius: 10px;
   padding: 1vw;
}
.item{
   text-align: center;
   border: 2px solid var(--secondary);
   background-color: var(--background);
   border-radius: 10px;
}
.item>div{
   background-image: url("../images/pozadina.png");
   background-size: cover;
   border-bottom: 2px solid var(--secondary);
   border-radius: 10px;
```

```
    padding: 1vw;
}
.item p{
    color: var(--text);
    font-size: clamp(15px,1vw,1vw);
}
.item img{
    max-width: 90%;
}

#formUpload{
    margin-top: 2vw;
}
#formUpload>div{
    border: 2px solid var(--secondary);
    border-radius: 10px;
    padding: 0.5vw;
    display: flex;
    flex-direction: column;
    align-items: center;
    text-align: center;
}

#tables{
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 1vw;
}
```

```
#tables>div{
   text-align: center;
   background-color: var(--background);
   border: 2px solid var(--secondary);
   border-radius: 10px;
   padding: 0.5vw 0vw;

}
#tables>div>div{
   border-bottom: 2px solid var(--secondary);
   padding: 0.5vw;
   display: flex;
   align-items: center;
   justify-content: center;
}
#tables div p{
   font-size: clamp(10px,1vw,1vw);
}
#tables h3{
   color: var(--secondary);
   font-size: clamp(5px,1.5vw,1.5vw);
}
.tableImage{
   max-width: 50px;
   max-height: 100px;
}
#adminTableProducts{
   display: grid;
   width: 60%;
```

```
    grid-template-columns: 10% 10% repeat(6,auto);
}
#adminTableUssers{
    display: grid;
    width: 50%;
    grid-template-columns: 10% 10% repeat(5,auto);
}
#adminTableHeader{
    display: grid;
    width: 50%;
    grid-template-columns: 10% 10% repeat(3,auto);
}

#adminTableChategory{
    display: grid;
    width: 50%;
    grid-template-columns: 10% 10% repeat(2,auto);
}

#update{
    display: flex;
    justify-content: center;
    align-items: center;
    gap: 1vw;
    margin: 2vw;
}

#contactForm,#formUpload,#logInPopUp,#registerPopUp{
    display: flex;
```

```
    align-items: center;
    justify-content: center;
    width: 100vw;
    box-sizing: border-box;
}
#contactForm>div,#logInPopUp>form,#registerPopUp>form{
    display: flex;
    flex-direction: column;
    gap: 2vw;
    align-items: center;
    justify-content: center;
    background-color: var(--background);
    padding: 2vw 15vw;
    border-radius: 10px;
    border: 2px solid var(--secondary);
}
#contactForm>div>*,#formUpload>div>*{
    font-size: clamp(15px,1vw,1vw);
}
#contactForm>div>:is(input,textarea){
    font-size: clamp(15px,1vw,1vw);
    padding: 0.5vw;
}

#formUpload>div{
    display: flex;
    flex-direction: column;
    gap: 2vw;
    align-items: center;
```

```
    justify-content: center;
    background-color: var(--background);
    padding: 3vw 15vw;
    border-radius: 10px;
    border: 2px solid var(--secondary);
}
.fa-xmark{
    color: red;
}
.fa-pen{
    color: yellow;
}
#tableChose{
    display: flex;
    flex-direction: column;
    width: 100vw;
    align-items: center;
    gap: 1vw;
    margin: 2vw 0vw;
}
#tableChose>div{
    display: flex;
    justify-content: center;
    gap: 2vw;
}
#tableChose button{
    font-size: clamp(15px,1vw,1vw);
}
```

```
.fWrap{
   position: absolute;
   bottom: 0%;

}

#fav{
   display: flex;
   flex-direction: column;
   align-items: center;
   width: 100vw;
}
#fav>div{
   display: flex;
   justify-content: center;
   background-color: var(--background);
   border: 2px solid var(--secondary);
   border-radius: 10px;
   padding: 2vw;
   gap: 3vw;
}
.favItem{
   text-align: center;
}
/*
[illegible]//////////////////////////////////////////////////////////////////////////////////////////////[illegible]*/

#authorHero{
```

```
    display: flex;
    align-items: center;
    justify-content: center;
    padding:5vw 20vw;
    width: 100vw;
    box-sizing: border-box;
}
#authorWrap{
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 2vw;
    border-radius: 10px;
    width: 100vw;
    background-color: var(--background);
    border: 2px solid var(--secondary);
    border-radius: 10px;
}
#autorImg{
    width: 20vw;
    border-radius: 10px;
}
#authorDesc{
    padding: 3vw;
}
#authorDesc p {
    font-size: clamp(20px, 1.5vw, 1.5vw);
}
#authorDesc h1 {
```

```
    font-size: clamp(30px, 3vw, 3vw);
    color: var(--secondary);
    margin-bottom: 2vw;
}
@media (max-width:576px){

    #authorWrap{
        flex-direction: column;
        text-align: center;
    }
    #autorImg{
        width: 70vw;
    }
    #authorHero{
        padding: 15vw 5vw ;
    }
    #shop{
        padding: 0px;
        width: 100vw;
        display: flex;
        flex-direction: column;
    }
    .page{
        grid-template-columns: repeat(3,33%);
    }
    #filters{
        display: flex;
    }
```

```
#contactForm>div, #logInPopUp>form, #registerPopUp>form
{
    padding: 5vh 10vw;
    margin: 20vh 0vh;
}
#logo{
    width: 20vw;
}

header{
    flex-direction: column;
    align-items: start;
    text-align: start;
    width: 0px;
    padding: 0px;
    /* margin: 0px; */
    overflow: hidden;
    box-sizing: border-box;
}
header ul{
    flex-direction: column;
    align-items: start;
    text-align: start;
}
#meni{
    position: absolute;
    top: 0%;
    right: 0%;
    font-size: 30px;
```

```
    color: var(--secondary);
}

#contactForm>div{
    padding: 10vw 2vw;
    margin:15vh 0vw;
}

.example img{
    width: 15vw;
}

#formUpload>div{
    padding: 10vw 2vw;
    margin: 10vh 0vh;
}

#adminTableProducts{
    grid-template-columns: repeat(8,auto);
    width: 90%;
}
#adminTableUssers,#adminTableChategory,#adminTableHead
er,#adminTableMessage{
    width: 90%;
}
.tableImage{
    max-width: 30px;
    max-height: 60px;
}
```

```
    .tables{
        padding: 5vh;
    }

    #update{
        flex-direction: column;
    }
    .hero{
        padding: 5vw 10vw;
    }
    .hero img{
        width: 70vw;
        height: 40vw;
    }
    .favItem>img{
        width: 15vw;
    }
}
```

JS / jQuery (main.js)

```
$("#btnLogin").click(()=>{
   window.location="login.php";
})
$("#sendLogin").click(()=>{

   let ussernameRegEx=/^[A-z0-9]{3,20}$/
   let passwordRegEx=/^.{3,10}$/
   let ussername=$("#ussername").val()
   let password=$("#password").val()

   if(passwordRegEx.test(password) &&
ussernameRegEx.test(ussername)){
      $.ajax({
         url:`obrada.php`,
         type:'POST',
         data:{ussername:ussername,password:password,type:"l
ogin"},
      })

      setTimeout(() => {
         window.location=`index.php`
      }, 100);
      $("#greskaLogin").empty();
      return false
   }
   else{
      $("#greskaLogin").empty();
      if(!passwordRegEx.test(password)){
         $("#greskaLogin").append(`
```

```
            <p>Password must be 3-10 characters long!</p>
        `)
    }
    if(!ussernameRegEx.test(ussernamе)){
        $("#greskaLogin").append(`
            <p>Ussernamе must contain only letter and number
and be 3-20 characters long!</p>
        `)
    }
    return false
  }
})
$("#btnRegister").click(()=>{
  window.location="register.php"
})
$("#closeLogin").click(()=>{
  window.location="index.php";
})
$("#closeRegister").click(()=>{
  window.location="index.php";
})
$("#sendRegister").click(()=>{

  let ussernameRegEx=/^[A-z0-9]{3,20}$/
  let passwordRegEx=/^.{3,10}$/
  let ussernamе=$("#registerUssernamе").val()
  let password=$("#registerPassword").val()
  let email=$("#registerEmail").val()

  if(passwordRegEx.test(password) &&
ussernameRegEx.test(ussernamе)){
```

```
        $.ajax({
            url:`obrada.php`,
            type:'POST',
            data:{ussername:ussername,password:password,email:e
mail,type:"register"},
            success:function(x){
                console.log(x);
            },
            error:function(x){
                console.log(x);
            },
        })
        setTimeout(() => {
            window.location=`index.php`
        }, 100);
        $("#greskaRegister").empty();
        return false
    }
    else{
        console.log("nu uhh");

        $("#greskaRegister").empty();
        if(!passwordRegEx.test(password)){
            $("#greskaRegister").append(`
                <p>Password must be 3-10 characters long!</p>
            `)
        }
        if(!ussernameRegEx.test(ussername)){
            $("#greskaRegister").append(`
                <p>Ussername must contain only letter and number
and be 3-20 characters long!</p>
```

```
            `)
        }
        return false
    }
})

$("#signOut").click(()=>{
    let x="text"
    $.ajax({
        url:"obrada.php",
        type:"GET",
        data:{reset:x},
        success:function(x){
            console.log(x);
        },
        error:function(y){
            console.log(y);
        }
    })

    setTimeout(() => {
        window.location="index.php";
    }, 100);
})

$(".checkBox").change(()=>{
    $("#filterForm").submit();

})

$("#contact").click(()=>{
```

```
    let title=$("#title").val();
    let message=$("#message").val();
    let admin_email=$("#admin_email").val();

    let titleReg=/^[A-z0-9\s]{1,49}$/;
    let messageReg=/^[A-z0-9\s]{1,240}$/;
    let contact=$("#contact").val()
    if(titleReg.test(title) && messageReg.test(message)){
        $.ajax({
            url:"contact.php",
            type:"POST",
            data:{title:title,message:message,admin_email:admin_e
mail,contact:contact},
            success:function(x){
                $("#greska").text(x);
                $("#title").val("");
                $("#message").val("");
                $("#admin_email").val("");
            },
            error:function(x){
                $("#greska").text(x);

            }
        })
    }
    else{
        $("#greska").text("Title and message can only contain
letters and numbers!");
    }
    return false;
})
```

```
$("#formUpload").submit(function(){
   // let image=$("#uploadImage").val()
   let formData=new FormData(this)
   formData.append("upload", "upload");
   let upload=$("#upload").val()
   $.ajax({
      url:"upload.php",
      type:"POST",
      data:formData,
       contentType:false,
      processData:false,
      success:function(x){
         $("#greskaUpload").text(x);
      },
      error: function(x){
         $("#greskaUpload").text("Nesto");
      }
   })
   return false;
})



if (window.matchMedia("(max-width: 575px)").matches) {
   console.log("HGYUATRY");

   $("body").append(`<i class="fa-solid fa-bars"
id='meni'></i>`);
```

```
}

let x=1;
$(document).on("click","#meni",function(){
    if(x==1){
        $("header").css("width","100vw")
        x=0;
    }
    else if(x==0){
        $("header").css("width","0vw")
        x=1;
    }


})
```