Oscillations

Mads Jensen, PhD

™ mads@cas.au.dk









◆□ → ◆□ → ◆ = → ◆ = → へ ○ へ ○

Mads Jensen (RFR, IMC, & CFIN)

Contents


- 1. Cognition as brain rhythms
 - Physiological origin of oscillations
- 2. Quantifying brain waves
 - Power spectrum density
 - Wavelets
 - Hilbert transform
- 3. Gating by inhibition


Mads Jensen (RFR, IMC, & CFIN) Oscillations

Cognition as brain rhythms

4 D > 4 B > 4 E > 4 E > E 990

Mads Jensen (RFR, IMC, & CFIN)





(Figure from Berger, 1929)


◆□ → ◆□ → ◆ = → ◆ = → へ○

Mads Jensen (RFR, IMC, & CFIN)


Oscillations


4 / 25

Cognition as brain rhythms



(Figure from Berger, 1929)






(Figure from Buzsáki, 2006)

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

4 D > 4 D > 4 E > 4 E > E 9 Q C

Sine waves





 $(Figure\ from\ https://github.com/lyndond/Analyzing_Neural_Time_Series/blob/master/chapter 11.ipynb)$

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

Sine waves






 $({\sf Figure\ from\ https://github.com/lyndond/Analyzing_Neural_Time_Series/blob/master/chapter11.ipynb})$

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

◆□ → ◆□ → ◆ = → ◆ = → へ○

Sampling rate matters




(Figure from

 $https://github.com/lyndond/Analyzing_Neural_Time_Series/blob/master/chapter06.ipynb)$

Mads Jensen (RFR, IMC, & CFIN)

Sampling rate matters




- Nyquist frequency is half of the temporal sampling rate.
- Rayleigh frequency is the spacing between discrete frequencies

(Figure from

 $https://github.com/lyndond/Analyzing_Neural_Time_Series/blob/master/chapter06.ipynb)$

4 D > 4 B > 4 E > 4 E > E 990

Information in ERPs & Oscillations




(Figure from Cohen, 2014)


Mads Jensen (RFR, IMC, & CFIN)

Oscillations

7 / 25

Information in ERPs & Oscillations





(Figure from Cohen, 2014)

(Figure from Cohen, 2014)

4 D > 4 D > 4 E > 4 E > E 9 Q C

Frequency bands

Mads Jensen (RFR, IMC, & CFIN)


| Name | $Frequency\ range^1$ |
|------------------|----------------------|
| α (Alpha) | 8 - 12 Hz |
| β (Beta) | 14 - 30 Hz |
| γ (Gamma) | 30 - 100 Hz |
| heta (Theta) | 4 - 8 Hz |
| δ (Delta) | 1 - 4 Hz |

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

¹As defined in Jensen et al., 2014

Physiological origin of oscillations



(Figure from Jensen et al., 2014)

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

4 D > 4 D > 4 E > 4 E > E 990


Quantifying brain waves

2

4 D > 4 D > 4 E > 4 E > E 9 Q C

Power spectrum density

Mads Jensen (RFR, IMC, & CFIN)




(Figure from Jensen et al., 2014)

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

Power spectrum density





◆□ → ◆□ → ◆ = → ◆ = → へ ○ へ ○

Mads Jensen (RFR, IMC, & CFIN) Oscillations

12 / 25

Power spectrum density







Mads Jensen (RFR, IMC, & CFIN) Oscillations 12/25


Wavelets

Mads Jensen (RFR, ÎMC, & CFIN)



Wavelets





 $({\sf Figure\ from\ http://www.fieldtriptoolbox.org/tutorial/timefrequencyanalysis/})$


Mads Jensen (RFR, IMC, & CFIN)

Oscillations

4 D > 4 D > 4 E > 4 E > 9 Q C

4 / 25

Wavelets





Mads Jensen (RFR, IMC, & CFIN)

Oscillations

15 / 25

Wavelets





4 D > 4 B > 4 E > 4 E > E 9 Q @


Mads Jensen (RFR, IMC, & CFIN)

Oscillations

| Hilbert transform | | | | | |
|---|--------------|---------------------------|----------------|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | < □ > < ∰ > < 분 > < 분 > | 199 P | | |
| Mads Jensen (RFR, IMC, & CFIN) | Oscillations | | 16 / 25 | | |
| Hilbert transform | | | | | |
| Band pass filter for the frequency bands of interest | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Mads Jensen (RFR, IMC, & CFIN) | Oscillations | (미) (B) (분) (분) (분) | √) < ○ 16 / 25 | | |
| Hilbert transform | | | | | |
| Band pass filter for the frequency bands of interest Apply Hilbert transform | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | < ㅁ > <@ > < 돌 > < 돌 > 돌 | 200 | | |
| Mads Jensen (RFR, IMC, & CFIN) | Oscillations | | 16 / 25 | | |

Hilbert transform

- Band pass filter for the frequency bands of interest
- Apply Hilbert transform
- Extract amplitute/power and/or phase




Frequency bands

| Name | Frequency range | Function |
|--------------------------|-----------------------|------------------------------|
| | | Inhibition |
| lpha (Alpha) | 8-12 Hz | Attention |
| | | Inter-regional communication |
| β (Beta) | 14 - 30 | Sensory motor |
| or (Camma) | γ (Gamma) 30 - 100 Hz | Information processing |
| y (Gaiiiiia) | | Feedforward-drive |
| θ (Theta) 4 -8 Hz | Error processing | |
| | 4 -0 112 | Inter-regional communication |
| δ (Delta) | 1 - 4 Hz | Excitability of a network |

◆□ → ◆□ → ◆ = → ◆ = → へ ○ へ ○

Mads Jensen (RFR, IMC, & CFIN) Oscillations 18 / 25


Filters



(Figure from Jensen et al., 2014)

Mads Jensen (RFR, IMC, & CFIN) Oscillations

Filters



epochs_30.filter(0, 30)

Setting up low-pass filter at 30 Hz

FIR filter parameters

- Designing a one-pass, zero-phase, non-causal lowpass filter:
 Windowed time-domain design (firwin) method
 Hamming window with 0.0194 passband ripple and 53 dB stopband attenuation
 Upper passband edge: 30.00 Hz
 Upper transition bandwidth: 7.50 Hz (-6 dB cutoff frequency: 33.75 Hz)
 Filter length: 67 samples (0.446 Sec)

(Figure from Jensen et al., 2014)

4 D > 4 B > 4 E > 4 E > E 9 Q @

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

Gating by inhibition

◆□ → ◆□ → ◆ = → ◆ = → へ ○ へ ○

Mads Jensen (RFR, IMC, & CFIN)

Oscillations

20 / 25

Gating by inhibition

frontiers in **HUMAN NEUROSCIENCE**



Shaping functional architecture by oscillatory alpha activity: gating by inhibition

Ole Jensen* and Ali Mazaheri


Donders Institute for Brain, Cognition and Behavior, Radboud University, Nijmegen, Netherlands


Mads Jensen (RFR, IMC, & CFIN)

Oscillations

21 / 25

Gating information






(Figure from Jensen & Mazaheri, 2010)


4 D > 4 B > 4 E > 4 E > E 9 Q C

Mads Jensen (RFR, IMC, & CFIN)

Oscillations



Gating information



References I

- Berger, H. (1929). Über das Elektrenkephalogramm des Menschen. *Archiv für Psychiatrie und Nervenkrankheiten*, *87*(1), 527–570. https://doi.org/10.1007/BF01797193
- Buzsáki, G. (2006). *Rhythms of the Brain*. Oxford University Press. Retrieved July 25, 2020, from http://www.oxfordscholarship.com/view/10.1093/acprof: oso/9780195301069.001.0001/acprof-9780195301069
- Cohen, M. X. (2014). Analyzing neural time series data: Theory and practice. The MIT Press.
- Jensen, O., & Mazaheri, A. (2010). Shaping Functional Architecture by Oscillatory Alpha Activity: Gating by Inhibition. *Frontiers in Human Neuroscience*, 4. https://doi.org/10.3389/fnhum.2010.00186
- Jensen, O., Spaak, E., & Zumer, J. M. (2014). Human brain oscillations: From physiological mechanisms to analysis and cognition. In S. Supek & C. J. Aine (Eds.), Magnetoencephalography: From signals to dynamic cortical networks (pp. 359–403). Springer Berlin Heidelberg.