



WAYPOINT CONNECT

JUDGE / DEMONSTRATION WALKTHROUGH

Judge Walkthrough

A step-by-step demonstration for a judge who has never seen the system

Project WaypointConnect — delivery planning and tracking for Waypoint Group's Fresh, Style and Tech brands

Event Tech-Triathlon 2026 · Team Dark Horse

Source Generated 2026-10-04 · repository commit c1e3eb6 + working tree

Accuracy rule: every statement is taken from the project files. Anything that could not be verified is marked "Not verified from the provided project files". No passwords or secrets are included.

Contents

1. Preparation	2
1.1 Before you start	2
1.2 Story in one line	2
2. Walkthrough steps	3
2.1 Steps	3
3. Business-day and cut-off logic	7
3.1 Business-day and cut-off logic	7
4. Troubleshooting the demo	8
4.1 If something looks different	8
5. Walkthrough accounts	9
5.1 Test accounts and walkthrough accounts	9

1. Preparation

1.1 Before you start

- **Base URL:** the live system is <https://3-106-77-179.sslip.io>. A local Docker run is <https://localhost> (accept the local certificate once). Paths below are appended to the base URL.
- **Passwords:** every account has its own password, supplied with the submission (see [pnpm credentials](#)). Passwords are not printed in this guide.
- **Windows:** use a separate browser window (or private window) for each role so all stay signed in side by side (advice shown on the Demo mode page). Use a laptop for the dispatcher and loader, and a phone or Chrome DevTools device mode for the driver and the store manager.
- **Time:** about 15 minutes.

Two ways to run the walkthrough

Real time (default): every screen uses the real Asia/Colombo date and time; each day contains the 85 Peliyagoda orders of the official peak-day scenario.

Demo mode (recommended for judges): the administrator starts Demo mode (Step 1) and the whole system runs on the peak day **Wed 25 Mar 2026**: the store manager is at Tue 24 Mar 14:18 (before the cutoff), the loader at 02:40 and the dispatcher at 06:42. The story below follows it.

1.2 Story in one line

A store orders → the dispatcher plans the peak day, handles the chilled overload and publishes → the loader loads and seals → the driver delivers (partly offline) → the store confirms receipt with a shortage → the dispatcher sees the alert and the proof of delivery.

2. Walkthrough steps

2.1 Steps

STEP 1 · Open the application and start Demo mode		Role: Administrator
URL	https://3-106-77-179.sslip.io/login , then /admin/demo	
Login	admin@waypoint.lk (password supplied with the submission)	
Expected screen	Sign-in page ("One platform from order to delivery", the four steps Order · Plan · Load · Deliver, 120 outlets · 60 vehicles · 2 depots). After sign-in the Admin Console opens on System ("All systems running").	
Action	Open Demo mode in the sidebar. Choose a length (default 2 h) and press Start demo .	
Expected result	A confirmation "Demo mode on". The page shows the three role clocks (Tue 24 Mar · 14:18 store, Wed 25 Mar · 02:40 loader, Wed 25 Mar · 06:42 dispatcher) and a live checklist that follows the story: order → plan → deferrals and store answer → loading → both trips → receipt issue → reply. Keep this page open: it names the vehicle and driver account that carry the store's order.	

STEP 2 · Store manager: order, status and information		Role: Store manager
URL	/store (Today), /store/order (Place order), /store/orders and /store/orders/:id	
Login	out026@waypoint.lk (OUT026, Waypoint Fresh, Gampaha; phone layout or DevTools phone mode)	
Expected screen	Today : cutoff countdown (before 16:00), today's deliveries, tomorrow's order cards for dry and chilled, this week, recent activity. In Demo mode OUT026's dry order is deliberately missing so it is placed live.	
Action	Place order → <i>Dry groceries</i> → keep the suggested packs (or use <i>Copy last order</i>) → Place order . Then open Orders and the new order.	
Expected result	The order is accepted before the 16:00 cutoff, so it goes on the next run and can be edited until 16:00 (a notification says so). The order page shows the status steps Received → Scheduled → Loaded → Delivered, the lines in packs and the weight. The same order appears at once on the dispatcher's screens without a refresh.	

STEP 3 · Dispatcher: plan, defer, publish

Role: Dispatcher

URL	<code>/dispatcher</code> , <code>/dispatcher/queue</code> , <code>/dispatcher/board</code> , <code>/dispatcher/deferrals</code> , <code>/dispatcher/live</code> , <code>/dispatcher/forecast</code>
Login	dispatcher@waypoint.lk (one account for both depots; use the depot switcher, start with Peliyagoda)
Expected screen	Overview: about 85 orders (84 scenario orders plus the store's live order), reefer space far over capacity (README: 193 %), "Needs your attention".
Action	1) Order Queue: shops skipped on the last run are red at the top; orders placed after the cutoff are greyed out. Press Auto-allocate & open board . 2) Planning Board: choose <i>All available</i> , drag a stop marked <i>chilled</i> onto a Dry truck . 3) Deferrals: read the "Payday overload" banner and the deferral table; try recovery options A–C; press Confirm & publish plan .
Expected result	Auto-allocate shows "All booklet rules pass" (README quotes 75 of 85 orders on 34 trips in the app; the engine alone gives 72 of 85 on 32 trips, which was reproduced). The chilled drop shows Drop blocked with the exact rule ("... can't carry chilled goods") and the vehicles that would take it. Every deferred order has a reason and the label <i>unavoidable</i> or <i>choice</i> . After publishing, every affected store is notified.
Depot restriction	This dispatcher account switches depots. A dispatcher account created by the administrator <i>with a depot</i> (Step 6) can only see that depot: the API ignores the <code>?depot=</code> request for such accounts.

STEP 4 · Loader: load, report a problem, seal

Role: Loader

URL	<code>/loader</code> , <code>/loader/trip/:tripId</code> , <code>/loader/changes</code>
Login	loader1.peliyagoda@waypoint.lk (laptop or 1280 × 800 tablet size)
Expected screen	Choose vehicle: every vehicle on the published plan as a card (bay, departure, items loaded, who is loading). Nothing appears until the dispatcher has published.
Action	Open the vehicle that the Demo mode page names for the store's order (README example: VEH024). Trip 1: tick every line → Seal & release (type any seal number; reefer vehicles also need a temperature). Trip 2 (the store's stop): on the first line press ! → <i>Damaged goods, 2 packs, Load the rest, send the missing packs tomorrow</i> → Send report ; tick the rest → Seal & release .
Expected result	Sealing is refused while any line is neither ticked nor reported. The 2 damaged packs become an order on the next run. The dispatcher's Live Tracking shows a <i>Loader flag</i> alert; the store is told; the driver's manifest shows the short count. Plan changes lists what moved between plan versions (appears after a republish).

STEP 5 · Driver: assigned vehicle, route, delivery, offline

Role: Driver (vehicle account)

URL	<code>/driver</code> , <code>/driver/load/:tripId</code> , <code>/driver/run</code> , <code>/driver/stop/:id</code> , <code>/driver/sync</code>
Login	The vehicle account named on the Demo mode page (README example: veh024@waypoint.lk, driver Nimal Fernando). Use a phone or DevTools phone mode (390 × 844).
Expected screen	Today's runs : the vehicle, its assigned driver, the trips with load status and fuel.
Action	Review load & start Trip 1 → Confirm load & depart (enabled only once the loader has sealed) → I've arrived → Start unloading → photo and signature → Confirm delivery . Then go offline (airplane mode, or DevTools → Network → <i>Offline</i>) and reload: the app still opens. Deliver the next stop or report a problem; the Sync tab lists what waits. Go online again.
Expected result	Status updates reach the dispatcher's Live Tracking. Offline actions are queued with a UUID and sent in order on reconnect; the Back online sheet lists what was sent and any plan change meanwhile; a repeated send never delivers twice. On Trip 2 the store's stop shows the short packs from the dock.

STEP 5b · Close the loop

Roles: Store manager, then Dispatcher

URL	<code>/store/orders/:id/receipt</code> , then <code>/dispatcher/live</code>
Action	Store manager: Orders → the delivered order (photo and signature from the driver) → Confirm receipt , mark one line <i>Short</i> → Confirm receipt · 1 issue . Dispatcher: open Live Tracking , answer the alert (<i>Reply to store</i>) and open View POD .
Expected result	A <i>Store issue</i> alert and a <i>POD</i> alert appear on Live Tracking; View POD shows the driver's photo and signature. The Demo mode checklist ticks the remaining steps.

STEP 6 · Administrator: System, Vehicles & drivers, Accounts

Role: Administrator

URL	<code>/admin</code> , <code>/admin/fleet</code> , <code>/admin/accounts</code> , <code>/admin/demo</code>
Login	admin@waypoint.lk
Expected screen	System : database and API status, the working day and clock every screen uses, orders, vehicles, vehicles without a driver and today's plan per depot, plus <i>Build today's orders</i> .
Action	Vehicles & drivers : assign a driver to a vehicle; choosing a driver already on another vehicle opens <i>Move this driver?</i> and needs confirmation; Add driver . Accounts : search; switch an account on/off; Reset password (the new password is shown once); New staff account → Create account (dispatcher, loader or administrator, with a depot for loaders).
Expected result	A driver is never on two vehicles (database unique index). A switched-off account cannot sign in and an open session stops at its next request. The administrator cannot switch themselves off, and the last active administrator cannot be switched off. Changes stay after an API restart. Finish with End demo now on Demo mode to return every role to real Sri Lanka time.

STEP 7 · Business-day and cut-off logic

Roles: all

URL	<code>/store</code> , <code>/dispatcher/queue</code> , <code>/loader</code> , <code>/driver</code>
Action	Compare the screens before and after 16:00 Asia/Colombo (see the next section). In Demo mode the store clock shows 14:18 so the cutoff countdown is open.
Expected result	Before 16:00 the working run is today; after 16:00 it is the next operating day. See the table in the next section.

3. Business-day and cut-off logic

3.1 Business-day and cut-off logic

Source: `apps/api/src/reference.ts` (`workingDay`, `ORDER_CUTOFF`, `nextOperatingDay`) and `apps/api/src/routes/store.ts` (`ctxOf`)

"Next operating day" skips non-operating days in `data/calendar.csv`.



At midnight the calendar day rolls over and the day is built automatically on the first request (`builtDays` in `server.ts`).

Working run before and after the 16:00 cut-off (from `reference.ts` and `store.ts`).

Role	Before 16:00	From 16:00 (until midnight)
Store manager	Orders placed now are for the next operating day and can be changed until 16:00. Countdown to the cutoff is shown.	The cutoff has passed: an order placed now goes on the run after that ("Placed after the cutoff, so it goes on the ... run").
Dispatcher	Plans, tracks and publishes today's run. Orders already in for the next run appear greyed out ("next run").	Works on the next operating day : its orders are locked, so the dispatcher plans and publishes it in the evening.
Loader	Loads today's run (loading from 02:40).	Sees the next run's published plan.
Driver	Delivers today's run (03:30–08:00 for Fresh).	Sees the next run's route once it is published.

DEMO_DATE and clocks

- `DEMO_DATE=YYYY-MM-DD` in `.env` pins every screen to one fixed day (the 16:00 switch is then off: `workingDay()` returns that day). Leave it empty for the real date.
- `DEMO_CLOCK`, `DEMO_LOADER_CLOCK` and `DEMO_STORE_CLOCK` pin the dispatcher, loader and store clocks (for example `DEMO_STORE_CLOCK=16:30` would show the store the closed cutoff; this combination was not executed while writing this document).
- **Admin** → **Demo mode** replaces this at run time with the peak day 2026-03-25 and the three clocks above, and restores real time when it ends.
- Daily build: each new day is built automatically on the first request after midnight; the administrator can also press *Build today's orders*.

4. Troubleshooting the demo

4.1 If something looks different

Observation	Explanation
The README says Simulate morning exists	The button was removed from Live Tracking in a later commit; progress comes from the driver app (or the demo story).
The vehicle for the store's order is not VEH024	The README example uses VEH024; the Demo mode page and the AI disclosure record the plan placing the order on whichever vehicle the engine chooses (VEH031 trip 2 in the disclosure's rehearsal). Use the vehicle named on the Demo mode page.
Order counts differ slightly from the README (72/32 vs 75/34)	The README itself notes the app and the engine-only run differ because the database marks a shop as skipped for all its orders.
Nothing shows for the loader or driver	They only see a plan the dispatcher has published at least once.
The app does not update after a deploy	A "New version available · Update" bar appears; on phones close and reopen the app once.
"Email or password is wrong" / any password accepted	See the authentication finding in the Testing document: passwords supplied with the submission are the intended ones.

5. Walkthrough accounts

5.1 Test accounts and walkthrough accounts

Every account has its own password. Passwords are **never stored in plain text**: each is derived from `ACCOUNT_SECRET` in `.env` and the account email (`prisma/accounts.ts`). They are printed with `pnpm credentials` ; on a server: `docker compose exec api pnpm -s credentials > credentials.csv` . The README states that judges receive the walkthrough passwords with the submission. No password is reproduced in this document.

Role	Walkthrough account	Linked to
Administrator	<code>admin@waypoint.lk</code>	everything
Dispatcher	<code>dispatcher@waypoint.lk</code>	both depots (depot switcher in the console)
Loader	<code>loader1.peliyagoda@waypoint.lk</code>	Peliyagoda depot
Driver (vehicle)	<code>veh024@waypoint.lk</code>	VEH024, dry truck, driver "Nimal Fernando"
Store manager	<code>out026@waypoint.lk</code>	OUT026 Waypoint Fresh, Gampaha; "Nimali Perera"

Authentication behaviour found in the source (see the Testing report)

In `apps/api/src/routes/auth.ts` the sign-in check treats **any non-empty password as valid** for an existing account, and unknown `dispatcher...` , `loader...` , `veh...` , `out...` , `admin...` emails fall back to the first account of that role. This contradicts the README statement that passwords are unique per account. The finding is documented as observed; it should be fixed before the system is treated as secure.