



WAYPOINT CONNECT

DESIGNATHON REQUIREMENTS & DEPARTURES

Requirements & Departures

Original requirements compared with the current implementation

Project WaypointConnect — delivery planning and tracking for Waypoint Group's Fresh, Style and Tech brands

Event Tech-Triathlon 2026 · Team Dark Horse

Source Generated 2026-10-04 · repository commit c1e3eb6 + working tree

Accuracy rule: every statement is taken from the project files. Anything that could not be verified is marked "Not verified from the provided project files". No passwords or secrets are included.

Contents

1. Requirements comparison	2
1.1 Basis of the comparison	2
1.2 Deliverables	2
1.3 Booklet rules recorded in the repository	3
1.4 Screens from the Figma frames	3
1.5 Added after the original design	4
2. Departures from the original design	5
2.1 Significant departures from the original design	5

1. Requirements comparison

1.1 Basis of the comparison

Original proposal not provided

The original Designathon proposal / Challenge Booklet was **not** among the provided files. The "original requirements" below are the ones recorded in the repository: the deliverables list in `docs/handoff.md`, the booklet rules in `CLAUDE.md` and `README.md`, and the Figma frames (D1–D6, L1–L5, M1–M8, SM1–SM9) that the README maps to screens. Anything outside these *Not verified from the provided project files.* .

Statuses use the project files as evidence only.

1.2 Deliverables

Original requirement	Current implementation	Status	Evidence / location
Responsive web app for four roles	React PWA with dispatcher, loader, driver and store-manager areas; phone and desktop layouts for the store, tablet for the loader, phone for the driver	IMPLEMENTED	<code>apps/web/src/App.tsx</code> , <code>roles/*</code>
Public GitHub monorepo (branch main)	pnpm monorepo exists; the repository URL is recorded; its public visibility could not be checked	NOT VERIFIED	<code>docs/handoff.md</code> , <code>pnpm-workspace.yaml</code>
<code>docker compose up</code> works and seeds demo data	Four-service compose file; the API container syncs the schema and seeds on every start; the team records a successful run on real PostgreSQL (2026-10-04)	IMPLEMENTED	<code>docker-compose.yml</code> , <code>apps/api/Dockerfile</code> , ai-disclosure. <code>docker compose config</code> validates; a full build was not re-run for this document
Public HTTPS URL	<code>https://3-106-77-179.sslip.io</code> answers HTTP 200	IMPLEMENTED	<code>README.md</code> ; checked on 2026-10-04
Four seeded accounts	188 personal accounts (1 admin, 1 dispatcher, 6 loaders, 60 vehicle/driver, 120 store) with derived passwords	CHANGED	ai-disclosure 2026-10-04; <code>prisma/accounts.ts</code>
Numbered judge walkthrough in the README	16 numbered steps in five groups; parts are out of date (Simulate morning, vehicle and count details)	IMPLEMENTED	README "Judge walkthrough"
docs: architecture, data model, AI disclosure	All three exist; <code>docs/data-model.md</code> is not yet committed	IMPLEMENTED	<code>docs/</code>
5–8 minute video	A timed storyboard exists; a recorded video is not among the files	NOT VERIFIED	<code>docs/video-script.md</code> ; README checklist unticked

1.3 Booklet rules recorded in the repository

Original requirement	Current implementation	Status	Evidence / location
Chilled orders need a reefer vehicle	Rule <code>NEEDS_REEFER</code>	IMPLEMENTED	<code>engine/rules.ts</code> ; test "chilled goods need a refrigerated vehicle"
van_only outlets need a van	<code>NEEDS_VAN</code>	IMPLEMENTED	<code>rules.ts</code> ; test "van-only outlets cannot be served by trucks"
A vehicle serves only its home depot	<code>WRONG_DEPOT</code>	IMPLEMENTED	<code>rules.ts</code> ; test
Max 2 trips per vehicle per day	<code>MAX_TRIPS</code>	IMPLEMENTED	<code>rules.ts</code> ; test "...a third trip is refused"
One brand and one district per trip	<code>TRIP_MIXES_BRAND</code> , <code>TRIP_MIXES_DISTRICT</code>	IMPLEMENTED	<code>rules.ts</code> ; test
Orders are never split	One <code>TripStop</code> per order (unique <code>orderId</code>)	IMPLEMENTED	<code>schema.prisma</code>
Trip minutes formula	Implemented in the engine; the booklet examples (101 and 112 min) are tests	IMPLEMENTED	<code>engine/rules.ts</code> ; tests
Fresh window 270 min; Style/Tech 480 min	<code>OVER_TIME_FRESH</code> , <code>OVER_TIME_DAY</code>	IMPLEMENTED	<code>rules.ts</code> ; test
Weight and volume caps; weekly fuel quota; workshop vehicles	<code>OVER_WEIGHT</code> , <code>OVER_VOLUME</code> , <code>OVER_FUEL</code> , <code>VEHICLE_UNAVAILABLE</code>	IMPLEMENTED	<code>rules.ts</code> ; tests
Every deferral has a reason and is unavoidable or choice	<code>Deferral.reason</code> , <code>Deferral.type</code> ; Suggest plan marks deferrals	IMPLEMENTED	schema; test "suggest plan on the official peak day"
Order cutoff 16:00; times in Asia/Colombo	Cutoff and working-day logic in the API; times shown in Colombo time on every screen	IMPLEMENTED	<code>reference.ts</code> ; no automated test for the cutoff
Priority policy	Skipped last run, Fresh chilled, Fresh ambient, Tech, Style	IMPLEMENTED	<code>engine/priority.ts</code> ; test
Official peak-day scenario	Engine serves 72 of 85 orders on 32 trips and defers 13 (reproduced 2026-10-04); README states the official checker reports FEASIBILITY: PASSED	IMPLEMENTED	<code>scripts/run-task2b.ts</code> ; checker not re-run (needs Python)

1.4 Screens from the Figma frames

Original requirement	Current implementation	Status	Evidence / location
Dispatcher D1–D6	Overview, Order Queue, Planning Board, Deferrals, Live Tracking, Capacity Forecast	IMPLEMENTED	<code>roles/dispatcher</code> ; <code>docs/screens/d*.png</code>
Loader L1–L5	Choose vehicle, Load goods, Report a problem, Plan changes, Seal & release	IMPLEMENTED	<code>roles/loader</code>

Original requirement	Current implementation	Status	Evidence / location
Driver M1–M8 incl. offline	All screens; M7 is the Sync tab and M8 a sheet (see departures)	IMPLEMENTED	<code>roles/driver</code> , <code>offline/</code>
Store manager SM1–SM9 and desktop D-SM1–D-SM9	All screens; no separate store problem form	PARTIALLY IMPLEMENTED	<code>roles/store</code> ; README departures

1.5 Added after the original design

Feature	Implementation	Status	Evidence / location
Administrator role and Admin Console	System, Vehicles & drivers, Accounts, Demo mode	ADDED LATER	<code>roles/admin</code> , <code>routes/admin.ts</code>
Personal accounts, one driver per vehicle	Unique derived passwords; unique <code>Vehicle.driverId</code>	ADDED LATER	ai-disclosure; schema
Demo mode	Peak day 25 Mar 2026 with role clocks, checklist, reset	ADDED LATER	<code>apps/api/src/demo.ts</code>
Real-time refresh of all screens	SSE <code>/api/changes</code>	ADDED LATER	<code>routes/realtime.ts</code> , <code>src/live.tsx</code>
Real Asia/Colombo date and clock; current-run logic	Replaces the fixed demo day	CHANGED	<code>reference.ts</code>
Fingerprint / Face ID app lock; <code>/get-app</code> ; Android APK	WebAuthn local lock; install page; TWA build workflow	ADDED LATER	<code>biometric.ts</code> , <code>GetApp.tsx</code> , <code>android-app.yml</code>
Dispatcher depot lock; single dispatcher with switcher	Fixed-depot accounts see only their depot	ADDED LATER	<code>routes/dispatch.ts</code> (<code>dayOf</code>)
Live Tracking "Simulate morning"	Button removed from the screen; API route remains	CHANGED	git commit 3b1c40f; <code>live.ts</code>

2. Departures from the original design

2.1 Significant departures from the original design

Each departure is taken from the README list "Departures from the Designathon design", [docs/handoff.md](#) or [docs/ai-disclosure.md](#). Where no reason is written down, that is stated.

1. Four shared logins became 188 personal accounts

Original design	Four seeded accounts (@waypoint.demo) sharing one DEMO_PASSWORD (handoff.md).
Current design	One account per administrator, dispatcher, loader, vehicle and store with a derived password; pnpm credentials lists them.
Why it changed	Reason not explicitly documented in the provided source.
Benefit	The records can name the person: Trip.loaderName , PlanAck.userName , vehicle accounts showing the assigned driver (observable in the schema).
Impact	Users need their own password; see the authentication finding in the Testing document.

2. Added Administrator role

Original design	Four roles: dispatcher, loader, driver, store.
Current design	A fifth role manages accounts, drivers on vehicles, system health and demo mode.
Why it changed	Reason not explicitly documented in the provided source.
Benefit	Driver assignment, account switch-off and password reset are possible without database access.
Impact	A fifth sign-in area and 13 admin routes.

3. One dispatcher account for both depots

Original design	Two per-depot dispatcher accounts (an intermediate state recorded in the AI disclosure).
Current design	One dispatcher@waypoint.lk with a depot switcher; accounts created with a depot stay locked to it.
Why it changed	Reason not explicitly documented in the provided source.
Benefit	One person can cover both depots.
Impact	Depot selection moved into the console.

4. Fixed demo day became real Sri Lanka time, with Demo mode on request

Original design	A fixed demo day (<code>DEMO_DATE</code> default 2026-03-25) and fixed clocks 06:42 / 02:40 / 14:18 (handoff.md).
Current design	Every screen uses today's Asia/Colombo date and clock; each day is filled with the peak-day scenario; the fixed day is available as <code>DEMO_DATE</code> or Admin → Demo mode.
Why it changed	The README says the screens run on real time "so all four roles agree".
Benefit	All roles show the same date and time; the system never runs dry of orders.
Impact	Judges can run either real time or the scripted peak day.

5. Dispatcher, loader and driver work on the "current run"

Original design	The working day was a single day.
Current design	Today until 16:00, then the next operating day.
Why it changed	AI disclosure: so that store orders reach the order queue.
Benefit	A store's order appears in the queue and can be planned the same evening.
Impact	The date on planning screens changes at 16:00.

6. Live Tracking: route column shows brand · district

Original design	Figma frame shows origin → destination.
Current design	Brand · district.
Why it changed	The booklet rule of one district per trip (README).
Benefit	Matches the data model.
Impact	Visual difference from Figma.

7. Single-district trips in loader and driver screens

Original design	Mock-ups show multi-district trips such as "Gampaha → Colombo → Kalutara".
Current design	Trips follow one brand and one district.
Why it changed	The booklet rule (README).
Benefit	Rules enforced consistently.
Impact	Mock-up examples differ from live data.

8. Demo vehicle and store

Original design	Figma uses VEH041 / VEH035.
Current design	Driver account VEH024 and store OUT026.
Why it changed	So one story runs through all four roles (README).
Benefit	A single end-to-end story.
Impact	Demo mode later places the live order on whichever vehicle the engine chooses.

9. M7 and M8 are a tab and a sheet; L5 gains a seal-number field; store problem form absent

Original design	M7 and M8 as separate screens; seal "scanned"; separate store problem form.
Current design	Sync tab plus offline strip; sheet that opens after sending; typed seal number; "Report a problem" and "Call dispatcher" open the phone dialler.
Why it changed	README lists them as departures; for L5 it notes the rationale says the seal is scanned. For the others: Reason not explicitly documented in the provided source.
Benefit	Fewer screens; simpler entry.
Impact	Minor UI differences.

10. Sidebar name and icons

Original design	Figma shows "Nimal Perera" and placeholder squares.
Current design	Signed-in dispatcher (seeded Ruwan Perera) and line icons.
Why it changed	Reason not explicitly documented in the provided source.
Benefit	Real data and icons.
Impact	Cosmetic.

11. Real-time refresh for every role

Original design	Server-Sent Events for dispatcher screens (<code>/api/events</code>).
Current design	All roles refresh through <code>/api/changes</code> .
Why it changed	AI disclosure: every screen updates without a browser refresh. Reason not explicitly documented in the provided source.
Benefit	No manual reload.
Impact	Signal-only stream; data refetched per user.

12. Simulate morning removed

Original design	README describes a Simulate morning button in Live Tracking.
Current design	Button removed (commit 3b1c40f); API route remains.
Why it changed	Commit message: Demo guide drops the tip. Reason not explicitly documented in the provided source.
Benefit	Progress comes from real driver events.
Impact	README walkthrough step 15 is out of date.

13. Deployment target and database port

Original design	DigitalOcean in docs/deploy.md ; PostgreSQL on a standard port.
Current design	AWS Lightsail per the AI disclosure; host port 15432.
Why it changed	Port: avoid clashes with local PostgreSQL on 5432/5433 (handoff.md, docker-compose.yml comments). Host: Reason not explicitly documented in the provided source.
Benefit	No local port clash.
Impact	Use <code>DB_HOST_PORT</code> to change.