



WAYPOINT CONNECT

AI DISCLOSURE

AI Disclosure

Formal disclosure of AI assistance, preserved from docs/ai-disclosure.md

Project WaypointConnect — delivery planning and tracking for Waypoint Group's Fresh, Style and Tech brands

Event Tech-Triathlon 2026 · Team Dark Horse

Source Generated 2026-10-04 · repository commit c1e3eb6 + working tree

Accuracy rule: every statement is taken from the project files. Anything that could not be verified is marked "Not verified from the provided project files". No passwords or secrets are included.

Contents

1. AI disclosure	2
1.1 Purpose of AI usage	2
1.2 AI tools used	2
1.3 Dates and contributors	2
1.4 What AI helped with	2
1.5 What the team implemented and verified	2
1.6 Testing performed	3
1.7 Human responsibility	3
1.8 AI limitations observed in the record	3
1.9 Final verification statement	3
1.10 Disclosure log (from docs/ai-disclosure.md)	3

1. AI disclosure

1.1 Purpose of AI usage

The repository records that AI coding assistance was used to build the project quickly: scaffolding, features, deployment scripts and documentation. `CLAUDE.md` sets rules for AI coding agents (stay in one role folder, API shapes only from `contract.ts`, planning rules only in the engine, run `pnpm test`, no raw hex colours) and requires one disclosure line after each task in `docs/ai-disclosure.md`.

1.2 AI tools used

- **Claude (Anthropic)** is the only AI tool named in `docs/ai-disclosure.md` (all 16 entries).
- Claude Code (model Sonnet 5.5) was also used on 2026-10-04 to generate this documentation package; that entry is added to the disclosure log (last row below).
- Other tools: *Not verified from the provided project files.*

1.3 Dates and contributors

The disclosure covers 2026-10-02 to 2026-10-04. Entries are attributed to **Member 1–4** (the roles in the README repository table: Member 1 engine, API and database; Member 2 dispatcher screens; Member 3 loader and driver apps; Member 4 shared UI and store manager). Personal names are not recorded in the disclosure table. `docs/handoff.md` additionally names M.M.B.V. Mudalige as a teammate who merged dispatcher UI changes and a new `Login.tsx`. No other names are stated.

1.4 What AI helped with

- Monorepo scaffold, planning engine, tests, contract, Prisma schema, seed, Docker files and README (2026-10-02).
- Dispatcher, loader, driver and store APIs and screens from the Figma designs; goods lines; plan versions; offline driver app.
- Deployment: server setup script, mobile page and Android workflow, AWS Lightsail deployment, fixes found during pre-deployment checks.
- Later features: personal accounts, administrator console, current-run logic, Colombo time, real-time refresh, Demo mode, `.dockerignore`.
- This documentation package (PDF set).

1.5 What the team implemented and verified

The "Changed by hand" column of every entry is "—": the disclosure records no hand changes. The "Checked by" column records how each result was checked (tests, end-to-end runs in Chromium against an in-memory stand-in, later on real PostgreSQL in Docker, and against the live HTTPS URL). Several early entries say they were *not yet run* on real PostgreSQL; the 2026-10-04 entries record that run.

1.6 Testing performed

See the Testing and Verification Report. In short: the disclosure records 21 engine tests passing, typecheck, official checker run, full four-role flows with contract validation on Docker and on the live URL; this document's generation re-ran the 21 tests, typecheck and web build (all passed) and the engine on the official peak day.

1.7 Human responsibility

The disclosure entries ask the team to run `docker compose up --build` and the walkthrough before merging (2026-10-02 entries), and the project rules require a disclosure line for every task. Final responsibility for the submission, its security and its accuracy rests with the team members named in the submission. *Not verified from the provided project files* as to who reviewed each AI-generated change.

1.8 AI limitations observed in the record

- Early work was verified only against an in-memory database stand-in because the AI sandbox could not install packages; later entries record real PostgreSQL runs.
- The Android workflow had never run when first written (handoff.md) and was fixed after deployment.
- Documentation drift exists between README, handoff and code (see Project Documentation); and the login handler accepts any non-empty password (see Testing report). AI-generated text and code therefore need human review.

1.9 Final verification statement

This document preserves the factual content of `docs/ai-disclosure.md` as of 2026-10-04. It does not claim that AI wrote any code beyond what that file states, and it names no contributor beyond those documented.

1.10 Disclosure log (from docs/ai-disclosure.md)

Date	Member	AI generated	Changed by hand	Checked by
2026-10-02	Member 1	Claude (Anthropic) scaffolded the monorepo, planning engine, tests, contract, Prisma schema, seed, Docker files and README from our build plan	—	13 engine tests pass; engine output on the Task 2B peak day passes the official <code>check_allocation.py</code>
2026-10-02	Member 2	Claude (Anthropic) built Part 2: trip timetable in the engine (+5 tests), dispatcher contract shapes, API routes (queue, board, suggest, check-placement, defer, confirm, publish, recovery what-ifs, live, simulate, forecast, SSE) and screens D1–D6 from the Figma file	—	18 engine tests pass; official checker still PASSED; full dispatcher flow run against an in-memory database stand-in and each screen screenshotted at 1440×900. Not yet run on real PostgreSQL/ <code>pnpm install</code> (package registry blocked in the AI's sandbox) — run <code>docker compose up --build</code> and the walkthrough before merging

Date	Member	AI generated	Changed by hand	Checked by
2026-10-02	Member 3	Claude (Anthropic) built Part 3: goods lines (+2 tests), loader API and screens L1–L5, driver route and idempotent sync API, offline driver app M1–M8 (IndexedDB outbox, service worker, manifest), plan-version snapshots and trip locking	—	20 engine tests pass; loader → seal → driver depart → deliver → offline report → reconnect flow run end-to-end in Chromium against an in-memory database stand-in, including a real offline reload served by the service worker and duplicate-safe resend. Not yet run on real PostgreSQL / <code>pnpm install</code> / a physical phone
2026-10-02	Member 4	Claude (Anthropic) built Part 4: store contract and API (today, catalogue, place/edit order before cutoff, order detail with tracking/POD/deferral, receipt confirmation, deferral accept/cancel, receipts, notifications), store screens SM1–SM9 / D-SM1–D-SM9 from the Figma file, store ordering from the goods catalogue (+1 test), dispatcher View POD, judge walkthrough, <code>docs/deploy.md</code> and <code>docs/video-script.md</code>	—	21 engine tests pass; dispatcher publish → store accepts deferral and orders → loader damage report and seal → driver delivers → store confirms with a shortage → dispatcher sees Store issue and POD, run end to end in Chromium against an in-memory database stand-in, phone and desktop screenshots. Not yet run on real PostgreSQL / <code>pnpm install</code> — run <code>docker compose down -v && docker compose up --build</code> and the walkthrough before merging
2026-10-02	Member 3	Claude (Anthropic) added the public "Get the app" page (<code>/get-app</code> : Android install/APK download, iPhone Add to Home Screen), APK and app-link serving in nginx and the service worker, <code>scripts/server-setup.sh</code> (one-command server install) and <code>docs/mobile.md</code>	—	Page checked in Chromium at phone and desktop size; script syntax-checked (<code>bash -n</code>). The APK itself is generated with PWABuilder after the site is live
2026-10-04	Member 3	Claude (Anthropic) added fingerprint / Face ID unlock to the driver app (WebAuthn app lock: <code>roles/driver/biometric.ts</code> , <code>BiometricLock.tsx</code>), the "Android app" GitHub workflow that builds the APK/AAB with Bubblewrap (<code>.github/workflows/android-app.yml</code> , <code>scripts/twa-manifest.mjs</code>) and rewrote <code>docs/mobile.md</code>	—	Fingerprint flow tested in Chromium with a virtual authenticator: turn on, lock on reopen, wrong finger rejected, unlock, turn off. Workflow YAML validated; the APK build itself runs on GitHub and has not been run yet
2026-10-04	Member 3	Claude (Anthropic) checked the whole stack before deployment and fixed <code>/sw.js</code> answering 403 in the web image (<code>apps/web/Dockerfile</code>) now makes the served files world-readable)	—	<code>pnpm install</code> , <code>pnpm test</code> (21 pass), <code>pnpm typecheck</code> clean; on real PostgreSQL in Docker, all 4 logins and every endpoint called over HTTPS with each response validated against <code>contract.ts</code> (dispatcher suggest/publish → loader claim/tick/problem/seal → driver sync incl. idempotent replay → POD → store order), on both the demo day and today

Date	Member	AI generated	Changed by hand	Checked by
2026-10-04	Member 3	Claude (Anthropic) deployed to AWS Lightsail (https://3-106-77-179.sslip.io ; images built on the Mac for x86 because the 512 MB server cannot build), fixed the Android workflow (Bubblewrap SDK layout, build-tools 36.1.0), built the APK and published it with assetlinks.json on <code>/get-app</code>	—	Full four-role flow with contract validation passed against the live HTTPS URL, then the live database was reset; APK and assetlinks served with the right content types
2026-10-04	Member 3	Claude (Anthropic) replaced the 4 shared logins with 188 personal accounts (60 vehicle/driver accounts with one unique assigned driver each, 120 store managers, 1 dispatcher + 3 loaders per depot) with unique HMAC-derived passwords and pnpm credentials ; moved every screen to today's Asia/Colombo date and real clock with automatic daily scenario build (prisma/accounts.ts , prisma/demo-day.ts); locked dispatchers to their own depot	—	21 tests, typecheck clean; on a fresh Docker database all 188 accounts sign in with their own password, old logins rejected, all roles show the same date and clock, dispatchers cannot open the other depot, no driver on two vehicles, full four-role flow passes, next-day build tested twice (idempotent)
2026-10-04	Member 3	Claude (Anthropic) added the administrator role and Admin Console (roles/admin : System, Vehicles & drivers, Accounts), admin API (routes/admin.ts), contract shapes for it, the Driver table with one driver per vehicle (unique in the database), account on/off with immediate session cut-off, password reset shown once, staff account creation, and a safe upgrade step (prisma/pre-push.sql)	—	Typecheck clean, 21 tests pass; upgrade on an existing database and start from an empty one both checked; API tests for every admin action (assign, refuse a driver on two vehicles, move with confirmation, add driver, new account, reset password, switch off incl. open session, cannot switch self off, non-admin blocked), all kept after an API restart; screens checked in headless Chrome at desktop and phone size with no console errors
2026-10-04	Member 3	Claude (Anthropic) replaced the two per-depot dispatcher accounts with one dispatcher (dispatcher@waypoint.lk) who switches between Peliyagoda and Kandy in the console; the admin can create dispatchers for both depots	—	Typecheck clean; old dispatcher logins removed on upgrade, new account has no fixed depot, overview/board follow the switcher (API and headless Chrome)
2026-10-04	Member 3	Claude (Anthropic) made the dispatcher, loaders and drivers work on the current run (today until the 16:00 cutoff, then the next run) so store orders reach the order queue, listed every order already in for the next run, and fixed the daily order build failing inside the API (data/ folder looked up from apps/api)	—	Typecheck clean, 21 tests; order cycle tested at 10:00 and 18:00 for both depots (store order listed for the next run, then in the queue, planned by auto-allocate), 85 demo orders built for the new run, four-role flow on the next run passes
2026-10-04	Member 3	Claude (Anthropic) put every on-screen time in Sri Lanka time whatever the device time zone (colomboTime / colomboHour in ui/format.ts , used by driver, loader and dispatcher screens), set the server and the api/web/caddy containers to Asia/Colombo (database stays UTC), and the setup script now sets the server time zone and internet time sync	—	Web typecheck clean; containers show +0530; four-role flow passes; live server clock checked against Colombo time

Date	Member	AI generated	Changed by hand	Checked by
2026-10-04	Member 3	Claude (Anthropic) made every screen update in real time without a browser refresh: <code>GET /api/changes</code> (SSE "something changed" signal after any successful change, at the 16:00 run switch and at midnight; no business data), <code>src/live.tsx</code> (refetch on signal, catch-up after a dropped connection or when the tab returns), the driver app refetches its route on the signal; a build id with <code>/version.json</code> shows a "New version available · Update" bar after a deploy (never reloads by itself); fixed the driver app showing the driver name from the login token instead of the vehicle's assigned driver	—	All roles received the signal ~260 ms after a store order; 5 quick changes → 1 signal; reads send none; in headless Chrome a new store order appeared on the open dispatcher queue in 630 ms with no reload, an admin switch-off showed on the open Accounts screen in 620 ms, a driver swap showed on the open driver phone in 620 ms; update bar shown after a fresh build and gone after Update; typecheck, 21 tests and the four-role flow pass
2026-10-04	Member 3	Claude (Anthropic) added Demo mode (Admin → Demo mode): start for 30 min–4 h, auto-ends or End demo now, Reset demo data; the whole system runs on Wed 25 Mar 2026 (peak day) with store 14:18 the day before, loader 02:40, dispatcher 06:42; store OUT026's dry order is left out so it is placed live; a live checklist follows the story (order → plan → deferrals and store answer → loading → both trips → receipt issue → reply); last-served dates are put back when it ends. Also: a store's deferral answer now reaches the dispatcher on the run it was deferred from	—	Typecheck clean, 21 tests; the full demo story rehearsed twice end to end through the API with real accounts (plan identical each reset: OUT026 order on VEH031 trip 2, 10 unavoidable deferrals), every step passes, End demo returns all roles to real time; Demo page checked in headless Chrome
2026-10-04	Member 3	Claude (Anthropic) merged the team's latest commits and added <code>.dockerignore</code> (no laptop <code>node_modules</code> , <code>dist</code> , <code>.git</code> , <code>.env</code> or credentials in images)	—	Typecheck and 21 tests pass; images built and the deploy checked
2026-10-04	(documentation task; member to be named)	Claude Code (Sonnet 5.5) generated the nine-PDF documentation package from the repository files	—	Re-ran 21 tests, typecheck (after <code>prisma generate</code>), web build, engine on the peak day; cross-checked schema, scripts, compose and routes against the text