

R · random nodes

	beats no corr.	error
GPT	6/12	2.7
DeepSeek	8/12	2.7
No correction		2.7
Qwen thinking	5/12	2.7
GPT + Python	5/12	2.7
ExtraTrees	3/12	2.8
MLE	2/12	3.7
Training median	0/12	23.2
Qwen no thinking	0/12	41.1

S · random walk

	beats no corr.	error
ExtraTrees	11/12	5.0
MLE	12/12	6.9
GPT + Python	12/12	8.1
GPT	12/12	8.4
DeepSeek	12/12	9.0
Qwen thinking	12/12	18.1
Training median	9/12	23.2
No correction		30.1
Qwen no thinking	3/12	47.5

H · late time only

	beats no corr.	error
ExtraTrees	8/12	3.9
GPT	7/12	5.4
GPT + Python	7/12	6.1
No correction		6.4
MLE	6/12	7.1
DeepSeek	3/12	13.3
Qwen thinking	1/12	16.0
Training median	0/12	23.2
Qwen no thinking	0/12	25.2

B · event loss

	beats no corr.	error
MLE	8/12	7.6
ExtraTrees	8/12	7.9
GPT	9/12	10.8
GPT + Python	9/12	15.1
No correction		16.4
DeepSeek	4/12	17.2
Qwen thinking	2/12	22.0
Training median	7/12	23.2
Qwen no thinking	1/12	52.7

no correction constant guess classical method language model

sorted by error (pp) · bar length = error · x/12 = networks where the method beats no correction