Barcode4J examples

by Jeremias Märki

Table of contents

1 Example PDF	
2 Example Web Application	2
3 Preview of all supported barcode symbologies	~

The directory examples / in the distribution contains some example files that show what **Barcode4J** can do.

1 Example PDF

The directory examples/xsl-fo/ contains an XML file with barcode instructions (barcodes.xml) and an associated stylesheet (barcodes2xsl-fo.xsl) that converts the XML file to XSL-FO.

The resulting PDF generated by Apache FOP:



view (around 196KB)

2 Example Web Application

The directory examples/webapp/ contains an sample web application that provides an interactive demo for barcode generation with the Barcode Servlet. It is written using JSP. The build generates the web application by default. To play with it just drop the build/barcode4j.war file in your favourite web container.

3 Preview of all supported barcode symbologies

Barcode type	PNG graphic
Interleaved 2 of 5	0123456789
Code 39	0123456789
Code 128	0123456789
Codabar	0123456789
UPC-A	0 0 1 2 3 4 0 5 6 7 8 9 0 5

Barcode type	PNG graphic
UPC-E	0 123413 3
EAN-13	2 0 0 1 2 3 4 5 6 7 8 9 3
EAN-8	2012 3451
POSTNET	Manallalalalalalalalalalalalalalalal
Royal Mail Customer Barcode	դելերդերիերիերինդիրութի
USPS Intelligent Mail	եսիորսերՍորդեսըկլլիկիի իեփՍԱլ դԱլիկրդ
PDF417	
DataMatrix (square)	學 統
DataMatrix (rectangular)	

Table 1: PNG and SVG versions