

BACKEND CONNECTIVITY DATA

ADMIN

To get all the records

- API - <http://localhost:8080/com.tourismapp/webapi/admin>
- Type - GET
- Params -

To get all the records from ID

- API - <http://localhost:8080/com.tourismapp/webapi/admin/3>
- Type - GET
- Params - admin_id

If admin forgot password

- API - <http://localhost:8080/com.tourismapp/webapi/admin/forgotpassword>
- Type - POST
- Params - email

Admin Login

- API - <http://localhost:8080/com.tourismapp/webapi/admin/login>
- Type - GET
- Params - data

Admin insert record (signup)

- API - <http://localhost:8080/com.tourismapp/webapi/admin>
- Type - POST
- Params - admin_id, fname, lname, email, mobile, address, admin_control, password

Update admin record

- API - <http://localhost:8080/com.tourismapp/webapi/admin>
- Type - PUT
- Params - jsonData

Delete admin record

- API - <http://localhost:8080/com.tourismapp/webapi/admin/2>
- Type - DELETE
- Params - admin_id

CUSTOMER

To get all the records

- API - <http://localhost:8080/com.tourismapp/webapi/customer/>
- Type - GET
- Params - none

To get all the records from ID

- API - <http://localhost:8080/com.tourismapp/webapi/customer/3>
- Type - GET
- Params - Id

If user forgot password

- API - <http://localhost:8080/com.tourismapp/webapi/customer/forgotpassword>
- Type - POST
- Params - email

User Login

- API - <http://localhost:8080/com.tourismapp/webapi/customer/userlogin>
- Type - GET
- Params - data

User insert record (signup)

- API - <http://localhost:8080/com.tourismapp/webapi/customer>
- Type - POST
- Params - fname, lname, phone, email, address, srilankan, country, nationality, passport,, password

Update customer record

- API - <http://localhost:8080/com.tourismapp/webapi/customer>
- Type - PUT
- Params - jsonData

Delete customer record

- API - <http://localhost:8080/com.tourismapp/webapi/admin/2>
- Type - DELETE
- Params - Id

CUSTOMIZE PACKAGES

To get all the records

- API - <http://localhost:8080/com.tourismapp/webapi/customize>
- Type - GET
- Params - none

To get all the records from ID

- API - <http://localhost:8080/com.tourismapp/webapi/customize/304>
- Type - GET
- Params - cp_id

Insert customized package into DB

- API - <http://localhost:8080/com.tourismapp/webapi/customize>
- Type - POST
- Params - country, country_location, hotel1, hotel2, activity1, activity2, numbe_of_poeple, start_date, end_date, number_of_nights

Update

- API - <http://localhost:8080/com.tourismapp/webapi/customize>
- Type - PUT
- Params - jsonData

Delete record

- API - <http://localhost:8080/com.tourismapp/webapi/customize/301>
- Type - DELETE
- Params - cp_id

Update Status

- API - <http://localhost:8080/com.tourismapp/webapi/customize/status>
- Type - PUT
- Params - jsonData

INQUIRY

Insert inquiry into DB

- API - <http://localhost:8080/com.tourismapp/webapi/inquiries>
- Type - POST
- Params - email, desc

Get all inquiries from DB

- API - <http://localhost:8080/com.tourismapp/webapi/inquiries>
- Type - GET
- Params

PACKAGE

To get all records

- API : <http://localhost:8080/com.tourismapp/webapi/package>
- Type : GET
- Params : package_code, package_name, country, country_area1, number_of_nights, weekly_schedule, start_date, end_date, hotel1, hotel2, activity1, activity2, description, price_per_person

To get a record from package code

- API : <http://localhost:8080/com.tourismapp/webapi/package/2101>
- Type : GET
- Params : package_code, package_name, country, country_area1, number_of_nights, weekly_schedule, start_date, end_date, hotel1, hotel2, activity1, activity2, description, price_per_person

To add a package record

- API : <http://localhost:8080/com.tourismapp/webapi/package>
- Type : POST
- Params : package_code, package_name, country, country_area1, number_of_nights, weekly_schedule, start_date, end_date, hotel1, hotel2, activity1, activity2, description, price_per_person

To update a package record

- API : http://localhost:8080/com.tourismapp/webapi/reserve_package
- Type : PUT
- Params : package_code, package_name, country, country_area1, number_of_nights, weekly_schedule, start_date, end_date, hotel1, hotel2, activity1, activity2, description, price_per_person

To delete a package record

- API : <http://localhost:8080/com.tourismapp/webapi/package/14>
- Type : DELETE
- Params : package_code, package_name, country, country_area1, number_of_nights, weekly_schedule, start_date, end_date, hotel1, hotel2, activity1, activity2, description, price_per_person

PAYMENT

To get all records

- API : <http://localhost:8080/com.tourismapp/webapi/payment>
- Type : GET
- Params : Payment_id, cardType, cardNo, CVV, expDate, paymentDate, amountPaid

To get a record from Payment_id

- API : <http://localhost:8080/com.tourismapp/webapi/payment/14001>
- Type : GET
- Params : Payment_id, cardType, cardNo, CVV, expDate, paymentDate, amountPaid

To add a payment record

- API : <http://localhost:8080/com.tourismapp/webapi/payment>
- Type : POST
- Params : Payment_id, cardType, cardNo, CVV, expDate, paymentDate, amountPaid

FEEDBACK

To get all records

- API : <http://localhost:8080/com.tourismapp/webapi/feedback>
- Type : GET
- Params : feedback_id, duration, weekly_schedule, activites, package_price, description, feedback

To add a feedback record

- API : <http://localhost:8080/com.tourismapp/webapi/feedback>
- Type : GET
- Params : feedback_id, duration, weekly_schedule, activites, package_price, description, feedback

RESERVE PACKAGE

To get all records

- API : http://localhost:8080/com.tourismapp/webapi/reserve_package
- Type : GET
- Params : reserve_id, package_code, customer_id

To get a record from reserve_id

- API : http://localhost:8080/com.tourismapp/webapi/reserve_package
- Type : GET
- Params : reserve_id, package_code, customer_id

To delete a record

- API : http://localhost:8080/com.tourismapp/webapi/reserve_package/enter here reserve_id
- Type : DELETE
- Params : package_code, customer_id

