

# Advanced Manual Smart Contract Audit



Project: Baby Trust Token


Website: https://www.babytrusttoken.com/



4 low-risk code issues found



0 medium-risk code issues found



0 high-risk code issues found

#### **Contract Address**

0x0825a2bd1943Bf2353770B66c119AcF469C92Ae5

Disclaimer: Coinsult is not responsible for any financial losses. Nothing in this contract audit is financial advice, please do your own research.

### Disclaimer

Coinsult is not responsible if a project turns out to be a scam, rug-pull or honeypot. We only provide a detailed analysis for your own research.

Coinsult is not responsible for any financial losses. Nothing in this contract audit is financial advice, please do your own research.

The information provided in this audit is for informational purposes only and should not be considered investment advice. Coinsult does not endorse, recommend, support or suggest to invest in any project.

Coinsult can not be held responsible for when a project turns out to be a rug-pull, honeypot or scam.

### **Tokenomics**

Rank	Address	Quantity (Token)	Percentage
1	0x8e8f4dd08f6dc413c654cc239c72f8a6b074385e	150,000,000,000,000	100.0000%

### **Source Code**

Coinsult was comissioned by Baby Trust Token to perform an audit based on the following smart contract:

https://bscscan.com/address/0x0825a2bd1943Bf2353770B66c119AcF469C92Ae5#code

PinkSale generated token

## **Manual Code Review**

In this audit report we will highlight all these issues:



4 low-risk code issues found

Medium-Risk

0 medium-risk code issues found

High-Risk

0 high-risk code issues found

The detailed report continues on the next page...

#### **Too many digits**

Literals with many digits are difficult to read and review.

#### Recommendation

Use: Ether suffix, Time suffix, or The scientific notation

#### **Exploit scenario**

```
contract MyContract{
    uint 1_ether = 100000000000000000000;
}
```

While 1\_ether looks like 1 ether, it is 10 ether. As a result, it's likely to be used incorrectly.

#### No zero address validation for some functions

Detect missing zero address validation.

```
function setMarketingWallet(address payable wallet) external onlyOwner {
    _marketingWalletAddress = wallet;
}
```

#### Recommendation

Check that the new address is not zero.

#### **Exploit scenario**

```
contract C {

modifier onlyAdmin {
   if (msg.sender != owner) throw;
   _;
}

function updateOwner(address newOwner) onlyAdmin external {
   owner = newOwner;
}
```

Bob calls updateOwner without specifying the newOwner, soBob loses ownership of the contract.

#### **Unchecked transfer**

The return value of an external transfer/transferFrom call is not checked.

```
function swapAndSendToFee(uint256 tokens) private {
    uint256 initialCAKEBalance = IERC20(rewardToken).balanceOf(
        address(this)
    );

    swapTokensForCake(tokens);
    uint256 newBalance = (IERC20(rewardToken).balanceOf(address(this))).sub(
        initialCAKEBalance
    );
    IERC20(rewardToken).transfer(_marketingWalletAddress, newBalance);
}
```

#### Recommendation

Use SafeERC20, or ensure that the transfer/transferFrom return value is checked.

#### **Exploit scenario**

```
contract Token {
    function transferFrom(address _from, address _to, uint256 _value) public returns (bool success);
}
contract MyBank{
    mapping(address => uint) balances;
    Token token;
    function deposit(uint amount) public{
        token.transferFrom(msg.sender, address(this), amount);
        balances[msg.sender] += amount;
    }
}
```

Several tokens do not revert in case of failure and return false. If one of these tokens is used in MyBank, deposit will not revert if the transfer fails, and an attacker can call deposit for free..

#### Missing events arithmetic

Detect missing events for critical arithmetic parameters.

```
function setTokenRewardsFee(uint256 value) external onlyOwner {
   tokenRewardsFee = value;
   totalFees = tokenRewardsFee.add(liquidityFee).add(marketingFee);
   require(totalFees <= 25, &quot;Total fee is over 25%&quot;);
}
```

#### **Recommendation**

Emit an event for critical parameter changes.

#### **Exploit scenario**

```
contract C {
  modifier onlyAdmin {
    if (msg.sender != owner) throw;
    _;
  }
  function updateOwner(address newOwner) onlyAdmin external {
    owner = newOwner;
  }
}
```

updateOwner() has no event, so it is difficult to track off-chain changes in the buy price.

## **Owner privileges**

- Owner cannot set fees higher than 25%
- Owner cannot pause trading
- Owner cannot change max transaction amount
- Owner can exclude from fees

## Extra notes by the team

No notes


## **Contract Snapshot**

```
contract BABYTOKENDividendTracker is OwnableUpgradeable, DividendPayingToken {
  using SafeMath for uint256;
  using SafeMathInt for int256;
  using IterableMapping for IterableMapping.Map;

IterableMapping.Map private tokenHoldersMap;
  uint256 public lastProcessedIndex;
```

### **Website Review**

Coinsult checks the website completely manually and looks for visual, technical and textual errors. We also look at the security, speed and accessibility of the website. In short, a complete check to see if the website meets the current standard of the web development industry.



- Mobile Friendly
- Does not contain jQuery errors
- SSL Secured
- No major spelling errors

## **Project Overview**



KYC verified by Coinsult

# **Baby Trust Token**

Completed KYC Verification at Coinsult.net



Date: 8 July 2022

**✓** Project Owner Identified

✓ Contract: 0x0825a2bd1943Bf2353770B66c119AcF469C92Ae5

# **Baby Trust Token**

Audited by Coinsult.net



Date: 8 July 2022

Advanced Manual Smart Contract Audit