
L01 line, default style

L02 line widths 0.25 / 3 / 12



L03 dashes: dashed longDash dotted dashDot dashDotDot



L04 exact dash arrays [10 2 2 2] [0.5 4] [30 10]



L05 arrow, default




L06 arrow both ends, blue, 3pt




L07 every line ending, start and end (12 lines)




L08 line ending size x0.5 x2 x3



L09 opacity .3, 10pt crossing lines (blend)




L10 polyline zigzag, 7 points



L11 polyline dashed + open arrow + circle



L12 polyline rounded corners r=10




L13 polyline with two points




L14 polyline closed on itself (first = last)



L15 arc




L16 arc dashed with arrow



L17 arc, nearly straight (edge)


L18 arc, near full circle




L19 elliptical arcs 0-180, 45-300, 270-90, 10-350



L20 pen, freehand wave (60 pts)




L21 pen dashed 3pt + pen opacity .5 12pt



L22 highlighter strokes


L23 custom line styles: Gas, Zig Zag, Double, Road, Fenceline Circle



L24 stroke colours (white on dark)



L25 dimension: default, leader +14, long text 14pt




REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Lines, arrows and paths


A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
A-101


S01 rectangle, default




S02 rectangle filled, opacity .6, fillOpacity .5




S03 hatches: brick, diagonalDown, grid, dots20




S04 hatch scale 50 / 200, hatch colour blue, fill yellow




S05 dashed outlines 1 / 3 / 6 pt




S06 rounded corners r=12 and r=30



S07 rotated rectangles 30 / 90 / 45 filled




S08 line width 0 / 0.1 / 40 (edge)



S09 very thin 1x70, 70x1, tiny 3x3



S10 ellipse, circle, filled, rotated 45 hatched




S11 polygons: triangle, 5-point star, hexagon hatched




S12 bowtie (self-intersecting) filled; 24-gon; rounded polygon




S13 clouds: default, arc 3, arc 14, inside




S14 clouds: filled, rotated 20, tiny 12x12, thin 150x8




S15 polygon clouds: L-shape, star, inside




S16 Cloud+ (cloud + callout, grouped)




S17 custom hatch set:A3 Test/Zig (spec travels with markup)



S18 stacked translucent fills (multiply)



S19 ellipse and polygon with dash dot + width 2



REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Closed shapes, clouds and hatches

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
A-102

TX: text markups sit over the real page text below (select / search it in Bluebeam)

GENERAL NOTES AND SPECIFICATION CLAUSES

All dimensions are in millimetres unless noted otherwise.

Contractor to verify all dimensions on site before ordering materials.

Concrete shall be 40 MPa at 28 days with a maximum slump of 80 mm.

Reinforcement to AS/NZS 4671, grade 500N, lapped 600 mm minimum.

Fire rated walls to extend to underside of roof sheeting.

Provide 10 mm expansion joints at ~~maximum 6000 mm centres~~.

Waterproofing membrane to turn up 150 mm at all wall junctions.

Refer to structural drawings for all penetrations through slab.

All penetrations through fire rated elements to be ~~sealed~~.

Set out from ~~gridline A~~ and gridline 1 only.

Do not scale from this drawing.

Slab edge detail subject to engineer approval - see RFI 0042.

~~End of notes.~~

TB01 text box, default

Text box

TB02 wrapped paragraph, 9pt

The quick brown fox jumps over the lazy dog while the contractor verifies every dimension on site before ordering.

TB03 filled yellow, 2pt blue border

FILLED BOX

TB04 no box / borderless+fill

No box

Borderless

TB05 fonts: sans / serif / mono

sans 12

serif 12

mono 12

TB06 bold / italic / underline / all three

bold

italic

underline

bold+italic+un

TB07 text colour red, border green, fill pale

Coloured text

TB08 alignment left / centre / right

left

center

right

TB09 vertical top / middle / bottom

top

middle

bottom

TB10 sizes 6 / 24 / 40 pt

6pt

24pt

40pt

TB11 rotated 90 / 33 / 180

rot 90

rot 33

rot 180

TB12 dashed border + opacity .4

dashed / 40%

TB13 bullet list and numbered list

- Item one
- Item two
  - Nested item
- Item three

1. First
2. Second
3. Third
4. Fourth

TB15 text overflowing a small box (clip)

This text is far too long to

TB14 characters: accents, symbols, ( ) \ / # % & < > " '

Ünïcödé é ñ ± ° ² ³ ½ µ € £ © ®

Esc: ( ) \ / # % & < > " ' ; = [x]

TB16 empty text box; whitespace-only; newlines only

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Text markups and text boxes

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

A-201

CO01 callout, default

Check clash with services at this location.

CO02 callout, long two-segment leader, filled

Fill + blue leader
Second line

CO03 callout: open arrow tip, circle at knee side, dashed

Dashed border, open arrow

CO04 callout, tiny leader; no text

tiny

CO05 callout, tip right of box (leader goes left)

Leader from the right

TW01 typewriter, single line

Typewriter text

TW02 typewriter, multi-line 14pt red

Line one
Line two
Line three

TW03 typewriter, 8pt wrapped paragraph, mono

A longer typewriter paragraph that wraps across the width of its box.

TW04 typewriter: bold italic underline, centred

Bold italic

TW05 typewriter rotated 90

Rotated 90

N01 note with comment

N02 note with reply thread (3 deep) + status Rejected

N03 notes: colours, no comment, long comment

N04 note with status each: accepted completed cancelled

FL01 flag label, default

FLAG

FL02 flag labels: long text, tall, rotated 90

Long flag label text here

Tall

Rot

FL03 flag (linked flag) + flagged markup

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Callouts, typewriter, notes and flags

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026


SHEET
A-202

M01 length, horizontal 100 pt



rc: 3.53 m

M02 length, diagonal 3-4-5 (120 x 90 pt)



rc: 5.29 m

M03 length, leader +16 and -16 (extension lines)



rc: 3.88 m | rc: 3.88 m

M04 length, label slid +30 and rotated 25



rc: 4.59 m | rc: 4.59 m

M05 length label: hidden / no background / yellow / 14pt



rc: 4.94 m | rc: 4.94 m | rc: 4.94 m | rc: 4.94 m

M06 length with slope: pitch 6:12, 15 deg, 10%




rc: 4.34 m | rc: 4.02 m | rc: 3.90 m

M07 length with depth (wall area)



rc: 4.23 m

M08 polylength 5 points



rc: 10.18 m

M09 polylength with curved segments (bulges)



rc: 6.14 m

M10 area, rectangle 100 x 60




rc: 7.47 m²

M11 area, L-shape



rc: 8.21 m²

M12 area with one cutout



rc: 9.83 m²

M13 area with two cutouts, hatched




rc: 9.51 m²

M14 area, sloped 20 deg, green fill



rc: 9.54 m²

M15 area with depth (volume value)



rc: 8.96 m²

M16 area with curved edges (bulges)



rc: 11.68 m²

M18 count, 6 items (default marker)

rc: 6 ea

M17 perimeter, rectangle; perimeter with cutout

rc: 14.11 m | rc: 15.52 m

M19 count marker shapes (6 kinds, 3 points each)

rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea

M20 count marker sizes 3 / 8 / 14

rc: 1 ea | rc: 1 ea | rc: 1 ea

M23 angle, reflex arrangement and very small (2 deg)

rc: 53.1° | rc: 2.0°

M21 count: one point; 100-point grid

rc: 1 ea | rc: 100 ea

M22 angle 90 deg, 45 deg, 135 deg

rc: 90.0° | rc: 45.0° | rc: 135.0°

M24 diameter

rc: 2.47 m

M25 radius

rc: 1.23 m

M26 arc length (3 points)

rc: 7.33 m

M27 volume (polygon, depth)

rc: 2.46 m³

M28 volume with cutout, hatched

rc: 2.95 m³

M29 measurement: dashed, 3pt, orange, with arrow caps

rc: 4.94 m

M30 edge: zero-length length; 1 pt2 area; huge area

rc: 0.00 m | rc: 0.00 m² | rc: 11.50 m²

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Measurements, metric 1:100

A3 landscape
Scale: 1:100
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
M-101

V01 page scale 1:50: length, area

1.76 m

1.24 m²

Detail 1 (1:20): viewport, scale 1:20

988 mm

358,422 mm²

39.8°

~~rc. 988 mm~~ | ~~rc. 358,422 mm²~~ | 564 mm

V05 starts inside, ends outside

Section A (1:10): viewport, scale 1:10

494 mm

89,606 mm²

39.8°

~~rc. 494 mm~~ | ~~rc. 89,606 mm²~~ | rc. 1.41 m

V06 starts outside, ends inside

V04 outside every viewport: page scale 1:50 applies

2.47 m

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Viewports: 1:50 page, 1:20 and 1:10 details

A3 landscape
Scale: 1:50
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-103

100 200 300 400 500 600 700 800 900 1000 1100


100 200 300 400 500 600 700 800

M01 length, horizontal 100 pt




rc: 11'-1 5/16"

M02 length, diagonal 3-4-5 (120 x 90 pt)




rc: 16'-8"

M03 length, leader +16 and -16 (extension lines)



rc: 12'-2 11/16" | rc: 12'-2 11/16"

M04 length, label slid +30 and rotated 25



rc: 14'-5 5/16" | rc: 14'-5 5/16"

M05 length label: hidden / no background / yellow / 14pt



rc: 15'-6 11/16" | rc: 15'-6 11/16" | rc: 15'-6 11/16" | rc: 15'-6 11/16"

M06 length with slope: pitch 6:12, 15 deg, 10%



rc: 13'-8" | rc: 12'-7 13/16" | rc: 12'-3 3/8"

M07 length with depth (wall area)



rc: 13'-4"

M08 polylength 5 points



rc: 32'-0 9/16"

M09 polylength with curved segments (bulges)




rc: 19'-3 7/8"

M10 area, rectangle 100 x 60




rc: 74.07 sf

M11 area, L-shape




rc: 81.48 sf

M12 area with one cutout



rc: 97.53 sf

M13 area with two cutouts, hatched



rc: 94.35 sf

M14 area, sloped 20 deg, green fill



rc: 94.59 sf

M15 area with depth (volume value)



rc: 88.89 sf

M16 area with curved edges (bulges)



rc: 115.89 sf

M18 count, 6 items (default marker)

rc: 6 ea

M17 perimeter, rectangle; perimeter with cutout

rc: 44'-5 5/16" | rc: 48'-10 11/16"

M19 count marker shapes (6 kinds, 3 points each)

rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea

M20 count marker sizes 3 / 8 / 14

rc: 1 ea | rc: 1 ea | rc: 1 ea

M23 angle, reflex arrangement and very small (2 deg)

rc: 53.1° | rc: 2.0°

M21 count: one point; 100-point grid

rc: 1 ea | rc: 100 ea

M22 angle 90 deg, 45 deg, 135 deg

rc: 90.0° | rc: 45.0° | rc: 135.0°

M24 diameter

rc: 7'-9 5/16"

M25 radius

rc: 3'-10 11/16"

M26 arc length (3 points)

rc: 23'-1"

M27 volume (polygon, depth)

rc: 40.74 cf

M28 volume with cutout, hatched

rc: 48.77 cf

M29 measurement: dashed, 3pt, orange, with arrow caps

rc: 15'-6 11/16"

M30 edge: zero-length length; 1 pt2 area; huge area

rc: 0'-0" | rc: 0.01 sf | rc: 114.07 sf

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, imperial 1/8" = 1'-0"

A3 landscape
Scale: 1/8" = 1'-0"
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-102

length 100 pt



rc: 27.78 ft

length vertical 100 pt




rc: 22.22 ft

polylength



rc: 65.09 ft

area 100 x 60



rc: 462.96 sf

perimeter 100 x 60




rc: 88.89 ft

count 4




rc: 4 ea

angle 60 deg



rc: 60.0°

diameter / radius



rc: 27.78 ft | rc: 16.67 ft

arc length



rc: 55.77 ft

volume depth 0.25 m



rc: 379.73 cf

length with slope 10 deg

rc: 33.85 ft

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, engineering 1" = 20'

decimal feet
Scale: 1" = 20'
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-104

length 100 pt



rc: 66 5/8"

length vertical 100 pt




rc: 53 3/8"

polylength



rc: 156 1/4"

area 100 x 60



rc: 2,666.67 sq in

perimeter 100 x 60




rc: 213 3/8"

count 4




rc: 4 ea

angle 60 deg



rc: 60.0°

diameter / radius




rc: 66 5/8" | rc: 40"

arc length



rc: 133 7/8"

volume depth 0.25 m



rc: 26,246.72 cu in

length with slope 10 deg

rc: 81 1/4"

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, 1/4" = 1'-0" inches

fractional inches
Scale: 1/4" = 1'-0" (in)
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-105

length 100 pt



rc: 5,000 mm

length vertical 100 pt




rc: 4,000 mm

polylength



rc: 11,715 mm

area 100 x 60



rc: 15 m²

perimeter 100 x 60




rc: 16,000 mm

count 4




rc: 4 ea

angle 60 deg



rc: 60.0°

diameter / radius



rc: 5,000 mm | rc: 3,000 mm

arc length



rc: 10,039 mm

volume depth 0.25 m



rc: 4 m³

length with slope 10 deg

rc: 6,093 mm

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, calibrated (50 mm per pt), mm + m2

mm lengths, m2 areas
Scale: Calibrated 1 pt = 50 mm
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-106

length 100 pt



rc: 4.00 m

length vertical 100 pt



rc: 1.60 m

polylength



rc: 7.00 m

area 100 x 60



rc: 4.80 m²

perimeter 100 x 60




rc: 10.40 m

count 4




rc: 4 ea

angle 60 deg




rc: 40.9°

diameter / radius



rc: 4.00 m | rc: 2.40 m

arc length



rc: 6.26 m

volume depth 0.25 m



rc: 1.20 m³

length with slope 10 deg

rc: 4.87 m

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, non-uniform scale (Y is half of X)

anisotropic
Scale: Non-uniform 1:2 in Y
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-107

length 100 pt



no page scale: the app's default decides

length vertical 100 pt



no page scale: the app's default decides

polylength



no page scale: the app's default decides

area 100 x 60



no page scale: the app's default decides

perimeter 100 x 60




no page scale: the app's default decides

count 4




no page scale: the app's default decides

angle 60 deg



no page scale: the app's default decides

diameter / radius




no page scale: the app's default decides

arc length



no page scale: the app's default decides

volume depth 0.25 m



no page scale: the app's default decides

length with slope 10 deg

no page scale: the app's default decides

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Measurements, page scale never set

no scale in the file: each app uses its own default
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
M-108

ST approved (text stamp)

APPROVED
By A3 Tester on 17/10/2026

ST approved-noted (text stamp)

APPROVED AS NOTED
By A3 Tester on 17/10/2026

ST revise (text stamp)

REVISE AND RESUBMIT
By A3 Tester on 17/10/2026

ST rejected (text stamp)

REJECTED
By A3 Tester on 17/10/2026

ST for-construction (text stamp)

FOR CONSTRUCTION
Issued 17/10/2026

ST confidential (text stamp)

CONFIDENTIAL

ST draft (text stamp)

DRAFT

ST void (text stamp)

VOID

ST rotated 15 / 90, opacity .5

DRAFT

REJECTED
By A3 Tester on 17/10/2026

ST submittal review form: ticked "Revise and Resubmit"

SUBMITTAL REVIEW
☐ No Exceptions Taken
☐ Make Corrections Noted
☑ Revise and Resubmit
☐ Rejected
Resubmittal: Required
Reviewed by: A3 Tester
Reviewed on: 17/10/2026

ST submittal review form: nothing ticked

SUBMITTAL REVIEW
☐ No Exceptions Taken
☐ Make Corrections Noted
☐ Revise and Resubmit
☐ Rejected
Resubmittal:
Reviewed by: A3 Tester
Reviewed on: 17/10/2026

ST picture stamp (seal artwork + live text)

PE
APPROVED


ST long text stamp (5 lines)

CHECKED
By A3 Tester
On 17/10/2026
Ref: RFI-0042 / SK-17
Valid for 30 days

IM image (PNG with transparency)



IM image stretched, rotated 20, opacity .5



IM image tiny 6x4 and huge-aspect 150x6



SG signature image + signer details



AT attachments: text, tiny PDF, WAV sound

AT attachment: empty file; name with spaces/unicode

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Stamps, pictures, signatures and attachments

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
C-101

LG legend (this page), lists the markups on this page

Legend		
Legend rectangle A	1	
Legend rectangle B	1	
Legend line	1	
TB table 3 x 3 with header text	1	
TB table with merged cells, cell fills, per-cell fonts	1	
TB 1x1	1	
TB 12x3	1	
HL to this page	1	
HL URL	1	
HL place	1	
HL other file	1	
HL page view	1	
Smart Fill region	1	0.60 sq in
Symbol search results	3	
Sketch outline	1	
Sketch dimension	1	

LG sample markups for the legend



TB table 3 x 3 with header text

Item	Qty	Unit
Door	12	ea
Window	8	ea

TB table with merged cells, cell fills, per-cell fonts


MERGED HEADER			Total
A	B	C	10
D	E	F	20
Sum			30

TB table 1 x 1; table 12 x 3 at 6pt

solo

r1c1	r1c2	r1c3
r2c1	r2c2	r2c3
r3c1	r3c2	r3c3
r4c1	r4c2	r4c3
r5c1	r5c2	r5c3
r6c1	r6c2	r6c3
r7c1	r7c2	r7c3
r8c1	r8c2	r8c3
r9c1	r9c2	r9c3
r10c1	r10c2	r10c3
r11c1	r11c2	r11c3
r12c1	r12c2	r12c3

HL hyperlinks: to page, URL, place, other file




HL link to page with a zoomed view (rect)


SP Spaces: Room 101, Corridor (concave)

RD redactions (marked, not applied)

Smart fill region (area) and symbol-search style counts



Sketch to scale style: polygon with dimensions



REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Legend, tables, links, Spaces, redactions

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
C-102

Full name

A3 Tester

Markup text next to fields

Count markers over check boxes

Comments

Multi-line comment
second line

Discipline (drop-down)

Architectural

Zones (list)

Zone 1
Zone 2
Zone 3
Zone 4

Agree (check box)

Choice (radio)

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Form fields (AcroForm) with markups over them

AcroForm: text, check box, radio, drop-down, list
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

C-103

TOP-LEFT


TOP-RIGHT

Highlight this sentence on every page orientation.


G01 line + arrow




G02 rect rotated 30 + ellipse




G03 polygon + star + cloud




G04 text box rotated 90 + text box normal



G05 callout




G06 pen + highlighter



G08 note + flag + stamp



G07 length / area / count at 1:100




G09 hyperlink + table



TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Landscape media, /Rotate 90

MediaBox A3 landscape, Rotate 90 (shows portrait)
Scale: 1:100
Size: 842 x 1191 pt (display)
Rev A 17-Oct-2026

SHEET
G-101

BOTTOM-LEFT

TOP-LEFT


Highlight this sentence on every page orientation.

TOP-RIGHT

G01 line + arrow



G02 rect rotated 30 + ellipse



G04 text box rotated 90 + text box r

rot 90

plain


G03 polygon + star + cloud



G05 callout

Callout leader on this orientation

G06 pen + highlighter




G08 note + flag + stamp

DRAFT

G07 length / area / count at 1:100

4.23 m


5.60 m²



G09 hyperlink + table

TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-LEFT

BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Landscape media, /Rotate 180

MediaBox A3 landscape, Rotate 180 (upside down)
Scale: 1:100
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

G-102

TOP-LEFT


TOP-RIGHT

Highlight this sentence on every page orientation.


G01 line + arrow




G02 rect rotated 30 + ellipse




G03 polygon + star + cloud




G04 text box rotated 90 + text box normal



G05 callout




G06 pen + highlighter



G08 note + flag + stamp



G07 length / area / count at 1:100




G09 hyperlink + table



TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Landscape media, /Rotate 270

MediaBox A3 landscape, Rotate 270 (shows portrait)
Scale: 1:100
Size: 842 x 1191 pt (display)
Rev A 17-Oct-2026

SHEET

G-103

BOTTOM-LEFT

TOP-LEFT


TOP-RIGHT

Highlight this sentence on every page orientation.


G01 line + arrow




G02 rect rotated 30 + ellipse




G03 polygon + star + cloud




G04 text box rotated 90 + text box normal



G05 callout




G06 pen + highlighter



G08 note + flag + stamp



G07 length / area / count at 1:100




G09 hyperlink + table



TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Portrait A3, no rotation

MediaBox A3 portrait
Scale: 1:100
Size: 842 x 1191 pt (display)
Rev A 17-Oct-2026

SHEET

G-104

BOTTOM-LEFT

TOP-LEFT


TOP-RIGHT

Highlight this sentence on every page orientation.

G01 line + arrow



G02 rect rotated 30 + ellipse



G04 text box rotated 90 + text box r

rot 90

plain


G03 polygon + star + cloud



G05 callout

Callout leader on this orientation

G06 pen + highlighter




G08 note + flag + stamp

DRAFT

G07 length / area / count at 1:100

4.23 m


5.60 m²



G09 hyperlink + table

TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-LEFT

BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Portrait media, /Rotate 90 (shows landscape)

MediaBox A3 portrait, Rotate 90
Scale: 1:100
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

G-105


TOP-LEFT

Highlight this sentence on every page orientation.

G01 line + arrow



G02 rect rotated 30 + ellipse



G04 text box rotated 90 + text box r

rot 90

TOP-RIGHT

plain


G03 polygon + star + cloud



G05 callout

Callout leader on this orientation


G06 pen + highlighter



G08 note + flag + stamp




G07 length / area / count at 1:100



G09 hyperlink + table

TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-LEFT

BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

MediaBox origin at (-100, -60)

MediaBox lower-left is negative
Scale: 1:100
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

G-106

TOP-LEFT


Highlight this sentence on every page orientation.

TOP-RIGHT

G01 line + arrow



G02 rect rotated 30 + ellipse



G03 polygon + star + cloud



G04 text box rotated 90 + text box normal


rot 90

plain

G05 callout

Callout leader on this orientation


G06 pen + highlighter



G07 length / area / count at 1:100

4.23 m

5.60 m²




G08 note + flag + stamp



G09 hyperlink + table

TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-RIGHT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

CropBox inset inside MediaBox

CropBox 40,30 1100x770 inside A3 MediaBox
Scale: 1:100
Size: 1100 x 770 pt (display)
Rev A 17-Oct-2026

SHEET

G-107


BOTTOM-LEFT

TOP-LEFT


TOP-RIGHT

Highlight this sentence on every page orientation.


G01 line + arrow




G02 rect rotated 30 + ellipse




G04 text box rotated 90 + text box normal




G03 polygon + star + cloud



G06 pen + highlighter




G05 callout



G08 note + flag + stamp



G07 length / area / count at 1:100




G09 hyperlink + table



TL	TR
BL	BR

G10 dimension + polyline + arc



BOTTOM-RIGHT

BOTTOM-LEFT

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Offset MediaBox + CropBox + Rotate 270

worst case: offset media, crop, rotate 270
Scale: 1:100
Size: 700 x 1000 pt (display)
Rev A 17-Oct-2026

SHEET

G-108

CC01 no column values at all

CC02 every column filled

CC03 text: 255 chars

CC04 text: unicode / symbols

CC05 text: XML + PDF specials

CC06 multiline: 5 lines, blank line, tabs

CC07 multiline: 2000 chars

CC08 choice: every discipline in order (first)

CC09 choice: last option, with slash

CC10 choice: value not in the list

CC11 choice: empty; required Priority missing

CC12 number: 0

CC13 number: negative, decimals

CC14 number: large 1234567.891 / small 0.005

CC15 number: not a number ("abc")

CC16 date: leap day 2028-02-29

CC17 date: 1999-12-31 and 2099-01-01 pair

CC18 date: invalid text ("tomorrow")

CC19 checkmark: true

CC20 checkmark: false

CC21 checkmark: unset; invalid "yes"

CC22 formula inputs: Qty 3 x Unit 9.99 (Total 29.97)

CC23 formula inputs: Verified false (Verified Qty 0)

CC24 formula inputs: missing Qty

CT01 columns on a line

CT02 columns on a polygon

CT03 columns on a text

Text box with columns

CT04 columns on a count

CT05 columns on a length

1.39 in

CT06 columns on a note

CT07 columns on a cloud

CT08 columns on a stamp

CHECKED

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Custom columns: every type, edge values

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

Z-101

SS status Accepted

SS status Rejected

SS status Completed

SS status Cancelled

SS status Open (custom set)


SS status In Progress (custom set)

SS status Closed - No Action (custom set)

SS history: None > Accepted > Rejected > Completed

SS history across models: Review + custom set

SS status on a line / cloud / count / area



RP reply with empty text; reply by empty author

RP reply thread: 11 replies, 5 deep, long + unicode

CK checkmarked (ticked) markups


LK locked markup; legend-hidden markup

HD hidden markup (should not draw; in list)

HIDDEN: you should see nothing here

LY layers: "A3 Layer One" and "A3 Layer Two"

GR grouped markups: rect + text + line (group)



AU authors: unicode, long, empty

CM long comment (3000 chars, newlines, specials)

SB subject only; subject with unicode / 200 chars

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Statuses, threads, layers, groups and flags

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

Z-102

E01 zero length: line, arrow, polyline

E02 zero size: rect, ellipse, cloud, text box

E03 degenerate polygons: collinear, duplicate vertices

E04 reversed corners: rect, ellipse, text

E05 2000-point pen stroke



E07 count of 500 points


E06 500-point polyline; 200-vertex polygon




E08 opacity 0.01 fill; opacity 0.05 stroke; opacity 1




E09 font size 3 / 96 in text boxes



E10 rotations 360, -45, 720, 0.5



E11 20 identical rectangles stacked



E12 pen with 1 point / 2 identical / 3 points



E13 line width 100; width 0.001

E14 text: 5000 chars in a tall box

lorem ipsum dolor sit amet lorem ipsum dolor sit amet lorem ipsum dolor sit amet

D01 markup id with spaces and symbols



D02 duplicate subjects (x3)



D03 subject: empty string; whitespace



D04 same createdAt on every markup (ties)



D05 dates: year 1970 and year 2099



D06 text: 20 000 chars comment




D07 note with 60 replies




D08 reply parent missing; reply cycle




D09 fields referencing a column that does not exist



D10 status id that is not defined




D11 layer name with unicode / symbols



D12 hyperlink to a page index that does not exist



D13 locked + hidden + flagged + checked all at once



D14 table cell text with newlines and specials

a b	( ) \ & <

D15 text box newline kinds: \r\n and \r

crlf line one
line two
line three

D16 markup with every optional style set

Every style property set

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Edge cases: names, ids and data

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
E-102

U text box: Greek

Αθήνα Ω αβγ

U text box: Cyrillic

Москва Тест

U text box: Japanese

??? ?? ??

U text box: Chinese

?? ??

U text box: Arabic (RTL)

????? ???????

U text box: Math / arrows

≥ ≤ ≠ → ← ? ∞ ≈

U text box: Emoji

? ? ??

U text box: Smart quotes / dashes

“quoted” ‘single’ – — …

U note comment + reply

U stamp lines + callout

????
? OK


????? → café

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Edge cases: characters beyond Latin-1

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
E-103


DA Revu wrote: 2 2 (lines are 1, 2, 3 pt)



DA Revu wrote: 3 3 (lines are 1, 2, 3 pt)




DA Revu wrote: 4 4 (lines are 1, 2, 3 pt)



DA Revu wrote: 8 4 4 4 (lines are 1, 2, 3 pt)



DA 1 1 (lines are 1, 2, 3 pt)



DA 1 2 (lines are 1, 2, 3 pt)




DA 2 1 (lines are 1, 2, 3 pt)



DA 2 4 (lines are 1, 2, 3 pt)



DA 3 1 (lines are 1, 2, 3 pt)



DA 3 2 (lines are 1, 2, 3 pt)



DA 4 2 (lines are 1, 2, 3 pt)




DA 4 3 (lines are 1, 2, 3 pt)



DA 5 5 (lines are 1, 2, 3 pt)




DA 6 2 (lines are 1, 2, 3 pt)



DA 6 3 (lines are 1, 2, 3 pt)



DA 6 2 2 2 (lines are 1, 2, 3 pt)



DA 8 6 (lines are 1, 2, 3 pt)




DA 8 8 (lines are 1, 2, 3 pt)



DA 10 5 (lines are 1, 2, 3 pt)




DA 10 10 (lines are 1, 2, 3 pt)




DA 12 4 (lines are 1, 2, 3 pt)



DA 12 6 2 6 (lines are 1, 2, 3 pt)




DA 16 8 (lines are 1, 2, 3 pt)




DA 18 8 (lines are 1, 2, 3 pt)



DA 20 10 (lines are 1, 2, 3 pt)




DA 3 2 1 2 (lines are 1, 2, 3 pt)



DA zero-length dash (dots): 0 5 (lines are 1, 2, 3 pt)


DA zero-length dash: 12 6 0 6 (lines are 1, 2, 3 pt)



DA redcolumn dashed at 2 pt: 8 6 (lines are 1, 2, 3 pt)



DA redcolumn longDash at 2 pt: 18 8 (lines are 1, 2, 3 pt)



REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Dash patterns at 1, 2 and 3 pt: which does Revu keep?

A3 landscape
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

D-101