
M01 length, horizontal 100 pt



rc: 11'-1 5/16"

M02 length, diagonal 3-4-5 (120 x 90 pt)




rc: 16'-8"

M03 length, leader +16 and -16 (extension lines)



rc: 12'-2 11/16" | rc: 12'-2 11/16"

M04 length, label slid +30 and rotated 25




rc: 14'-5 5/16" | rc: 14'-5 5/16"

M05 length label: hidden / no background / yellow / 14pt



rc: 15'-6 11/16" | rc: 15'-6 11/16" | rc: 15'-6 11/16" | rc: 15'-6 11/16"

M06 length with slope: pitch 6:12, 15 deg, 10%



rc: 13'-8" | rc: 12'-7 13/16" | rc: 12'-3 3/8"

M07 length with depth (wall area)



rc: 13'-4"

M08 polylength 5 points




rc: 32'-0 9/16"

M09 polylength with curved segments (bulges)




rc: 19'-3 7/8"

M10 area, rectangle 100 x 60




rc: 74.07 sf

M11 area, L-shape




rc: 81.48 sf

M12 area with one cutout




rc: 97.53 sf

M13 area with two cutouts, hatched




rc: 94.35 sf

M14 area, sloped 20 deg, green fill




rc: 94.59 sf

M15 area with depth (volume value)



rc: 88.89 sf

M16 area with curved edges (bulges)




rc: 115.89 sf

M18 count, 6 items (default marker)



rc: 6 ea

M17 perimeter, rectangle; perimeter with cutout




rc: 44'-5 5/16" | rc: 48'-10 11/16"

M19 count marker shapes (6 kinds, 3 points each)




rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea | rc: 3 ea

M20 count marker sizes 3 / 8 / 14




rc: 1 ea | rc: 1 ea | rc: 1 ea

M23 angle, reflex arrangement and very small (2 deg)




rc: 53.1° | rc: 2.0°

M21 count: one point; 100-point grid



rc: 1 ea | rc: 100 ea

M22 angle 90 deg, 45 deg, 135 deg



rc: 90.0° | rc: 45.0° | rc: 135.0°

M24 diameter



rc: 7'-9 5/16"

M25 radius




rc: 3'-10 11/16"

M26 arc length (3 points)




rc: 23'-1"

M27 volume (polygon, depth)



rc: 40.74 cf

M28 volume with cutout, hatched




rc: 48.77 cf

M29 measurement: dashed, 3pt, orange, with arrow caps



rc: 15'-6 11/16"

M30 edge: zero-length length; 1 pt2 area; huge area



rc: 0'-0" | rc: 0.01 sf | rc: 114.07 sf

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, imperial 1/8" = 1'-0"

A3 landscape
Scale: 1/8" = 1'-0"
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-102

length 100 pt



rc: 27.78 ft

length vertical 100 pt




rc: 22.22 ft

polylength



rc: 65.09 ft

area 100 x 60



rc: 462.96 sf

perimeter 100 x 60




rc: 88.89 ft

count 4




rc: 4 ea

angle 60 deg



rc: 60.0°

diameter / radius



rc: 27.78 ft | rc: 16.67 ft

arc length



rc: 55.77 ft

volume depth 0.25 m



rc: 379.73 cf

length with slope 10 deg

rc: 33.85 ft

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, engineering 1" = 20'

decimal feet
Scale: 1" = 20'
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-104

length 100 pt



rc: 66 5/8"

length vertical 100 pt




rc: 53 3/8"

polylength



rc: 156 1/4"

area 100 x 60



rc: 2,666.67 sq in

perimeter 100 x 60




rc: 213 3/8"

count 4




rc: 4 ea

angle 60 deg



rc: 60.0°

diameter / radius




rc: 66 5/8" | rc: 40"

arc length



rc: 133 7/8"

volume depth 0.25 m



rc: 26,246.72 cu in

length with slope 10 deg

rc: 81 1/4"

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, 1/4" = 1'-0" inches

fractional inches
Scale: 1/4" = 1'-0" (in)
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-105

length 100 pt



rc: 5,000 mm

length vertical 100 pt




rc: 4,000 mm

polylength



rc: 11,715 mm

area 100 x 60



rc: 15 m²

perimeter 100 x 60




rc: 16,000 mm

count 4




rc: 4 ea

angle 60 deg



rc: 60.0°

diameter / radius



rc: 5,000 mm | rc: 3,000 mm

arc length



rc: 10,039 mm

volume depth 0.25 m



rc: 4 m³

length with slope 10 deg

rc: 6,093 mm

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, calibrated (50 mm per pt), mm + m2

mm lengths, m2 areas
Scale: Calibrated 1 pt = 50 mm
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-106

length 100 pt



rc: 4.00 m

length vertical 100 pt



rc: 1.60 m

polylength



rc: 7.00 m

area 100 x 60



rc: 4.80 m²

perimeter 100 x 60




rc: 10.40 m

count 4




rc: 4 ea

angle 60 deg




rc: 40.9°

diameter / radius



rc: 4.00 m | rc: 2.40 m

arc length



rc: 6.26 m

volume depth 0.25 m



rc: 1.20 m³

length with slope 10 deg

rc: 4.87 m

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST

Measurements, non-uniform scale (Y is half of X)

anisotropic
Scale: Non-uniform 1:2 in Y
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET

M-107

length 100 pt



no page scale: the app's default decides

length vertical 100 pt



no page scale: the app's default decides

polylength



no page scale: the app's default decides

area 100 x 60



no page scale: the app's default decides

perimeter 100 x 60




no page scale: the app's default decides

count 4




no page scale: the app's default decides

angle 60 deg



no page scale: the app's default decides

diameter / radius




no page scale: the app's default decides

arc length



no page scale: the app's default decides

volume depth 0.25 m



no page scale: the app's default decides

length with slope 10 deg

no page scale: the app's default decides

REDCOLUMN A3 BLUEBEAM COMPATIBILITY TEST
Measurements, page scale never set

no scale in the file: each app uses its own default
Scale: not set
Size: 1191 x 842 pt (display)
Rev A 17-Oct-2026

SHEET
M-108